

MATERIAL SAFETY DATA SHEET

ORANGE PE CD1954

Version Number 1.0 Revision Date 01/16/2003 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ORANGE PE CD1954
Product code	:	CC10029619
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



MATERIAL SAFETY DATA SHEET

ORANGE PE CD1954

Version Number 1.0 Revision Date 01/16/2003 Page 2 of 6 Print Date 11/7/2011

	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.	ιt	
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.	ek	
	5. FIRE-FIGHTING MEASURES	_	
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. 		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	: None		
	. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	ot	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

ORANGE PE CD1954

ion Number 1.0 sion Date 01/16/2003				Page Print Date 11/7/		
and contamination. Keep in a dry, cool place.						
8. E	XPOSURE	CONTROLS / PERSON	AL PROTECTION			
Respiratory protection	: No personal respiratory protective equipment normally required.					
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: Protective gloves.					
Skin and body protection	: Lo	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time	Exposure ty	-		
Titanium dioxide	10 mg/m3	Exposure time Time Weighted Averag (TWA):	e Dust.	ACGIH		
		Time Weighted Averag		ACGIH		
Titanium dioxide	10 mg/m3 15 mg/m3	Time Weighted Averag (TWA):	e Dust. Total dust	ACGIH		
Titanium dioxide Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC : Solid	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL H	e Dust. Total dust PROPERTIES aporation rate	ACGIH t. OSHA Z : Not applicable.		
Titanium dioxide Titanium dioxide Form Appearance	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Peller	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL H Ev ts Sp	e Dust. Total dust PROPERTIES aporation rate ecific Gravity	ACGIH ACGIH OSHA Z Not applicable. Not determined		
Titanium dioxide Titanium dioxide Form Appearance Color	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pellet : ORA	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL H Ev ts Sp NGE Bu	e Dust. Total dust PROPERTIES aporation rate ecific Gravity lk density	ACGIH ACGIH OSHA Z Not applicable. Not determined Not established		
Titanium dioxide Titanium dioxide Form Appearance Color Odor	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL H Ev ts Sp NGE Bu faint Va	e Dust. Total dust PROPERTIES aporation rate ecific Gravity lk density por pressure	ACGIH ACGIH OSHA Z Not applicable. Not determined Not established Not applicable		
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not d	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL F Ev ts Sp NGE Bu faint Va letermined Va	e Dust. Total dust PROPERTIES aporation rate ecific Gravity lk density por pressure por density	ACGIH ACGIH COSHA Z Not applicable. Not determined Not established Not applicable Not applicable		
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not d	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL H Ev ts Sp NGE Bu faint Va letermined Va pplicable pH	e Dust. Total dust PROPERTIES aporation rate ecific Gravity lk density por pressure por density	ACGIH ACGIH OSHA Z Not applicable. Not determined Not established Not applicable		
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pellet : ORA : Very : Not a : Insolu	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL H Ev ts Sp NGE Bu faint Va letermined Va pplicable pH	e Dust. Total dust PROPERTIES aporation rate ecific Gravity lk density por pressure por density	ACGIH ACGIH COSHA Z Not applicable. Not determined Not established Not applicable Not applicable		
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not d : Insolution 10. S	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL H Ev ts Sp NGE Bu faint Va letermined Va pplicable pH uble	e Dust. Total dust PROPERTIES aporation rate ecific Gravity lk density por pressure por density	ACGIH ACGIH COSHA Z Not applicable. Not determined Not established Not applicable Not applicable		
Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pellet : ORA : Very : Not d : Insolut 10. S : St	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL H Ev ts Sp NGE Bu faint Va letermined Va pplicable pH uble TABILITY AND REAC	e Dust. Total dust PROPERTIES aporation rate ecific Gravity lk density por pressure por density	ACGIH ACGIH COSHA Z Not applicable. Not determined Not established Not applicable Not applicable		
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pellec : ORA : Very : Not c : Not a : Insolu 10. S 10. S n : W : K	Time Weighted Averag (TWA): PEL: CAL AND CHEMICAL H Ev ts Sp NGE Bu faint Va letermined Va pplicable pH uble TABILITY AND REAC able.	e Dust. Total dust Total dust PROPERTIES aporation rate ecific Gravity lk density por pressure por density TIVITY	ACGIH ACGIH t. OSHA Z OSHA Z Not applicable. Not determined Not established Not applicable Not applicable Not applicable		



MATERIAL SAFETY DATA SHEET

ORANGE PE CD1954

Version Number 1.0 Revision Date 01/16/2003 Page 4 of 6 Print Date 11/7/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
		CAL INFORMATION	N			
	12, ECOLOGI	CAL INFORMATION	1			
Persistence and degrad	lability : Not readily b	biodegradable.				
Environmental Toxicit		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poter		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avai	lable.				
	13. DISPOSAL	CONSIDERATIONS	5			
Product Contaminated packagi	ng : Recycling is has the respondent	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. State/provincial and local regulations. 				
	14. TRANSPO	ORT INFORMATION				
U.S. DOT Classificatio	on : Refer to spec	cific regulation.				
ICAO/IATA	A : Refer to specific regulation.					
IMO / IMDG : Refer to specific regulation.						
	15. REGULAT	ORY INFORMATIO	N			



MATERIAL SAFETY DATA SHEET

ORANGE PE CD1954

Version Number 1.0 Revision Date 01/16/2003				Page 5 of 6 Print Date 11/7/2011		
US Regulations:						
OSHA Status	: Classified as hazardous based on components.					
TSCA Status	TSCA Status : All components of this product are listed on or exempt from the TSC Inventory.					
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 30)	2)			
Not applicable						
California Proposition 65	:	This product does	not contain a sub	stance listed by California Prop 65.		
SARA Title III Section 313 Top		Chemicals:	CAS-No.	Weight %		
ZINC COMPOL		S	68187-51-9	07.60		
Canadian Regulations: WHMIS Classification DSL	:	D2B	f this product are	on the Canadian Domestic		
DSL	•	Substances List (E				
National Inventories:						
Australia AICS	:	Listed.				
China IECS : Listed.						
Europe EINECS	:	Not determined.				
Japan ENCS	:	Not determined.				
Korea KECI	:	Listed.				
Philippines PICCS	:	Listed.				
16. OTHER INFORMATION						
		5/6				



MATERIAL SAFETY DATA SHEET

ORANGE PE CD1954

Version Number 1.0 Revision Date 01/16/2003 Page 6 of 6 Print Date 11/7/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.