

MATERIAL SAFETY DATA SHEET

PG 29690 GD PE SL (MIDDLE)

Version Number 1.0 Revision Date 01/16/2003 Page 1 of 6 Print Date 11/7/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 29690 GD PE SL (MIDDLE)
Product code	:	CC10029690
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PG 29690 GD PE SL (MIDDLE)

Version Number 1.0 Revision Date 01/16/2003 Page 2 of 6 Print Date 11/7/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PG 29690 GD PE SL (MIDDLE)

Version Number 1.0 Revision Date 01/16/2003 Page 3 of 6 Print Date 11/7/2011

8. E	EXPOSURE	CONTROLS / P	PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respira	atory protecti	ve equipment norm	nally r	equired.
Eye/Face Protection	: S	Safety glasses with side-shields.				
Hand protection	: P	Protective gloves.				
Skin and body protection	: L	Long sleeved clothing.				
Additional Protective Measures	: S	afety shoes.	fety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety prac Wash hands before breaks and at the end of workday.				afety practice.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure	time	Exposure typ	e	List:
Titanium dioxide	10 mg/m3	Time Weighter (TWA	d Average	Dust.	-	ACGIH
Titanium dioxide	15 mg/m3	PEL		Total dust.		OSHA Z1
	9. PH 151	CAL AND CHEN	MICAL PRO	PERTIES		
Form	: Solid			ration rate :		applicable.
Appearance	: Pelle			•		determined
Color	: WH		Bulk d			established
Odor	: Very					applicable
Melting point/range		determined	-	density :		applicable
Boiling Point: Water solubility	: Inso	applicable luble	рН	•	Νοι	applicable
	10. 9	STABILITY ANI	D REACTIV	TTY		
a. 1.11.						
Stability	: S	table.				
Hazardous Polymerization	n : V	Vill not occur.				
Conditions to avoid		Keep away from or ecomposition, do		ts and open flame.	To a	void thermal
				and oxidizing agen		



MATERIAL SAFETY DATA SHEET

PG 29690 GD PE SL (MIDDLE)

Version Number 1.0 Revision Date 01/16/2003 Page 4 of 6 Print Date 11/7/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	12. ECOLOGIO	CAL INFORMATION	1			
Persistence and degrada	bility : Not readily b	iodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avail	able.				
	13. DISPOSAL	CONSIDERATIONS	9			
Product Contaminated packaging	generator of v classification applicable fee g : Recycling is p has the respon and disposal	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 				
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classification	Refer to spec	ific regulation.				
ICAO/IATA	: Refer to spec	Refer to specific regulation.				
IMO / IMDG	: Refer to spec	ific regulation.				
	15. REGULATO	ORY INFORMATION	N			



MATERIAL SAFETY DATA SHEET

PG 29690 GD PE SL (MIDDLE)

Version Number 1.0 Revision Date 01/16/2003	Page 5 of 6 Print Date 11/7/2011
US Regulations:	
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Sub	stances (40 CFR 302)
Not applicable	
California Proposition : 65	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:	
WHMIS Classification :	2
WHMIS Ingredient Disclosu	ire List
CAS-No. 150-13-0	
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS :	Listed.
China IECS :	Listed.
Europe EINECS :	Not determined.
Japan ENCS :	Listed.
Korea KECI :	Listed.
Philippines PICCS :	Listed.
	16. OTHER INFORMATION
	5/6



MATERIAL SAFETY DATA SHEET

PG 29690 GD PE SL (MIDDLE)

Version Number 1.0 Revision Date 01/16/2003 Page 6 of 6 Print Date 11/7/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.