

MATERIAL SAFETY DATA SHEET

TR. PINK 219C

Version Number 1.0 Revision Date 01/28/2003 Page 1 of 5 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY : TELEPHONE	•	Product Stewardship (770) 271-5902
Emergency telephone : number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TR. PINK 219C
Product code	:	CC10029714
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion			
Acute exposure				
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			
4. FIRST AID MEASURES				

MATERIAL SAFETY DATA SHEET



TR. PINK 219C Version Number 1.0 Page 2 of 5 Revision Date 01/28/2003 Print Date 11/10/2011 Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Ingestion Do not induce vomiting without medical advice. When symptoms · persist or in all cases of doubt seek medical advice. Eyes Rinse immediately with plenty of water, also under the eyelids, for at : least 15 minutes. If eye irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Not applicable : Flammable Limits Upper explosion limit Not applicable : Not applicable Lower explosion limit : Autoignition temperature Not relevant : Suitable extinguishing media Carbon dioxide blanket, Water spray, dry powder, foam. : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion · none Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions : Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. Methods for cleaning up : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat : only in areas with appropriate exhaust ventilation. Keep containers dry and tightly closed to avoid moisture absorption Storage : and contamination. Keep in a dry, cool place.



MATERIAL SAFETY DATA SHEET

TR. PINK 219C

Version Number 1.0 Revision Date 01/28/2003 Page 3 of 5 Print Date 11/10/2011

	USUR	RE CONTROLS / P	ERSONAL PROTECTION	
Respiratory protection	:		tory protective equipment normally required cur wear appropriate respiratory protection.	. If
Eye/Face Protection	:	Safety glasses with	side-shields.	
Hand protection	:	Protective gloves.		
Skin and body protection	:	Long sleeved cloth	ing.	
Additional Protective Measures	:	Safety shoes.		
General Hygiene Considerations	:		ce with good industrial hygiene and safety pr breaks and at the end of workday.	actice
Engineering measures	:		with appropriate exhaust ventilation. Provide t ventilation at machinery.	e
Exposure limit(s)				
There are no known hazardou	s com	ponents above regula	atory thresholds in this product.	
9.	PHYS	SICAL AND CHEN	AICAL PROPERTIES	
Form	· \$6	Jid	Evaporation rate : Not applica	1 1
I UIII	: Solid			hla
Annearance	· nc	wdar granular		
Appearance Color	-	owder, granular	Specific Gravity : Not applica	ble.
Color	: PI	NK	Specific Gravity: Not applicaBulk density: Not determine	ble. ined
Color Odor	: PI : Ve	NK ery faint	Specific Gravity: Not applicaBulk density: Not determiningVapor pressure: Not applica	ble. ined ble
Color Odor Melting point/range	: PI : Ve : Ne	NK ery faint ot determined	Specific Gravity: Not applicaBulk density: Not determineVapor pressure: Not applicaVapor density: Not applica	ble. ined ble ble
Color Odor Melting point/range Boiling Point:	: PI : Ve : Ne : Ne	NK ery faint ot determined ot applicable	Specific Gravity: Not applicaBulk density: Not determiningVapor pressure: Not applica	ble. ined ble ble
Color Odor Melting point/range	: PI : Ve : Ne : Ne	NK ery faint ot determined	Specific Gravity: Not applicaBulk density: Not determineVapor pressure: Not applicaVapor density: Not applica	ble. ined ble ble
Color Odor Melting point/range Boiling Point:	: PI : Ve : Ne : Ne : Ne : In	NK ery faint ot determined ot applicable	Specific Gravity: Not applicaBulk density: Not determineVapor pressure: Not applicaVapor density: Not applicapH: Not applica	ble. ined ble ble
Color Odor Melting point/range Boiling Point:	: PI : Ve : Ne : Ne : Ne : In	NK ery faint ot determined ot applicable soluble	Specific Gravity: Not applicaBulk density: Not determineVapor pressure: Not applicaVapor density: Not applicapH: Not applica	ble. ined ble ble
Color Odor Melting point/range Boiling Point: Water solubility	: PI : Ve : Ne : Ne : Ne : In	NK ery faint ot determined ot applicable soluble). STABILITY ANI	Specific Gravity: Not applicaBulk density: Not determineVapor pressure: Not applicaVapor density: Not applicapH: Not applica	ble. ined ble ble
Color Odor Melting point/range Boiling Point: Water solubility Stability	: PI : Ve : Ne : Ne : Ne : In	NK ery faint ot determined ot applicable soluble D. STABILITY ANI Stable. Will not occur.	Specific Gravity : Not applica Bulk density : Not determ Vapor pressure : Not applica Vapor density : Not applica pH : Not applica DREACTIVITY	ble. ined ble ble ble
Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: PI : Ve : Ne : Ne : Ne : In	NK ery faint ot determined ot applicable soluble D. STABILITY ANI Stable. Will not occur. To avoid thermal d oxidizing agents an	Specific Gravity : Not applica Bulk density : Not determ Vapor pressure : Not applica Vapor density : Not applica pH : Not applica DREACTIVITY	ble. ined ble ble ble
Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: PI : Ve : Ne : Ne : Ne : In	NK ery faint ot determined ot applicable soluble D. STABILITY ANI Stable. Will not occur. To avoid thermal d oxidizing agents and Incompatible with Carbon dioxide (CO	Specific Gravity : Not applica Bulk density : Not determ Vapor pressure : Not applica Vapor density : Not applica pH : Not applica OREACTIVITY	ble. ined ble ble ble



MATERIAL SAFETY DATA SHEET

TR. PINK 219C

Version Number 1.0 Revision Date 01/28/2003 Page 4 of 5 Print Date 11/10/2011

There are no known hazardous components above regulatory thresholds in this product.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



MATERIAL SAFETY DATA SHEET

TR. PINK 219C

Version Number 1.0 Revision Date 01/28/2003		Page 5 of 5 Print Date 11/10/2011
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.