

MATERIAL SAFETY DATA SHEET

TR. PINK 191C

Version Number 1.0 Revision Date 01/28/2003 Page 1 of 6 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TR. PINK 191C
Product code	:	CC10029719
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	0.1 - 1

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions	Refer to Section 11 for Toxicological Information.None known.
Aggravated by Exposure:	



MATERIAL SAFETY DATA SHEET

TR. PINK 191C

ion Number 1.0 sion Date 01/28/2003	Page 2 Print Date 11/10/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. none
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

TR. PINK 191C

			Print D	ate 11/10/2		
	a	nd contamination. Keep in a c	lry, cool place.			
8. E	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection		lo personal respiratory protect usty conditions occur wear ap				
Eye/Face Protection	: S	afety glasses with side-shields	5.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
ГТ			1			
Components	Value	Exposure time	Exposure type	List:		
Carbon black	Value 3.5 mg/m3	Exposure time Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH		
		Time Weighted Average	Total dust. as carbon			
Carbon black	3.5 mg/m3 3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black Total dust. as carbon black	ACGIH		
Carbon black Carbon black	3.5 mg/m3 3.5 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. as carbon black Total dust. as carbon black DPERTIES	ACGIH OSHA Z1		
Carbon black Carbon black Form	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Total dust. as carbon black Total dust. as carbon black DPERTIES oration rate : Not	ACGIH OSHA Z1 applicable.		
Carbon black Carbon black	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO der, granular Specif	Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not Tic Gravity : Not	ACGIH OSHA Z1 applicable. applicable.		
Carbon black Carbon black Form Appearance	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : powe : PINH	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO the Evapo der, granular Specific Substance Specific Bulk of States (Construction)	Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not c Gravity : Not density : Not	ACGIH OSHA Z1 applicable. applicable. determined		
Carbon black Carbon black Form Appearance Color Odor	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : powo : PINI : Very	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO der, granular Specific X Bulk of faint Vapor	Total dust. as carbon black Total dust. as carbon black DPERTIES oration rate : Not fic Gravity : Not ensity : Not pressure : Not	ACGIH OSHA Z1 applicable. applicable. determined applicable		
Carbon black Carbon black Form Appearance Color Odor Melting point/range	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : powo : PINH : Very : Not of	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO der, granular Specif X Bulk of faint Vapor determined Vapor	Total dust. as carbon black Total dust. as carbon black DPERTIES oration rate : Not fic Gravity : Not pressure : Not ordensity : Not ordensity : Not	ACGIH OSHA Z1 applicable. applicable. determined applicable applicable		
Carbon black Carbon black Form Appearance Color Odor	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : powo : PINH : Very : Not of	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR(der, granular Specif K Bulk of faint Vapor determined Vapor applicable pH	Total dust. as carbon black Total dust. as carbon black DPERTIES oration rate : Not fic Gravity : Not pressure : Not ordensity : Not ordensity : Not	ACGIH OSHA Z1 applicable. applicable. determined applicable		
Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : powe : PINH : Very : Not e : Not e : Insol	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR(der, granular Specif K Bulk of faint Vapor determined Vapor applicable pH	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not Construction rate : Not oration rate : Not	ACGIH OSHA Z1 applicable. applicable. determined applicable applicable		
Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point:	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : powo : PINH : Very : Not o : Not a : Insol	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO der, granular Specific faint Vapor determined Vapor applicable pH luble	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not Construction rate : Not oration rate : Not	ACGIH OSHA Z1 applicable. applicable. determined applicable applicable		
Carbon black Carbon black Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	3.5 mg/m3 3.5 mg/m3 9. PHYSIC : Solic : powo : PINH : Very : Not o : Not a : Insol 10. S : S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO der, granular Specific der, granular Specific faint Vapor determined Vapor applicable pH uble	Total dust. as carbon black Total dust. as carbon black Total dust. as carbon black OPERTIES oration rate : Not Construction rate : Not oration rate : Not	ACGIH OSHA Z1 applicable. applicable. determined applicable applicable		



MATERIAL SAFETY DATA SHEET

TR. PINK 191C

Version Number 1.0 Revision Date 01/28/2003		Page 4 of 6 Print Date <i>11/10/2011</i>
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.



MATERIAL SAFETY DATA SHEET

TR. PINK 191C

ision Date 01/28/2003	Page 5 Print Date 11/10/2
	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal us
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSC. Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: This product does not contain a substance listed by California Prop 6.

MATERIAL SAFETY DATA SHEET

TR. PINK 191C

Version Number 1.0 Revision Date 01/28/2003 Page 6 of 6 Print Date 11/10/2011

1e

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

w HMIS Ingredient Disc.	losi	ire List
CAS-No. 150-13-0		
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Not determined.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.