

MATERIAL SAFETY DATA SHEET

SILVER CD4605

Version Number 1.0 Revision Date 01/24/2003 Page 1 of 6 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SILVER CD4605
Product code	:	CC10030028
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

SILVER CD4605

ion Number 1.0 sion Date 01/24/2003	Page 2 Print Date 11/10/
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 7 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



Page 3 of 6

Print Date 11/10/2011

MATERIAL SAFETY DATA SHEET

SILVER CD4605

Version Number 1.0 Revision Date 01/24/2003 and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Eye/Face Protection Hand protection

Respiratory protection

Skin and body protection : Long sleeved clothing.

:

:

:

Additional Protective Measures

General Hygiene Considerations

Engineering measures

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Aluminum	10 mg/m3	Time Weighted Average	Dust.	ACGIH
		(TWA):		
	5 mg/m3	Time Weighted Average	Welding fume. as Al	ACGIH
		(TWA):		
Aluminum	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1

Safety glasses with side-shields.

: Protective gloves.

Safety shoes.

No personal respiratory protective equipment normally required.

: Handle in accordance with good industrial hygiene and safety practice.

: Heat only in areas with appropriate exhaust ventilation. Provide

Wash hands before breaks and at the end of workday.

appropriate exhaust ventilation at machinery.

9. PHYSICAL AND CHEMICAL PROPERTIES : Not applicable. Form : Solid Evaporation rate : Pellets Specific Gravity Not determined Appearance : Color : GREY Bulk density Not established : : Very faint Vapor pressure Not applicable Odor : : Not determined Vapor density Melting point/range Not applicable : Boiling Point: Not applicable : Not applicable pН : Water solubility : Insoluble **10. STABILITY AND REACTIVITY**

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

SILVER CD4605

sion Number 1.0 ision Date 01/24/2003			Page / Print Date 11/10/		
Incompatible Materials	: Incompati	ble with strong acids and	oxidizing agents.		
Hazardous decomposition products		: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	11. TOXICOL	OGICAL INFORMATI	ON		
This mixture has not been health data for the indiv			sure effects listed are based on ex		
<u>Toxicity Overview</u> This product contains th	e following component	s which in their pure form	n have the following characteristi		
CAS-No.	Chemical Name	Effect	Target Organ		
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.		
		Systemic effects	Eyes, Skin, Respiratory syster		
	12. ECOLO	GICAL INFORMATIO	N		
Persistence and degrada Environmental Toxicity			as they are bound within the matr		
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data av	vailable.			
	13. DISPOSA	AL CONSIDERATION	8		
Product	possible, r generator classificati	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packagin	has the res and dispos	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANS	PORT INFORMATION	1		
U.S. DOT Classification	n : Refer to sp	pecific regulation.			
ICAO/IATA	: Refer to sp	pecific regulation.			



MATERIAL SAFETY DATA SHEET

SILVER CD4605

			Print Date 11/10/
IMO / IMDG	: Refer to specific	c regulation.	
	15. REGULATOR	RY INFORMATIC	DN
US Regulations:			
OSHA Status	: Classified as ha	zardous based on c	omponents.
TSCA Status	: All component Inventory.	s of this product are	listed on or exempt from the TSC
US. EPA CERCLA Hazardo	us Substances (40 CFR	302)	
Not applicable			
California Proposition 65	n : This product do	es not contain a sub	ostance listed by California Prop 6
SARA Title III Section 313		CAS-No.	Weight %
Chemical Nar		CAS-No. 7429-90-5	Weight % 16.53
Chemical Nar	ne		
Chemical Nar ALUMINUM	ne (FUME OR DUST)		
Chemical Nar ALUMINUM Canadian Regulations:	me (FUME OR DUST) on : D2B		
Chemical Nar ALUMINUM Canadian Regulations: WHMIS Classification	me (FUME OR DUST) on : D2B		
Chemical Nar ALUMINUM Canadian Regulations: WHMIS Classificatio WHMIS Ingredient D CAS-No.	ne (FUME OR DUST) on : D2B visclosure List	7429-90-5	e on the Canadian Domestic
Chemical Nar ALUMINUM Canadian Regulations: WHMIS Classificatio WHMIS Ingredient D CAS-No. 7429-90-5	ne (FUME OR DUST) on : D2B visclosure List	7429-90-5 s of this product are	e on the Canadian Domestic
Chemical Nar ALUMINUM Canadian Regulations: WHMIS Classificatio WHMIS Ingredient D CAS-No. 7429-90-5 DSL	ne (FUME OR DUST) on : D2B visclosure List	7429-90-5 s of this product are	e on the Canadian Domestic
Chemical Nar ALUMINUM Canadian Regulations: WHMIS Classification WHMIS Ingredient D CAS-No. 7429-90-5 DSL National Inventories:	me (FUME OR DUST) on : D2B visclosure List : All component Substances List	7429-90-5 s of this product are	e on the Canadian Domestic
Chemical Nar ALUMINUM Canadian Regulations: WHMIS Classification WHMIS Ingredient D CAS-No. 7429-90-5 DSL National Inventories: Australia AICS	ne (FUME OR DUST) on : D2B bisclosure List : All component Substances List : Listed.	s of this product are (DSL) or are exem	e on the Canadian Domestic

MATERIAL SAFETY DATA SHEET

SILVER CD4605

Version Number 1.0 Revision Date 01/24/2003

ŀ	bh	vOne.
-	_	

Page 6 of 6

Print Date 11/10/2011

Korea KECI : Listed.

Philippines PICCS : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.