MATERIAL SAFETY DATA SHEET BURGUNDY 12

Version Number 1.1 Revision Date 10/26/2006 Page 1 of 6 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION

33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BURGUNDY 12
Product code	:	CC10030210
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Rutile, antimony chromium buff	68186-90-3	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **BURGUNDY 12**

Version Number 1.1 Revision Date 10/26/2006 Page 2 of 6 Print Date 11/25/2011

	4. FIRST AID MEASURES		
Inhalation	Nove to fresh air in case of accidental inhalation of fumes from verheating or combustion. When symptoms persist or in all cases oubt seek medical advice.		
Ingestion	Do not induce vomiting without medical advic persist or in all cases of doubt seek medical adviced adv		
Eyes	Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	Wash off with soap and plenty of water. If skin medical attention.	n irritation persists seel	
	5. FIRE-FIGHTING MEASURES		
Flash point	Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powd Fullface self-contained breathing apparatus (SO		
Procedures Unusual Fire/Explosion Hazards	pressure mode should be worn to prevent inhal contaminants. Carbon dioxide (CO2), carbon monoxide (CO) (NOx), other hazardous materials, and smoke a	ation of airborne , oxides of nitrogen	
	CCIDENTAL RELEASE MEASURES		
Personal precautions	Wear appropriate personal protection during cl impervious gloves, boots and coveralls.	eanup, such as	
Environmental precautions	Should not be released into the environment. The allowed to enter drains, water courses or the		
Methods for cleaning up	Clean up promptly by sweeping or vacuum. Paplastic, cardboard or metal containers for dispo of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	Take measures to prevent the build up of electronly in areas with appropriate exhaust ventilation		
Storage	Keep containers dry and tightly closed to avoid	moisture absorption	

2/6



MATERIAL SAFETY DATA SHEET **BURGUNDY 12**

Version Number 1.1 Revision Date 10/26/2006 Page 3 of 6 Print Date 11/25/2011

8. I	EXPOSURE	CONTROLS / PERSO	ONAL PROTECTI	ON	
Respiratory protection	: N	o personal respiratory p	protective equipment	normally	required.
Eye/Face Protection	: Sa	afety glasses with side-	shields.		
Hand protection	: Pr	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Sa	afety shoes.			
General Hygiene Considerations		andle in accordance wit ash hands before break			afety practice.
Engineering measures		eat only in areas with a propriate exhaust vention			Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposu	e type	List:
Rutile, antimony chromium buff	0.5 mg/m3	Time Weighted Aver (TWA):	rage as	Cr	ACGIH
	0.5 mg/m3	PEL:	as	Cr	OSHA Z1
	0.5 mg/m3	Time Weighted Aver (TWA):	rage		MX OEL
	0.5 mg/m3	Time Weighted Aver (TWA):	rage as S	Sb	ACGIH
	0.5 mg/m3	PEL:	as S	Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Aver (TWA):	rage as S	Sb	MX OEL
	9. PHYSIC	CAL AND CHEMICA	L PROPERTIES		
Form	: Solid		Evaporation rate	· Not	applicable
Appearance	: Pelle		Specific Gravity:		determined
Color	: RED				established
Odor	: Very		Vapor pressure : Not applicable		
Melting point/range			Vapour density : Not applicable		applicable
Boiling Point:			pH	: Not	applicable
Water solubility	: Insol	uble			
	10. S	TABILITY AND REA	ACTIVITY		
Stability	: S1	able.			

MATERIAL SAFETY DATA SHEET BURGUNDY 12

Version Number 1.1 Page 4 of 6 Print Date 11/25/2011 Revision Date 10/26/2006 Hazardous Polymerization : Will not occur. Conditions to avoid Keep away from oxidizing agents and open flame. To avoid thermal : decomposition, do not overheat. Incompatible Materials : Incompatible with strong acids and oxidizing agents. Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen products (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
68186-90-3	Rutile, antimony chromium buff	Irritant	Eyes, Skin, Respiratory system.

Additional Health Hazard Information:

Rutile, antimony chromium buff 68186-90-3 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

12. ECOLOGICAL INFORMATION

Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.	
Additional advice	: No data available	
	13. DISPOSAL CONSIDERATIONS	
Product	: Like most thermoplastic plastics the product can be recycled. Whe possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	re
Contaminated packaging	: Recycling is preferred when possible. The generator of waste mate	rial

PolyOne.

MATERIAL SAFETY DATA SHEET **BURGUNDY 12**

ion Number 1.1 sion Date 10/26/2006			P	Page : rint Date 11/25/	
	and local regul	ations.			
	14. TRANSPOR	T INFORMATIO	N		
U.S. DOT Classification	: Not regulated f	for transportation.			
ICAO/IATA (air)	: Refer to specif	ic regulation.			
IMO / IMDG (maritime)	: Refer to specif	ic regulation.			
	15. REGULATO	RY INFORMATI	ON		
US Regulations:					
OSHA Status	: Classified as ha	azardous based on o	components.		
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardou	is Substances (40 CFR	302)			
Not applicable					
California Propositior 65	n : Not applicable				
SARA Title III Section 302 E	Extremely Hazardous S	ubstance			
Unless specific chemicals are	identified under this s	ection, this product	is Not Applicab	le under this regu	
SARA Title III Section 313 T	oxic Chemicals:				
Unless specific chemicals are	identified under this s			-	
Chemical Name		CAS-N	0		
ZINC COMPOUNDS CHROMIUM III COMPOUNDSANTIMONY		28516-4 68186-9		- 60.00	
COMPOUNDS		00100 2	1.00	5.00	
Canadian Regulations:					
	ease Inventory (NPRI)	CAS-No.			

PolyOne

MATERIAL SAFETY DATA SHEET BURGUNDY 12

Version Number 1.1 Revision Date 10/26/2006

Page 6 of 6 Print Date 11/25/2011

2-Propenoic acid, 2-methyl-, p zinc salt	olymer with ethene,	28516-43-0	30.00 - 60.00	231
Rutile, antimony chromium bu	uff	68186-90-3	1.00 - 5.00	69
			1.00 - 5.00	17
WHMIS Classification	: D2B			
WHMIS Ingredient Discl	osure List			
CAS-No. 68186-90-3				
DSL		s of this product a (DSL) or are exe	re on the Canadian mpt.	Domestic
ational Inventories:				
Australia AICS	: Not determined			
China IECS	: Not determined			
Europe EINECS	: Not determined			
Japan ENCS	: Not determined			
Korea KECI	: Not determined			
Philippines PICCS	: Not determined			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.