

MATERIAL SAFETY DATA SHEET

TR. HOT PINK 213C

Version Number 1.0 Revision Date 01/28/2003 Page 1 of 5 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE		Product Stewardship (770) 271-5902	
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	TR. HOT PINK 213C	
Product code	:	CC10030223	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES

1/5



MATERIAL SAFETY DATA SHEET

TR. HOT PINK 213C

ion Number 1.0 sion Date 01/28/2003	Page 2 Print Date 11/10/
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. none
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.



MATERIAL SAFETY DATA SHEET

TR. HOT PINK 213C

Version Number 1.0 Revision Date 01/28/2003 Page 3 of 5 Print Date 11/10/2011

	OSUR	RE CONTROLS / PI	ERSONAL PROTECTION	
Respiratory protection	:		ory protective equipment normall our wear appropriate respiratory pr	
Eye/Face Protection	:	Safety glasses with	side-shields.	
Hand protection	:	Protective gloves.		
Skin and body protection	:	Long sleeved clothin	ng.	
Additional Protective Measures	:	Safety shoes.		
General Hygiene Considerations	:		e with good industrial hygiene and preaks and at the end of workday.	l safety practice.
Engineering measures	:		ith appropriate exhaust ventilation ventilation at machinery.	n. Provide
Exposure limit(s)				
			tory thresholds in this product.	
Form Appearance Color	: PI : Ve	wder, granular	Specific Gravity:NBulk density:NVapor pressure:N	ot applicable. ot applicable. ot determined ot applicable ot applicable
Odor Melting point/range Boiling Point: Water solubility	: No	ot applicable soluble		ot applicable
Melting point/range Boiling Point:	: No : In	ot applicable	pH : N	
Melting point/range Boiling Point:	: No : In 10	ot applicable soluble	pH : N	
Melting point/range Boiling Point: Water solubility	: No : In 10	ot applicable soluble). STABILITY AND	pH : N	
Melting point/range Boiling Point: Water solubility Stability	: No : In 10	ot applicable soluble D. STABILITY AND Stable. Will not occur.	pH : N REACTIVITY composition, do not overheat. Ke	ot applicable
Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: No : In 10	ot applicable soluble D. STABILITY AND Stable. Will not occur. To avoid thermal de oxidizing agents and	pH : N REACTIVITY composition, do not overheat. Ke	ot applicable
Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: No : In 10	ot applicable soluble D. STABILITY AND Stable. Will not occur. To avoid thermal de oxidizing agents and Incompatible with s Carbon dioxide (CC	pH : N REACTIVITY composition, do not overheat. Ke l open flame.	ep away from



MATERIAL SAFETY DATA SHEET

TR. HOT PINK 213C

Version Number 1.0 Revision Date 01/28/2003 Page 4 of 5 Print Date 11/10/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible, recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Not regulated for transportation.
IMO / IMDG	: Not regulated for transportation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



MATERIAL SAFETY DATA SHEET

TR. HOT PINK 213C

Version Number 1.0 Revision Date 01/28/2003		Page 5 o Print Date 11/10/20				
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.				
Canadian Regulations:						
WHMIS Classification	:	Not controlled.				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:						
Australia AICS	:	Listed.				
China IECS	:	Listed.				
Europe EINECS	:	Listed.				
Japan ENCS	:	Listed.				
Korea KECI	:	Listed.				
Philippines PICCS	:	Listed.				
16. OTHER INFORMATION						

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.