

MATERIAL SAFETY DATA SHEET

TR. BURGANDY 676C

Version Number 1.0 Revision Date 02/17/2003 Page 1 of 7 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TR. BURGANDY 676C
Product code	:	CC10030232
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	0.1 - 1
Rutile, antimony chromium buff	68186-90-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

TR. BURGANDY 676C

Version Number 1.0 Revision Date 02/17/2003 Page 2 of 7 Print Date 11/10/2011

		4. FIRST AID MEASURES	
Inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.			
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.	
Eyes	:		
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
		5. FIRE-FIGHTING MEASURES	
Flash point	:	Not applicable	
F 1			
Flammable Limits Upper explosion limit		Not applicable	
Lower explosion limit	:	Not applicable	
Autoignition temperature	:	Not relevant	
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, dry powder, foam.	
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.	
Unusual Fire/Explosion Hazards	:	none	
	6. A	CCIDENTAL RELEASE MEASURES	
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
		7. HANDLING AND STORAGE	
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption	



MATERIAL SAFETY DATA SHEET

TR. BURGANDY 676C

Version Number 1.0 Revision Date 02/17/2003 Page 3 of 7 Print Date 11/10/2011

8. I	XPOSURE	CONTROLS / PER	SONAL	PROTECTION	
Respiratory protection				ve equipment normall propriate respiratory p	
Eye/Face Protection	: 2	Safety glasses with sid	e-shields		
Hand protection	: I	Protective gloves.			
Skin and body protection	: I	Long sleeved clothing			
Additional Protective Measures	: 5	Safety shoes.			
General Hygiene Considerations				l industrial hygiene and at the end of workday.	l safety practice
Engineering measures		Heat only in areas with appropriate exhaust ve		iate exhaust ventilation at machinery.	n. Provide
Exposure limit(s)					
Components	Value	Exposure tim		Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted A (TWA):	verage	Total dust. as carbon black	
Carbon black	3.5 mg/m3	PEL:		Total dust. as carbon black	n OSHA Z1
Rutile, antimony chromium buff	0.5 mg/m3	PEL:		Total dust. as Cr	OSHA Z1
Rutile, antimony chromium buff	1 mg/m3	PEL:		as Cr	OSHA Z1
Rutile, antimony chromium buff	0.5 mg/m3	PEL:		as Sb	OSHA Z1
Rutile, antimony chromium buff	0.5 mg/m3	Time Weighted A (TWA):	verage	as Cr	ACGIH
	9. PHYSI	CAL AND CHEMIC	CAL PRC	DPERTIES	
	: Soli	d	Evano	ration rate : N	ot applicable.
Form		~			ot applicable.
Form Appearance		der, granular	Specifi	Bulk density : Not determined	
Appearance	: pow	der, granular)			
Appearance Color	: pow : REI)	Bulk d	lensity : N	ot determined
Appearance Color Odor	: pow : REI : Ver	D y faint	Bulk d Vapor	lensity : N pressure : N	ot determined ot applicable
Appearance Color	: pow : REI : Ver : Not)	Bulk d Vapor	lensity : N pressure : N density : N	ot determined



MATERIAL SAFETY DATA SHEET

TR. BURGANDY 676C

Version Number 1.0 Revision Date 02/17/2003 Page 4 of 7 Print Date 11/10/2011

Stability	: Stable.	
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	: To avoid thermal decompositio oxidizing agents and open flam	n, do not overheat. Keep away from e.
Incompatible Materials	: Incompatible with strong acids	and oxidizing agents.
Hazardous decomposition products	: Carbon dioxide (CO2), carbon (NOx), other hazardous materia	monoxide (CO), oxides of nitrogen als, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
68186-90-3	Rutile, antimony chromium buff	Irritant	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:



MATERIAL SAFETY DATA SHEET

TR. BURGANDY 676C

Version Number 1.0 Revision Date 02/17/2003 Page 5 of 7 Print Date 11/10/2011

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

Additional Health Hazard Information:

Rutile, antimony chromium buff 68186-90-3 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

Persistence and degradability	: Not readily biodegradable.		
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use		
Bioaccumulation Potential	: Not inherently biodegradable.		
Additional advice	: No data available.		
	13. DISPOSAL CONSIDERATIONS		
Product	: Where possible, recycling is preferred to disposal or incineration. Th generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPORT INFORMATION		
U.S. DOT Classification	: Not regulated for transportation.		
ICAO/IATA	: Not regulated for transportation.		
IMO / IMDG	: Not regulated for transportation.		
	15. REGULATORY INFORMATION		
US Regulations:			



MATERIAL SAFETY DATA SHEET

TR. BURGANDY 676C

Version Number 1.0 Page 6 of 7 Print Date 11/10/2011 Revision Date 02/17/2003 **OSHA Status** : Classified as hazardous based on components. TSCA Status All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : This product does not contain a substance listed by California Prop 65. 65 SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Weight % Chemical Name CAS-No. CHROMIUM III COMPOUNDSANTIMONY 68186-90-3 10.58 COMPOUNDS Canadian Regulations: WHMIS Classification : D2A WHMIS Ingredient Disclosure List CAS-No. 68186-90-3 DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed. China IECS Listed. : **Europe EINECS** : Listed. Japan ENCS : Not determined.



MATERIAL SAFETY DATA SHEET

TR. BURGANDY 676C

Version Number 1.0 Revision Date 02/17/2003 Page 7 of 7 Print Date 11/10/2011

Philippines PICCS : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.