

#### MATERIAL SAFETY DATA SHEET

## TAN

Version Number 1.0 Revision Date 02/03/2003

Product Use

Page 1 of 6 Print Date 11/10/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TAN
Product code	:	CC10030632
Chemical Name	:	Mixture
CAS-No.	:	Mixture

: Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> </ul>
Eyes	<ul> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



### MATERIAL SAFETY DATA SHEET

# TAN

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

TAN

#### MATERIAL SAFETY DATA SHEET



#### Version Number 1.0 Page 3 of 6 Print Date 11/10/2011 Revision Date 02/03/2003 Storage Keep containers dry and tightly closed to avoid moisture absorption : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : Eye/Face Protection : Safety glasses with side-shields. Hand protection : Protective gloves. Skin and body protection : Long sleeved clothing. Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Heat only in areas with appropriate exhaust ventilation. Provide Engineering measures : appropriate exhaust ventilation at machinery. Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average	Dust and fume. as Fe	ACGIH
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average	Dust.	ACGIH
	_	(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>Solid</li> <li>Pellets</li> <li>BROWN</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
	Voor owou from o	xidizing agents and open f	lama To avoid thermal



# MATERIAL SAFETY DATA SHEET

ТΛ	NI
IA	/ ¥

ision Date 02/03/20	003			Print Date 11/10/2
		decomposition	n, do not overheat.	
Incompatible Materi	als	: Incompatible	with strong acids and o	oxidizing agents.
Hazardous decompo products	sition			oxide (CO), oxides of nitrogen and smoke are all possible.
		11. TOXICOLOG	ICAL INFORMATIO	DN
This mixture has not health data for the in <u>Toxicity Overview</u>				ure effects listed are based on exis
-		• •		have the following characteristic
CAS-No.		Chemical Name	Effect	Target Organ
1309-37-1	Iron o		Systemic effects	Respiratory system.
13463-67-7	Titani	um dioxide	Systemic effects	Respiratory system.
		12 FCOLOGIC	AL INFORMATION	J
Environmental Toxic Bioaccumulation Por Additional advice		of the polymer	r. not readily available a r.	is they are bound within the matrix
		13. DISPOSAL	CONSIDERATIONS	5
Product		possible, recyc generator of w classification, applicable fed	cling is preferred to dis vaste material has the r transportation and disp eral, state/provincial a	-
Contaminated packa	ging	has the respon	sibility for proper was accordance with app	e. The generator of waste material te classification, transportation licable federal, state/provincial
		14. TRANSPOR	RT INFORMATION	
U.S. DOT Classifica	tion	: Refer to specif	fic regulation.	



# MATERIAL SAFETY DATA SHEET

# TAN

sion Number 1.0 ision Date 02/03/2003				Print Dat	Page 5 te 11/10/2
IMO / IMDG	: R	Refer to specific	regulation.		
	15. F	REGULATOR	Y INFORMATIO	N	
US Regulations:					
OSHA Status	: C	Classified as haz	ardous based on co	omponents.	
TSCA Status		All components nventory.	of this product are	listed on or exempt from	m the TSCA
US. EPA CERCLA Hazardo	us Substa	ances (40 CFR 3	802)		
Not applicable					
California Propositio	n · I	l his product doe	es not contain a sub		ma i rop o.
California Proposition 65	n : T	l his product doe	es not contain a sub	stance listed by Califor	
65 SARA Title III Section 313 T	Гoxic Che	-			
65	Foxic Che	-	CAS-No. 68187-51-9	Weight %	
65 SARA Title III Section 313 T Chemical Nar	Foxic Che	-	CAS-No.	Weight %	
65 SARA Title III Section 313 T Chemical Nar ZINC COMPO	Foxic Che ne OUNDS	-	CAS-No.	Weight %	
65 SARA Title III Section 313 T Chemical Nar ZINC COMPO Canadian Regulations:	Foxic Che ne OUNDS on : E	emicals:	CAS-No.	Weight %	
65 SARA Title III Section 313 T Chemical Nar ZINC COMP Canadian Regulations: WHMIS Classification	Foxic Che ne OUNDS on : E	emicals:	CAS-No.	Weight %	
65 SARA Title III Section 313 T Chemical Nar ZINC COMPO Canadian Regulations: WHMIS Classification WHMIS Ingredient D CAS-No.	Foxic Che ne OUNDS on : E isclosure	emicals: D2B List	CAS-No. 68187-51-9	Weight % 04.40	estic
65 SARA Title III Section 313 T Chemical Nar ZINC COMPO Canadian Regulations: WHMIS Classificatio WHMIS Ingredient D CAS-No. 1309-37-1	Foxic Che ne OUNDS on : E isclosure	emicals: D2B List	CAS-No. 68187-51-9	Weight % 04.40	estic
65 SARA Title III Section 313 T Chemical Nar ZINC COMP Canadian Regulations: WHMIS Classification WHMIS Ingredient D CAS-No. 1309-37-1 DSL	Foxic Che ne OUNDS on : E isclosure 	emicals: D2B List	CAS-No. 68187-51-9	Weight % 04.40	estic
65 SARA Title III Section 313 T Chemical Nar ZINC COMPO Canadian Regulations: WHMIS Classification WHMIS Ingredient D CAS-No. 1309-37-1 DSL National Inventories:	Foxic Che ne OUNDS on : D isclosure : A S : L	emicals: D2B List All components Substances List (	CAS-No. 68187-51-9	Weight % 04.40	estic



#### MATERIAL SAFETY DATA SHEET

## TAN

# Version Number 1.0 Page 6 of 6 Revision Date 02/03/2003 Print Date 11/10/2011 Japan ENCS : Not determined. Korea KECI Philippines PICCS : Listed. 16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.