

MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 02/03/2003 Page 1 of 6 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELLOW
Product code	:	CC10030645
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

YELLOW

ion Number 1.0 sion Date 02/03/2003	Page 2 Print Date 11/10/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

YELLOW

sion Date 02/03/2003					Print Da	ate 11/10/2
	a	nd contamination. Keej	p in a d	ry, cool place.		
8. 1	EXPOSURE	CONTROLS / PERSO	DNAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory p	orotecti	ve equipment nor	mally re	equired.
Eye/Face Protection	: S	Safety glasses with side-shields.				
Hand protection	: P	Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time		Exposure ty	pe	List:
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		Dust.		ACGIH
T'	15 mg/m3	PEL:		Total dust		OSHA Z1
Titanium dioxide						
l itanium dioxide	9. PHYSI	CAL AND CHEMICA	L PRC	PERTIES		
Form	9. PHYSIC : Solid		Evapor	ration rate		applicable.
	: Solic : Pelle	1 ets	Evapor Specifi	ration rate ic Gravity		applicable. determined
Form	: Solic : Pelle : YEL	d ets LOW	Evapor	ration rate ic Gravity	: Not o	
Form Appearance Color Odor	: Solid : Pelle : YEL : Very	d ets LOW 7 faint	Evapor Specifi Bulk d Vapor	ration rate ic Gravity ensity pressure	: Not o : Not o : Not a	determined established applicable
Form Appearance Color Odor Melting point/range	: Solid : Pelle : YEL : Very : Not	d ets LOW / faint determined	Evapor Specifi Bulk d Vapor	ration rate c Gravity ensity	: Not a : Not a : Not a : Not a	determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : YEL : Very : Not : Not	d ets LOW / faint determined applicable	Evapor Specifi Bulk d Vapor	ration rate ic Gravity ensity pressure	: Not a : Not a : Not a : Not a	determined established applicable
Form Appearance Color Odor Melting point/range	: Solid : Pelle : YEL : Very : Not	d ets LOW / faint determined applicable	Evapor Specifi Bulk d Vapor Vapor	ration rate ic Gravity ensity pressure	: Not a : Not a : Not a : Not a	determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : YEL : Very : Not : Not : Insol	d ets LOW / faint determined applicable	Evapor Specifi Bulk d Vapor Vapor pH	ration rate ic Gravity ensity pressure density	: Not a : Not a : Not a : Not a	determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pelle : YEL : Very : Not : Not : Insol	d ets LOW / faint determined applicable luble	Evapor Specifi Bulk d Vapor Vapor pH	ration rate ic Gravity ensity pressure density	: Not a : Not a : Not a : Not a	determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solid : Pelle : YEL : Very : Not : Not : Insol 10. S : S	d LOW / faint determined applicable luble STABILITY AND REA	Evapor Specifi Bulk d Vapor Vapor pH	ration rate ic Gravity ensity pressure density	: Not a : Not a : Not a : Not a	determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Solid : Pelle : YEL : Very : Not : Not : Insol 10.5 n : V : K	d ets LOW / faint determined applicable luble STABILITY AND REA	Evapor Specifi Bulk d Vapor pH ACTIV	ration rate ic Gravity ensity pressure density TTY ts and open flame	: Not of : Not of : Not a : Not a	determined established applicable applicable applicable



MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 02/03/2003 Page 4 of 6 Print Date *11/10/2011*

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ				
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.				
	12. ECOLOGIO	CAL INFORMATION	I				
Persistence and degrad	ability : Not readily b	iodegradable.					
Environmental Toxicit		: Chemicals are not readily available as they are bound within the matrix of the polymer.					
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.					
Additional advice	: No data avail	: No data available.					
	13. DISPOSAL	CONSIDERATIONS					
Product Contaminated packagir	possible, recy generator of v classification applicable fee ng : Recycling is p has the respon	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 					
		RT INFORMATION					
U.S. DOT Classificatio	n : Refer to spec	ific regulation.					
ICAO/IATA	: Refer to spec	: Refer to specific regulation.					
IMO / IMDG	: Refer to spec	ific regulation.	regulation.				
	15. REGULATO	ORY INFORMATION	N				

MATERIAL SAFETY DATA SHEET



YELLOW		
Version Number 1.0 Revision Date 02/03/2003		Page 5 of 6 Print Date <i>11/10/2011</i>
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
Canadian Regulations:		
		D2B
DSL		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16 OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

YELLOW

Version Number 1.0 Revision Date 02/03/2003



Page 6 of 6 Print Date 11/10/2011