

MATERIAL SAFETY DATA SHEET

269C PURPLE

Version Number 1.0 Revision Date 02/10/2003 Page 1 of 6 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	269C PURPLE
Product code	:	CC10031101
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact		
Acute exposure		
Inhalation Ingestion	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. 	
Eyes	 Resin particles, like other inert materials, are mechanically irritating to eyes. 	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	





269C PURPLE Version Number 1.0 Page 2 of 6 Revision Date 02/10/2003 Print Date 11/10/2011 **Medical Conditions** : None known. Aggravated by Exposure: 4. FIRST AID MEASURES Inhalation Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Do not induce vomiting without medical advice. When symptoms Ingestion : persist or in all cases of doubt seek medical advice. Eyes : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. Skin : Wash off with soap and plenty of water. If skin irritation persists seek medical attention. **5. FIRE-FIGHTING MEASURES** Flash point : Not applicable Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Suitable extinguishing media : Carbon dioxide blanket, Water spray, dry powder, foam. Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None • Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Methods for cleaning up Clean up promptly by sweeping or vacuum. Package all material in : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat · only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET





9C PURPLE						
sion Number 1.0 rision Date 02/10/2003			Print Da	Page 3 of 6 ate 11/10/2011		
Storage		Leep containers dry and tightly nd contamination. Keep in a d		absorption		
8. E	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally r	equired.		
Eye/Face Protection	: S	Safety glasses with side-shields.				
Hand protection	: P	Protective gloves.				
Skin and body protection	: L	Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations						
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.						
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA		
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1		

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Solid Pellets PURPLE Very faint Not determined Not applicable Insoluble 	Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	 Not applicable. Not determined Not established Not applicable Not applicable Not applicable
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		



MATERIAL SAFETY DATA SHEET

	2003			Print Date 11/10/2	
		decompositio	n, do not overheat.		
Incompatible Mater	ials	: Incompatible	with strong acids and o	oxidizing agents.	
Hazardous decompo products	osition			exide (CO), oxides of nitrogen ad smoke are all possible.	
		11. TOXICOLOG	ICAL INFORMATIO	DN	
			r health effects. Exposu omprise the mixture.	are effects listed are based on exis	
<u>Toxicity Overview</u> This product contai	ns the follow	wing components w	hich in their pure form	have the following characteristic	
CAS-No.	0	Chemical Name	Effect	Target Organ	
7631-86-9		amorphous	Irritant	Eyes, Respiratory system.	
13463-67-7	Titaniu	ım dioxide	Systemic effects	Respiratory system.	
			CAL INFORMATION	I	
Bioaccumulation Po Additional advice	otential	: Chemicals are of the polyme	of the polymer.Chemicals are not readily available as they are bound within the matrix of the polymer.No data available.		
		13. DISPOSAL	CONSIDERATIONS		
Product		: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
			, transportation and disj	posal in accordance with	
Contaminated pack	aging	applicable fee : Recycling is I has the respon	, transportation and disp leral, state/provincial as preferred when possible nsibility for proper was in accordance with appl	posal in accordance with nd local regulations.	
Contaminated pack	aging	 applicable fee Recycling is phase the response and disposal is and local regression 	, transportation and disp leral, state/provincial as preferred when possible nsibility for proper was in accordance with appl	posal in accordance with nd local regulations. b. The generator of waste materia te classification, transportation	
Contaminated pack	aging	 applicable fee Recycling is phase the response and disposal is and local regression 	, transportation and disp deral, state/provincial appreferred when possible nsibility for proper was in accordance with appl alations.	posal in accordance with nd local regulations. b. The generator of waste materia te classification, transportation	
Contaminated pack		applicable fee : Recycling is p has the respon- and disposal i and local regu- 14. TRANSPO	, transportation and disp deral, state/provincial appreferred when possible nsibility for proper was in accordance with appl alations.	posal in accordance with nd local regulations. b. The generator of waste materia te classification, transportation	
		applicable fee : Recycling is p has the respon- and disposal i and local regu- 14. TRANSPO : Refer to spect	, transportation and disp deral, state/provincial as preferred when possible nsibility for proper was in accordance with appl alations. RT INFORMATION	posal in accordance with nd local regulations. b. The generator of waste material te classification, transportation	



MATERIAL SAFETY DATA SHEET

269C PURPLE

	on Number 1.0 sion Date 02/10/2003			Print Date	Page 5 of 6 11/10/2011
]	IMO / IMDG	:	Refer to specific regulation.		
		1	REGULATORY INFORMATI	ON	
I	US Regulations:				
	OSHA Status	:	Classified as hazardous based on	components.	
	TSCA Status	:	All components of this product ar Inventory.	re listed on or exempt from	the TSCA
1	US. EPA CERCLA Hazardou	ıs Sul	tances (40 CFR 302)		
	Not applicable				
	California Proposition 65	ı :	This product does not contain a su	ubstance listed by California	a Prop 65.
2	SARA Title III Section 302 E	xtren	ely Hazardous Substance		
	Not applicable				
	SARA Title III Section 313 T	'oxic	hemicals:		
		N	ot applicable		
(Canadian Regulations:				
	WHMIS Classification	n :	D2B		
	WHMIS Ingredient Di	sclos	re List		
	CAS-No. 7631-86-9				
	DSL	:	All components of this product a Substances List (DSL) or are exer		ic
1	National Inventories:				
	Australia AICS	:	Listed.		
	China IECS	:	Listed.		



MATERIAL SAFETY DATA SHEET

269C PURPLE

 Version Number 1.0
 Page 6 of 6

 Revision Date 02/10/2003
 Print Date 11/10/2011

 Europe EINECS
 :
 Not determined.

 Japan ENCS
 :
 Listed.

 Korea KECI
 :
 Listed.

 Philippines PICCS
 :
 Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.