

### MATERIAL SAFETY DATA SHEET

# ORANGE

Version Number 1.0 Revision Date 02/11/2003 Page 1 of 6 Print Date 11/10/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ORANGE
Product code	:	CC10031219
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Titanium dioxide	13463-67-7	1 - 5
Zinc stearate	557-05-1	1 - 5

# **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

# POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





ANGE	
ion Number 1.0 sion Date 02/11/2003	Page Print Date 11/10,
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

# MATERIAL SAFETY DATA SHEET



# ORANGE

sion Date 02/11/2003			Print D	Page 3 Date 11/10/2	
Storage		eep containers dry and tightly nd contamination. Keep in a d		e absorption	
8. H	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protecti	ive equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shields			
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with good ash hands before breaks and a		afety practice	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
	Value	Exposure time	Exposure type	I ist <sup>.</sup>	
Exposure limit(s) Components Calcium carbonate	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Total dust.	List: ACGIH	
Components	10 mg/m3		Total dust.	ACGIH	
Components Calcium carbonate	10 mg/m3 5 mg/m3	Time Weighted Average (TWA):	Total dust. Respirable dust.	ACGIH OSHA Z1	
Components Calcium carbonate	10 mg/m3	Time Weighted Average (TWA): PEL:	Total dust.	ACGIH OSHA Z1	
Components Calcium carbonate Calcium carbonate	10 mg/m3 5 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average	Total dust. Respirable dust. Total dust.	ACGIH OSHA Z1 OSHA Z1 ACGIH	
Components Calcium carbonate Calcium carbonate Titanium dioxide	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA):	Total dust. Respirable dust. Total dust. Dust.	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1	
Components Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL:	Total dust. Respirable dust. Total dust. Dust. Total dust.	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 OSHA Z1	
Components Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: PEL:	Total dust. Respirable dust. Total dust. Dust. Total dust. Respirable fraction.	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 OSHA Z1	
Components Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide Zinc stearate	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: PEL: PEL: Time Weighted Average	Total dust.Respirable dust.Total dust.Dust.Total dust.Respirable fraction.Total dust.as stearates	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 OSHA Z1 OSHA Z1	
Components Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust.         Respirable dust.         Total dust.         Dust.         Total dust.         Respirable fraction.         Total dust.         as stearates	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH	
Components Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust.         Respirable dust.         Total dust.         Dust.         Total dust.         Respirable fraction.         Total dust.         as stearates	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 OSHA Z1 OSHA Z1 OSHA Z1 ACGIH	
Components Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust.         Respirable dust.         Total dust.         Dust.         Total dust.         Respirable fraction.         Total dust.         as stearates         DPERTIES         ration rate       : Not         ic Gravity       : Not	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH applicable.	
Components Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : ORA	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust.         Respirable dust.         Total dust.         Dust.         Total dust.         Respirable fraction.         Total dust.         as stearates         DPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH applicable. determined established	
Components Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate Form Appearance Color Odor	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust.         Respirable dust.         Total dust.         Dust.         Total dust.         Respirable fraction.         Total dust.         as stearates         DPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not         pressure       : Not	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH applicable. determined established applicable	
Components Calcium carbonate Calcium carbonate Titanium dioxide Titanium dioxide Zinc stearate Zinc stearate	10 mg/m3 5 mg/m3 15 mg/m3 10 mg/m3 15 mg/m3 15 mg/m3 10 mg/m3 10 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not c	Time Weighted Average (TWA): PEL: PEL: Time Weighted Average (TWA): PEL: PEL: PEL: Time Weighted Average (TWA): CAL AND CHEMICAL PRO	Total dust.         Respirable dust.         Total dust.         Dust.         Total dust.         Respirable fraction.         Total dust.         as stearates         DPERTIES         ration rate       : Not         lensity       : Not         pressure       : Not         density       : Not	ACGIH OSHA Z1 OSHA Z1 ACGIH OSHA Z1 OSHA Z1 OSHA Z1 ACGIH applicable. determined established	

# 10. STABILITY AND REACTIVITY

3/6

### MATERIAL SAFETY DATA SHEET



#### ORANGE Page 4 of 6 Version Number 1.0 Print Date 11/10/2011 Revision Date 02/11/2003 Stability : Stable. Hazardous Polymerization : Will not occur. Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. : Incompatible with strong acids and oxidizing agents. Incompatible Materials : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen Hazardous decomposition (NOx), other hazardous materials, and smoke are all possible. products

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
557-05-1	Zinc stearate	Systemic effects	Eyes, Skin, Respiratory system.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
557-05-1	Zinc stearate	Oral LD50	> 10 gm/kg	rat

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.	
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.	
Additional advice	: No data available.	
	13. DISPOSAL CONSIDERATIONS	
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste	



### MATERIAL SAFETY DATA SHEET

ORANGE					
Version Number 1.0 Revision Date 02/11/2003				Print Date	Page 5 of 6 11/10/2011
Contaminated packaging	:	classification, transportat applicable federal, state/j Recycling is preferred wi	provincial and loca	al regulations.	
Containinated packaging		has the responsibility for and disposal in accordan and local regulations.	proper waste clas	sification, transpo	rtation
	14	4. TRANSPORT INFOR	RMATION		
U.S. DOT Classification	:	Refer to specific regulati	on.		
ICAO/IATA	:	Refer to specific regulati	on.		
IMO / IMDG	:	Refer to specific regulati	on.		
	15.	REGULATORY INFO	RMATION		
US Regulations:					
OSHA Status	:	Classified as hazardous b	based on compone	nts.	
TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory.					
US. EPA CERCLA Hazardous	Subs	tances (40 CFR 302)			
Not applicable					
California Proposition 65	:	This product does not con	ntain a substance l	isted by California	a Prop 65.
SARA Title III Section 302 Ext	treme	ly Hazardous Substance			
Not applicable					
SARA Title III Section 313 To:	xic C	hemicals:			
Chemical Name			CAS-No.	Weight %	
ZINC COMPOUNDS			557-05-1	02.00	
Canadian Regulations:					



### MATERIAL SAFETY DATA SHEET

# ORANGE

Version Number 1.0 Revision Date 02/11/2003			Print Date	Page 6 of 6 11/10/2011
WHMIS Classification	:	D2A		
WHMIS Ingredient Disclo	osu	ire List		
CAS-No. 557-05-1				
DSL	:	All components of this product are on the Cana Substances List (DSL) or are exempt.	ıdian Domest	ic
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Not determined.		
Korea KECI	:	Not determined.		
Philippines PICCS	:	Not determined.		
	_	16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.