

MATERIAL SAFETY DATA SHEET

PG 31327 RD PP

Version Number 1.0 Revision Date 02/12/2003 Page 1 of 6 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 31327 RD PP
Product code	:	CC10031327
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PG 31327 RD PP

ision Date 02/12/2003	Print Date 11/10/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

PG 31327 RD PP

sion Date 02/12/2003			Print	Page 3 /Date 11/10
	a	nd contamination. Keep ir	a dry, cool place.	
8. E	XPOSURE	CONTROLS / PERSON	AL PROTECTION	
Respiratory protection	: N	o personal respiratory pro-	tective equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shi	elds.	
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.			
Engineering measures		leat only in areas with appr ppropriate exhaust ventilat	opriate exhaust ventilation ion at machinery.	. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
	10 mg/m3	Time Weighted Averag	n Durat	ACGIH
Titanium dioxide		(TWA):	e Dust.	ACGIH
Titanium dioxide	15 mg/m3		Total dust.	
	15 mg/m3	(TWA):	Total dust.	OSHA Z
Titanium dioxide	15 mg/m3 9. PHYSIC	(TWA): PEL: CAL AND CHEMICAL I	Total dust. PROPERTIES	OSHA Z
Titanium dioxide	15 mg/m3 9. PHYSIC : Solic	(TWA): PEL: CAL AND CHEMICAL I	Total dust. PROPERTIES aporation rate : No	OSHA Z
Titanium dioxide Form Appearance	15 mg/m3 9. PHYSIC : Solic : Pelle	(TWA): PEL: CAL AND CHEMICAL I I Ev ts Sp	Total dust. PROPERTIES aporation rate : No ecific Gravity : No	OSHA Z
Titanium dioxide Form Appearance Color	15 mg/m3 9. PHYSIC : Solid : Pelle : RED	(TWA): PEL: CAL AND CHEMICAL I I Ev ts Sp Bu	Total dust. PROPERTIES aporation rate : No ecific Gravity : No lk density : No	OSHA Z
Titanium dioxide Form Appearance Color Odor	15 mg/m3 9. PHYSIC : Solic : Pelle : RED : Very	(TWA): PEL: CAL AND CHEMICAL I I Ev ots Sp Bu but faint Va	Total dust. PROPERTIES aporation rate : No ecific Gravity : No lk density : No por pressure : No	OSHA Z ot applicable. ot determined ot established ot applicable
Form Appearance Color Odor Melting point/range	15 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not o	(TWA): PEL: CAL AND CHEMICAL I L Ev ts Sp b Bu faint Va determined Va	Total dust. PROPERTIES aporation rate : No ecific Gravity : No lk density : No por pressure : No por density : No	OSHA Z
Titanium dioxide Form Appearance Color Odor	15 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not o	(TWA): PEL: CAL AND CHEMICAL I I Ev ts Sp faint Va determined Va applicable pH	Total dust. PROPERTIES aporation rate : No ecific Gravity : No lk density : No por pressure : No por density : No	OSHA Z ot applicable. ot determined ot established ot applicable
Form Appearance Color Odor Melting point/range Boiling Point:	15 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not a : Insol	(TWA): PEL: CAL AND CHEMICAL I I Ev ts Sp faint Va determined Va applicable pH	Total dust. PROPERTIES aporation rate : No ecific Gravity : No lk density : No por pressure : No por density : No [: No	OSHA Z
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	15 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not a : Insol 10. S	(TWA): PEL: CAL AND CHEMICAL I I Ev ts Sp faint Va determined Va applicable pH uble STABILITY AND REAC	Total dust. PROPERTIES aporation rate : No ecific Gravity : No lk density : No por pressure : No por density : No [: No	OSHA Z
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	15 mg/m3 9. PHYSIC : Solic : Pelle : RED : Very : Not c : Not a : Insol 10. S : S	(TWA): PEL: CAL AND CHEMICAL I I Ev table STABILITY AND REAC table.	Total dust. PROPERTIES aporation rate : No ecific Gravity : No lk density : No por pressure : No por density : No [: No	OSHA Z
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	15 mg/m3 9. PHYSIC : Solic : Pelle : RED : Very : Not a : Insol 10. S : S 1 : W : K	(TWA): PEL: CAL AND CHEMICAL I I Ev ts Sp faint Va determined Va applicable pH uble STABILITY AND REAC table. Vill not occur.	Total dust. PROPERTIES aporation rate : Note that the section of the sec	OSHA Z ot applicable. ot determined ot established ot applicable ot applicable



MATERIAL SAFETY DATA SHEET

PG 31327 RD PP

Version Number 1.0 Revision Date 02/12/2003 Page 4 of 6 Print Date 11/10/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
		CAL INFORMATION	л			
	12. ECOLOGI	CAL INFORMATION	N			
Persistence and degrad	ability : Not readily b	biodegradable.				
Environmental Toxicit		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poter		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avai	lable.				
	13. DISPOSAI	CONSIDERATIONS	9			
Product Contaminated packagin	possible, rec generator of classification applicable fe ng : Recycling is has the respo and disposal	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. State/provincial and local regulations. 				
	14. TRANSPO	ORT INFORMATION				
U.S. DOT Classificatio	on : Refer to spec	cific regulation.				
ICAO/IATA	: Refer to spec	: Refer to specific regulation.				
IMO / IMDG	: Refer to spec	cific regulation.				
	15. REGULAT	ORY INFORMATIO	N			

MATERIAL SAFETY DATA SHEET



rsion Number 1.0 vision Date 02/12/2003		Page 5 o Print Date 11/10/20
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Top		fot applicable
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
XX . I X . I		
National Inventories:		
National Inventories: Australia AICS	:	Listed.
	: :	Listed.
Australia AICS		
Australia AICS China IECS	:	Listed.
Australia AICS China IECS Europe EINECS	:	Listed. Not determined.
Australia AICS China IECS Europe EINECS Japan ENCS	:	Listed. Not determined. Not determined.



MATERIAL SAFETY DATA SHEET

PG 31327 RD PP

Version Number 1.0 Revision Date 02/12/2003 Page 6 of 6 Print Date 11/10/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.