

#### MATERIAL SAFETY DATA SHEET

## UV 1

Version Number 1.0 Revision Date 02/20/2003 Page 1 of 6 Print Date 11/10/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY : TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	UV 1
Product code	:	CC10031331
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET

# UV 1

sion Date 02/20/2003		Print Date 11/10/20		
4. FIRST AID MEASURES				
Inhalation		Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion		Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes		Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin		Wash off with soap and plenty of water. If skin irritation persists seek medical attention.		
	5.	FIRE-FIGHTING MEASURES		
Flash point		Not applicable		
	•			
Flammable Limits				
Upper explosion limit		Not applicable		
Lower explosion limit		Not applicable		
Autoignition temperature		Not relevant		
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, dry powder, foam.		
Special Fire Fighting	:	Fullface self-contained breathing apparatus (SCBA) used in positive		
Procedures		pressure mode should be worn to prevent inhalation of airborne		
Tiocedules		contaminants.		
Unusual Fire/Explosion Hazards		None		
	6. AC	CIDENTAL RELEASE MEASURES		
Personal precautions		Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions		Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up		Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.		
	7	. HANDLING AND STORAGE		
Handling		Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption		



## MATERIAL SAFETY DATA SHEET

# UV 1

		Print Date 11/10	)/2		
	and contamination	. Keep in a dry, cool place.			
8. EXPOSURE CONTROLS / PERSONAL PROTECTION					
Respiratory protection	: No personal respin	atory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with	n side-shields.			
Hand protection	: Protective gloves.				
Skin and body protection	: Long sleeved cloth	ning.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		nce with good industrial hygiene and safety practi e breaks and at the end of workday.	ice		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
9	PHYSICAL AND CHE				
9.		MICAL PROPERTIES			
Form	: Solid	Evaporation rate : Not applicable			
Form Appearance	: Solid : Pellets	Evaporation rate : Not applicable Specific Gravity : Not determined	d		
Form Appearance Color	: Solid : Pellets : NO PIGMENT	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established	t t		
Form Appearance Color Odor	: Solid : Pellets : NO PIGMENT : Very faint	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicable	1 1		
Form Appearance Color Odor Melting point/range	<ul> <li>Solid</li> <li>Pellets</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> </ul>	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicable	1 1		
Form Appearance Color Odor Melting point/range Boiling Point:	: Solid : Pellets : NO PIGMENT : Very faint	Evaporation rate: Not applicableSpecific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicable	1 1		
Form Appearance Color Odor	<ul> <li>Solid</li> <li>Pellets</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable	1 1		
Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>Pellets</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable	1 1		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>Solid</li> <li>Pellets</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AN	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable	1 1		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li>Solid</li> <li>Pellets</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Evaporation rate       :       Not applicable         Specific Gravity       :       Not determined         Bulk density       :       Not established         Vapor pressure       :       Not applicable         Vapor density       :       Not applicable         pH       :       Not applicable <b>D REACTIVITY</b> xidizing agents and open flame.       To avoid therm	d 1		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>Solid</li> <li>Pellets</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from or decomposition, doe</li> </ul>	Evaporation rate       :       Not applicable         Specific Gravity       :       Not determined         Bulk density       :       Not established         Vapor pressure       :       Not applicable         Vapor density       :       Not applicable         pH       :       Not applicable <b>D REACTIVITY</b> xidizing agents and open flame.       To avoid therm	d 1		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	<ul> <li>Solid</li> <li>Pellets</li> <li>NO PIGMENT</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AN</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from of decomposition, doing the stable of th</li></ul>	Evaporation rate : Not applicable Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable <b>D REACTIVITY</b> xidizing agents and open flame. To avoid therm not overheat.	d 1		



MATERIAL SAFETY DATA SHEET

## **UV 1**

Version Number 1.0 Revision Date 02/20/2003 Page 4 of 6 Print Date 11/10/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION			
Persistence and degradability	: Not readily biodegradable.			
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data available.			
13. DISPOSAL CONSIDERATIONS				
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPORT INFORMATION			
U.S. DOT Classification	: Refer to specific regulation.			
ICAO/IATA	: Refer to specific regulation.			
IMO / IMDG	: Refer to specific regulation.			
	15. REGULATORY INFORMATION			
US Regulations:				
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.			
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous	Substances (40 CFR 302)			
Not applicable				

4/6



#### MATERIAL SAFETY DATA SHEET

## UV 1

Version Number 1.0 Revision Date 02/20/2003		Page 5 of 6 Print Date 11/10/2011				
		Thin Date Think Date Think 2011				
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.				
SARA Title III Section 302 Extr	eme	ely Hazardous Substance				
Not applicable						
TT TT						
SARA Title III Section 313 Tox	SARA Title III Section 313 Toxic Chemicals:					
	No	ot applicable				
Canadian Regulations:						
WHMIS Classification	:	Not controlled.				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:						
Australia AICS	:	Listed.				
China IECS	:	Listed.				
Europe EINECS	:	Not determined.				
Japan ENCS	:	Not determined.				
Korea KECI	:	Not determined.				
Philippines PICCS	:	Listed.				
		16. OTHER INFORMATION				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## MATERIAL SAFETY DATA SHEET

# UV 1

Version Number 1.0 Revision Date 02/20/2003



Page 6 of 6 Print Date 11/10/2011