

MATERIAL SAFETY DATA SHEET

PG 31679 WE UV

Version Number 1.0 Revision Date 02/19/2003 Page 1 of 6 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 31679 WE UV
Product code	:	CC10031679
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PG 31679 WE UV

Version Number 1.0 Page 2 of 6 Revision Date 02/19/2003 Print Date 11/10/2011 **4. FIRST AID MEASURES** Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Ingestion Do not induce vomiting without medical advice. When symptoms : persist or in all cases of doubt seek medical advice. Eyes Rinse immediately with plenty of water, also under the eyelids, for at : least 15 minutes. If eye irritation persists, seek medical attention. Skin Wash off with soap and plenty of water. If skin irritation persists seek : medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Not applicable : Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Carbon dioxide blanket, Water spray, dry powder, foam. Suitable extinguishing media : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None · Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Clean up promptly by sweeping or vacuum. Package all material in Methods for cleaning up : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat : only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption •



MATERIAL SAFETY DATA SHEET

PG 31679 WE UV

sion Date 02/19/2003				Print D	Page ate 11/10/
	aı	nd contamination. Kee	ep in a d	ry, cool place.	
8. E	XPOSURE	CONTROLS / PERS	SONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory	protecti	ve equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side	shields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety prac Wash hands before breaks and at the end of workday.			afety practic	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Av (TWA):	erage	Dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust.	OSHA Z
Thanhum dioxide	<u> </u>				
		CAL AND CHEMICA	AL PRO	PERTIES	
Form Appearance Color		1 ets	Evapoi Specifi	ration rate : Not ic Gravity : Not	
Form Appearance Color Odor	9. PHYSIC : Solid : Pelle : BLU : Very	l ets /E / faint	Evapor Specifi Bulk de Vapor	ration rate : Not ic Gravity : Not ensity : Not pressure : Not	determined established applicable
Form Appearance Color Odor Melting point/range	9. PHYSIC : Solid : Pelle : BLU : Very : Not c	l ets /E / faint determined	Evapor Specifi Bulk de Vapor Vapor	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not	determined established applicable applicable
Form Appearance Color Odor	9. PHYSIC : Solid : Pelle : BLU : Very : Not c	l ets E faint determined applicable	Evapor Specifi Bulk de Vapor	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not	determined established applicable
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a : Insol	l ets E faint determined applicable	Evapor Specifi Bulk de Vapor Vapor pH	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not : Not	determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a : Insol 10. S	d ets /E / faint determined applicable luble	Evapor Specifi Bulk de Vapor Vapor pH	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not : Not	determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a : Insol 10. S : Solid	d ets /E / faint determined applicable luble STABILITY AND RE	Evapor Specifi Bulk de Vapor Vapor pH	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not : Not	determined established applicable applicable
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	9. PHYSIC : Solid : Pelle : BLU : Very : Not a : Not a : Insol 10. S : Si : Si : Si : Si	l ets /E / faint determined applicable luble STABILITY AND RE table. Vill not occur.	Evapor Specifi Bulk de Vapor pH EACTIV	ration rate : Not ic Gravity : Not ensity : Not pressure : Not density : Not : Not TTY ts and open flame. To a	determined established applicable applicable applicable



MATERIAL SAFETY DATA SHEET

PG 31679 WE UV

Version Number 1.0 Revision Date 02/19/2003 Page 4 of 6 Print Date *11/10/2011*

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

Persistence and degradability : Not readi Environmental Toxicity : Chemical of the pol Bioaccumulation Potential : Chemical of the pol Additional advice : No data a 13. DISPOS Product : Like mos possible, generator classifica applicabl Contaminated packaging : Recycling has the re and disponential	als are not readily available as they are bound within the matholymer. available. DSAL CONSIDERATIONS Dest thermoplastics the product can be recycled. Where e, recycling is preferred to disposal or incineration. The for of waste material has the responsibility for proper waste eation, transportation and disposal in accordance with bele federal, state/provincial and local regulations. ng is preferred when possible. The generator of waste mater
Persistence and degradability : Not readi Environmental Toxicity : Chemical of the pol Bioaccumulation Potential : Chemical of the pol Additional advice : No data a 13. DISPOS Product : Like mos possible, generator classifica applicabl Contaminated packaging : Recycling has the re and disponential	dily biodegradable. als are not readily available as they are bound within the matrolymer. als are not readily available as they are bound within the matrolymer. available. DSAL CONSIDERATIONS Dest thermoplastics the product can be recycled. Where e, recycling is preferred to disposal or incineration. The for of waste material has the responsibility for proper waste ecation, transportation and disposal in accordance with be federal, state/provincial and local regulations. ng is preferred when possible. The generator of waste materi
Environmental Toxicity : Chemical of the pol Bioaccumulation Potential : Chemical of the pol Additional advice : No data a 13. DISPOS Product : Like mos possible, generator classifica applicabl Contaminated packaging : Recycling has the re and dispo	als are not readily available as they are bound within the matholymer. als are not readily available as they are bound within the matholymer. available. DSAL CONSIDERATIONS Dest thermoplastics the product can be recycled. Where e, recycling is preferred to disposal or incineration. The bor of waste material has the responsibility for proper waste cation, transportation and disposal in accordance with be federal, state/provincial and local regulations. ng is preferred when possible. The generator of waste materi
of the pol Bioaccumulation Potential : Chemical of the pol Additional advice : No data a 13. DISPOS Product : Like mos possible, generator classifica applicabl Contaminated packaging : Recycling has the re and dispo	olymer. als are not readily available as they are bound within the matholymer. available. DSAL CONSIDERATIONS ost thermoplastics the product can be recycled. Where e, recycling is preferred to disposal or incineration. The or of waste material has the responsibility for proper waste cation, transportation and disposal in accordance with bele federal, state/provincial and local regulations. ng is preferred when possible. The generator of waste mater
of the pol Additional advice : No data a 13. DISPOS Product : Like mos possible, generator classifica applicabl Contaminated packaging : Recycling has the re and dispo	olymer. available. DSAL CONSIDERATIONS Dest thermoplastics the product can be recycled. Where e, recycling is preferred to disposal or incineration. The for of waste material has the responsibility for proper waste cation, transportation and disposal in accordance with be federal, state/provincial and local regulations. ng is preferred when possible. The generator of waste mater
13. DISPOS Product : Like mos possible, generator classifica applicabl Contaminated packaging : Recycling has the re and disponent of the second s	DSAL CONSIDERATIONS Dest thermoplastics the product can be recycled. Where e, recycling is preferred to disposal or incineration. The for of waste material has the responsibility for proper waste eation, transportation and disposal in accordance with bele federal, state/provincial and local regulations. ng is preferred when possible. The generator of waste mater
Product : Like mos possible, generator classifica applicabl Contaminated packaging : Recycling has the re and dispo	ost thermoplastics the product can be recycled. Where e, recycling is preferred to disposal or incineration. The or of waste material has the responsibility for proper waste cation, transportation and disposal in accordance with ble federal, state/provincial and local regulations. ng is preferred when possible. The generator of waste mater
possible, generator classifica applicabl Contaminated packaging : Recycling has the re and dispo	e, recycling is preferred to disposal or incineration. The or of waste material has the responsibility for proper waste cation, transportation and disposal in accordance with ole federal, state/provincial and local regulations. ng is preferred when possible. The generator of waste mater
	responsibility for proper waste classification, transportation posal in accordance with applicable federal, state/provincial al regulations.
14. TRANS	SPORT INFORMATION
U.S. DOT Classification : Refer to s	specific regulation.
ICAO/IATA : Refer to s	specific regulation.
IMO / IMDG : Refer to s	specific regulation.
15. REGUL	LATORY INFORMATION

MATERIAL SAFETY DATA SHEET



ersion Number 1.0 evision Date 02/19/2003		Page 5 of Print Date 11/10/201
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	tic C	Chemicals:
	N	ot applicable
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
National Inventories: Australia AICS	:	Listed.
	:	Listed.
Australia AICS		
Australia AICS China IECS		Listed.
Australia AICS China IECS Europe EINECS		Listed. Not determined.
Australia AICS China IECS Europe EINECS Japan ENCS		Listed. Not determined. Listed.



MATERIAL SAFETY DATA SHEET

PG 31679 WE UV

Version Number 1.0 Revision Date 02/19/2003 Page 6 of 6 Print Date *11/10/2011*

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.