

MATERIAL SAFETY DATA SHEET

BLUE 225-2-5

Version Number 1.0 Revision Date 02/19/2003 Page 1 of 6 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE 225-2-5
Product code	:	CC10031878
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions	Refer to Section 11 for Toxicological Information.None known.
Aggravated by Exposure:	



MATERIAL SAFETY DATA SHEET

BLUE 225-2-5

sion Date 02/19/2003	Print Date 11/10/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

BLUE 225-2-5

		Print Date 11/1	je 3 10/2
	and contaminat	ion. Keep in a dry, cool place.	
8. EXP	OSURE CONTROLS	S / PERSONAL PROTECTION	
Respiratory protection	: No personal res	spiratory protective equipment normally required.	
Eye/Face Protection	: Safety glasses v	with side-shields.	
Hand protection	: Protective glove	es.	
Skin and body protection	: Long sleeved cl	lothing.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		rdance with good industrial hygiene and safety prac fore breaks and at the end of workday.	ctic
Engineering measures		eas with appropriate exhaust ventilation. Provide naust ventilation at machinery.	
	-	egulatory thresholds in this product.	
Form	: Solid	Evaporation rate : Not applicabl	le.
Appearance	: Pellets	Specific Gravity : Not determine	
Appearance	DITE		- 1
Color	: BLUE	Bulk density : Not established	
Color Odor	: Very faint	Vapor pressure : Not applicabl	le
Color Odor Melting point/range	: Very faint: Not determined	Vapor pressure: Not applicablVapor density: Not applicabl	le le
Color Odor	: Very faint	Vapor pressure : Not applicabl	le le
Color Odor Melting point/range Boiling Point:	: Very faint: Not determined: Not applicable: Insoluble	Vapor pressure: Not applicablVapor density: Not applicabl	le le
Color Odor Melting point/range Boiling Point:	: Very faint: Not determined: Not applicable: Insoluble	Vapor pressure: Not applicablVapor density: Not applicablpH: Not applicabl	le le
Color Odor Melting point/range Boiling Point: Water solubility	 : Very faint : Not determined : Not applicable : Insoluble 10. STABILITY 4	Vapor pressure: Not applicablVapor density: Not applicablpH: Not applicabl	le le
Color Odor Melting point/range Boiling Point: Water solubility Stability	 Very faint Not determined Not applicable Insoluble 10. STABILITY A Stable. Will not occur. Keep away from 	Vapor pressure: Not applicablVapor density: Not applicablpH: Not applicabl	le le
Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 Very faint Not determined Not applicable Insoluble 10. STABILITY A Stable. Will not occur. Keep away from decomposition, 	Vapor pressure : Not applicabl Vapor density : Not applicabl pH : Not applicabl AND REACTIVITY m oxidizing agents and open flame. To avoid there	le le
Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	 Very faint Not determined Not applicable Insoluble 10. STABILITY Stable. Stable. Will not occur. Keep away from decomposition, Incompatible w Carbon dioxide 	Vapor pressure : Not applicabl Vapor density : Not applicabl pH : Not applicabl AND REACTIVITY m oxidizing agents and open flame. To avoid there do not overheat.	le le le



MATERIAL SAFETY DATA SHEET

BLUE 225-2-5

Version Number 1.0 Revision Date 02/19/2003 Page 4 of 6 Print Date 11/10/2011

There are no known hazardous components above regulatory thresholds in this product.

of the polymer.		12. ECOLOGICAL INFORMATION
of the polymer. Bioaccumulation Potential : Chemicals are not readily available as they are bound within the matrix of the polymer. Additional advice : No data available. Image: Construct the polymer of the polymer. Image: Construct the polymer. Additional advice : No data available. Image: Construct the polymer of the polymer. Image: Construct the polymer. Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Refer to specific regulation. IMO / IMDG : Refer to specific regulation. IMO / IMDG : Refer to specific regulation. US Regulations: OSHA Status OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances	Persistence and degradability	: Not readily biodegradable.
Additional advice i No data available. Image: Second State St	Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA : Refer to specific regulation. IMO / IMDG : Refer to specific regulation. US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Product : Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Local regulations. : Refer to specific regulation. ICAO/IATA : Refer to specific regulation. IMO / IMDG : Refer to specific regulation. US Regulations: : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) :	Additional advice	: No data available.
possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA : Refer to specific regulation. IMO / IMDG : Refer to specific regulation. US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)		13. DISPOSAL CONSIDERATIONS
has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. U.S. DOT Classification : Refer to specific regulation. ICAO/IATA : Refer to specific regulation. IMO / IMDG : Refer to specific regulation. US Regulations: : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	Product	possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with
U.S. DOT Classification : Refer to specific regulation. ICAO/IATA : Refer to specific regulation. IMO / IMDG : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	Contaminated packaging	has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial
ICAO/IATA : Refer to specific regulation. IMO / IMDG : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the TSCA INVentory. US. EPA CERCLA Hazardous Substances (40 CFR 302)		14. TRANSPORT INFORMATION
ICAO/IATA : Refer to specific regulation. IMO / IMDG : Refer to specific regulation. IS. REGULATORY INFORMATION US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the TSCA INVentory. US. EPA CERCLA Hazardous Substances (40 CFR 302)		
IMO / IMDG : Refer to specific regulation. IMO / IMDG 15. REGULATORY INFORMATION US Regulations: 0SHA Status OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	U.S. DOT Classification	: Refer to specific regulation.
I C IS. REGULATORY INFORMATION US Regulations: OSHA Status There are no known hazardous components above regulatory thresholds in this product. TSCA Status I Colspan="2">Colspan="2"C	ICAO/IATA	: Refer to specific regulation.
US Regulations: OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	IMO / IMDG	: Refer to specific regulation.
OSHA Status : There are no known hazardous components above regulatory thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)		15. REGULATORY INFORMATION
thresholds in this product. TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	US Regulations:	
Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)	OSHA Status	
	TSCA Status	
Not applicable	US. EPA CERCLA Hazardous	Substances (40 CFR 302)
	Not applicable	

4/6



MATERIAL SAFETY DATA SHEET

BLUE 225-2-5

Version Number 1.0 Revision Date 02/19/2003		Page 5 of e Print Date 11/10/201
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extr	rem	aly Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic (Chemicals:
	N	ot applicable
Canadian Regulations:		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.
Korea KECI	:	Not determined.
Philippines PICCS	:	Not determined.
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MATERIAL SAFETY DATA SHEET

BLUE 225-2-5

Version Number 1.0 Revision Date 02/19/2003



Page 6 of 6 Print Date 11/10/2011