

MATERIAL SAFETY DATA SHEET

ORANGE P144C

Version Number 1.0 Revision Date 02/24/2003 Page 1 of 6 Print Date *11/10/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ORANGE P144C
Product code	:	CC10032033
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

ORANGE P144C

ion Number 1.0 sion Date 02/24/2003	Page 2 Print Date 11/10/
	4. FIRST AID MEASURES
	7. FIK51 AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 3 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

ORANGE P144C

ision Date 02/24/2003			Print [Page 3 Date 11/10/2	
	a	nd contamination. Keep in a	dry, cool place.		
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protect	tive equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shield	s.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations		andle in accordance with goo ash hands before breaks and		safety practice.	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Components Titanium dioxide	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Dust.	List: ACGIH	
Titanium dioxide	10 mg/m3 15 mg/m3	Time Weighted Average (TWA):	Dust. Total dust.	ACGIH	
Titanium dioxide Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR	Dust. Total dust. OPERTIES	ACGIH OSHA Z1	
Titanium dioxide Titanium dioxide	10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR	Dust. Total dust. OPERTIES Diration rate : No	ACGIH OSHA Z1 t applicable.	
Titanium dioxide Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC : Solic	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR d Evapo ts Speci	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No	ACGIH OSHA Z1 t applicable. t determined	
Titanium dioxide Titanium dioxide Form Appearance	10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : ORA	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR I Evapo ts Speci NGE Bulk	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No	ACGIH OSHA Z1 t applicable. t determined t established	
Titanium dioxide Titanium dioxide Form Appearance Color Odor	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR Evaports Speci NGE Bulk faint Vapo	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No r pressure : No	ACGIH OSHA Z1 t applicable. t determined t established t applicable	
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not of	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR t Evaports Speci NGE Bulk faint Vapo determined Vapo	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No r pressure : No r density : No r density : No	ACGIH OSHA Z1 t applicable. t determined t established t applicable t applicable	
Titanium dioxide Titanium dioxide Form Appearance Color Odor	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not of	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR t Evaports Speci NGE Bulk faint Vapo determined Vapo applicable pH	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No r pressure : No r density : No r density : No	ACGIH OSHA Z1 t applicable. t determined t established t applicable	
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : ORA : Very : Not a : Insol	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR t Evaports Speci NGE Bulk faint Vapo determined Vapo applicable pH	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No r pressure : No : No : No	ACGIH OSHA Z1 t applicable. t determined t established t applicable t applicable	
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not a : Insol 10. S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR I Evapo ts Speci NGE Bulk faint Vapo determined Vapo applicable pH uble	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No r pressure : No : No : No	ACGIH OSHA Z1 t applicable. t determined t established t applicable t applicable	
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not a : Insol 10. S : S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR the Evaport the Evaport	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No r pressure : No : No : No	ACGIH OSHA Z1 t applicable. t determined t established t applicable t applicable	
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : ORA : Very : Not a : Insol 10. S n : W : K	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PR I Evaports Speci NGE Bulk faint Vapo determined Vapo applicable pH uble STABILITY AND REACTI table.	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No r pressure : No r density : No VITY	ACGIH OSHA Z1 t applicable. t determined t established t applicable t applicable t applicable	



MATERIAL SAFETY DATA SHEET

ORANGE P144C

Version Number 1.0 Revision Date 02/24/2003 Page 4 of 6 Print Date *11/10/2011*

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGI	CAL INFORMATION	J		
Persistence and degrad		viodegradable.	` `		
Environmental Toxicit	y : Chemicals ar of the polymo		as they are bound within the matrix		
Bioaccumulation Poter		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data avail	lable.			
	13. DISPOSAL	CONSIDERATIONS	5		
possible, r generator classificat applicable Contaminated packaging : Recycling has the res		ycling is preferred to di waste material has the r a, transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	ct can be recycled. Where sposal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial		
	14. TRANSPO	RT INFORMATION			
U.S. DOT Classification	on : Refer to spec	ific regulation.			
ICAO/IATA	: Refer to spec	eific regulation.			
IMO / IMDG	: Refer to spec	ific regulation.			
	15. REGULAT	ORY INFORMATION	N		

4/6

MATERIAL SAFETY DATA SHEET



ORANGE P144C		
Version Number 1.0 Revision Date 02/24/2003	F	Page 5 of 6 Print Date 11/10/2011
US Regulations:		
OSHA Status	: Classified as hazardous based on components.	
TSCA Status	: All components of this product are listed on or exe Inventory.	empt from the TSCA
US. EPA CERCLA Hazardous S	ubstances (40 CFR 302)	
Not applicable		
California Proposition 65	: This product does not contain a substance listed by	y California Prop 65.
SARA Title III Section 302 Extr	emely Hazardous Substance	
Not applicable		
SARA Title III Section 313 Toxi	c Chemicals:	
	Not applicable	
Canadian Regulations:		
WHMIS Classification	: D2B	
WHMIS Ingredient Discl	osure List	
CAS-No. 150-13-0]	
DSL	: All components of this product are on the Canadi Substances List (DSL) or are exempt.	an Domestic
National Inventories:		
Australia AICS	: Listed.	
China IECS	: Listed.	
Europe EINECS	: Not determined.	
Japan ENCS	: Not determined.	
Korea KECI	: Not determined.	

MATERIAL SAFETY DATA SHEET

ORANGE P144C

Version Number 1.0 Revision Date 02/24/2003

> **Philippines PICCS** : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Page 6 of 6 Print Date 11/10/2011