

#### MATERIAL SAFETY DATA SHEET

## **OPAQUE BLUE**

Version Number 1.0 Revision Date 02/26/2003 Page 1 of 6 Print Date 11/10/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	OPAQUE BLUE
Product code	:	CC10032171
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

# OPAQUE BLUE

ion Number 1.0 sion Date 02/26/2003	Page 2 Print Date 11/10/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
Hazards	
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



### MATERIAL SAFETY DATA SHEET

# **OPAQUE BLUE**

Safety glasses with Protective gloves. Long sleeved cloth Safety shoes. Handle in accordar Wash hands before	PERSONAL PR atory protective of a side-shields. hing. here with good ind breaks and at the with appropriate st ventilation at n e time d Average	equipment normally dustrial hygiene and he end of workday. e exhaust ventilation nachinery. Exposure type Dust. Total dust.	safety practic . Provide List: ACGIH
No personal respira Safety glasses with Protective gloves. Long sleeved cloth Safety shoes. Handle in accordar Wash hands before Heat only in areas appropriate exhaus Exposure Time Weighte (TWA PEL	atory protective of a side-shields. hing. here with good ince with good ince breaks and at the with appropriate st ventilation at n	equipment normally dustrial hygiene and he end of workday. e exhaust ventilation nachinery. Exposure type Dust. Total dust.	safety practice . Provide List: ACGIH
Safety glasses with Protective gloves. Long sleeved cloth Safety shoes. Handle in accordar Wash hands before Heat only in areas appropriate exhaus Exposure Time Weighte (TWA PEL	n side-shields. ning. nce with good inder the breaks and at the with appropriate the ventilation at n the time d Average ():	dustrial hygiene and he end of workday. e exhaust ventilation nachinery. Exposure type Dust. Total dust.	safety practice . Provide List: ACGIH
Protective gloves. Long sleeved cloth Safety shoes. Handle in accordar Wash hands before Heat only in areas appropriate exhaus Exposure Time Weighte (TWA PEL	ting. the with good indered breaks and at the with appropriate to ventilation at n to time d Average A):	ne end of workday. e exhaust ventilation nachinery. Exposure type Dust. Total dust.	. Provide List: ACGIH
Long sleeved cloth Safety shoes. Handle in accordar Wash hands before Heat only in areas appropriate exhaus Exposure Time Weighte (TWA PEL	time time d Average time	ne end of workday. e exhaust ventilation nachinery. Exposure type Dust. Total dust.	. Provide List: ACGIH
Safety shoes. Handle in accordar Wash hands before Heat only in areas appropriate exhaus Exposure Time Weighte (TWA PEL	time time d Average time	ne end of workday. e exhaust ventilation nachinery. Exposure type Dust. Total dust.	. Provide List: ACGIH
Handle in accordar Wash hands before Heat only in areas appropriate exhaus Exposure Time Weighte (TWA PEL	e breaks and at the with appropriate st ventilation at n e time d Average (A):	ne end of workday. e exhaust ventilation nachinery. Exposure type Dust. Total dust.	. Provide List: ACGIH
Wash hands before Heat only in areas appropriate exhaus Exposure Time Weighte (TWA PEL	e breaks and at the with appropriate st ventilation at n e time d Average (A):	ne end of workday. e exhaust ventilation nachinery. Exposure type Dust. Total dust.	. Provide
appropriate exhaus Exposure Time Weighte (TWA PEL	e time d Average A):	nachinery. Exposure type Dust. Total dust.	List: ACGIH
Time Weighte (TWA PEL	d Average A):	Dust. Total dust.	ACGIH
Time Weighte (TWA PEL	d Average A):	Dust. Total dust.	ACGIH
Time Weighte (TWA PEL	d Average A):	Dust. Total dust.	ACGIH
PEL	:		OSHA Z1
ICAL AND CHEN	MICAL PROPE		
		ERTIES	
id	Evaporati	on rate : No	ot applicable.
lets	Specific C	Gravity : No	ot determined
UE	Bulk dens	sity : No	ot established
ry faint	Vapor pre	essure : No	ot applicable
t determined	Vapor der		ot applicable
t applicable	pН	: No	ot applicable
oluble			
STABILITY AN	D REACTIVIT	Y	
Stable.			
Will not occur.			
		and open flame. To	avoid thermal
		ovidizing agents	
		Keep away from oxidizing agents a decomposition, do not overheat.	Keep away from oxidizing agents and open flame. To



#### MATERIAL SAFETY DATA SHEET

## **OPAQUE BLUE**

Version Number 1.0 Revision Date 02/26/2003 Page 4 of 6 Print Date *11/10/2011* 

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No. 13463-67-7	Chemical Name Titanium dioxide	Effect Systemic effects	Target OrganRespiratory system.
15105 07 7	Thuman dioxide	Systemic cirects	Respiratory system.
	12. ECOLOGIO	CAL INFORMATION	
Persistence and degrada	ability : Not readily b	iodegradable.	
Environmental Toxicity	Chemicals ar of the polyme		s they are bound within the matrix
Bioaccumulation Poten	tial : Chemicals ar of the polyme		is they are bound within the matrix
Additional advice	: No data avail	lable.	
	13. DISPOSAL	CONSIDERATIONS	9
Product Contaminated packagin	possible, recy generator of classification applicable fe g : Recycling is has the respo	ycling is preferred to di waste material has the r , transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	ct can be recycled. Where sposal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial
	14. TRANSPO	RT INFORMATION	
U.S. DOT Classificatio	n : Refer to spec	ific regulation.	
ICAO/IATA	: Refer to spec	ific regulation.	
IMO / IMDG	: Refer to spec	ific regulation.	
	15. REGULAT	ORY INFORMATION	N

### MATERIAL SAFETY DATA SHEET



rsion Number 1.0 vision Date 02/26/2003		Page 5 of Print Date 11/10/201
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	kie C	Chemicals:
	No	ot applicable
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Classification DSL	:	D2B All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
	:	All components of this product are on the Canadian Domestic
DSL	:	All components of this product are on the Canadian Domestic
DSL National Inventories:	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
DSL National Inventories: Australia AICS	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed.
DSL National Inventories: Australia AICS China IECS	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed. Listed.
DSL National Inventories: Australia AICS China IECS Europe EINECS	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed. Listed. Not determined.
DSL National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS	: : : : : : : : : : : : : : : : : : : :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt. Listed. Listed. Not determined. Not determined.

5/6

PolyOne.

MATERIAL SAFETY DATA SHEET

## **OPAQUE BLUE**

Version Number 1.0 Revision Date 02/26/2003 Page 6 of 6 Print Date *11/10/2011* 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.