

#### MATERIAL SAFETY DATA SHEET

## WHITE

Version Number 1.0 Revision Date 03/13/2003 Page 1 of 6 Print Date *11/10/2011* 

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE
Product code	:	CC10032295
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET

sion Date 03/13/2003	Page 2 Print Date 11/10/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



## MATERIAL SAFETY DATA SHEET

sion Number 1.0 sion Date 03/13/2003			Print D	Page 3 ate 11/10/2	
	a	nd contamination. Keep in a c	ry, cool place.		
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required.				
Eye/Face Protection	: S	afety glasses with side-shields			
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	long sleeved clothing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide		Note:		ACGIH	
	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH	
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	9 PHYSIC	CAL AND CHEMICAL PRO	<b>DPERTIES</b>		
	<i></i>				
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solic : Pelle : WHI : Very : Not o	l Evapo ets Specif TE Bulk o faint Vapor determined Vapor applicable pH	ic Gravity : Not lensity : Not pressure : Not density : Not	applicable. determined established applicable applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : WHI : Very : Not a : Not a : Insol	l Evapo ets Specif TE Bulk o faint Vapor determined Vapor applicable pH	ic Gravity : Not lensity : Not pressure : Not density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : WHI : Very : Not o : Not a : Insol	l Evapo ets Specif TE Bulk o faint Vapor determined Vapor applicable pH luble	ic Gravity : Not lensity : Not pressure : Not density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solic : Pelle : WHI : Very : Not c : Not a : Insol <b>10. S</b> : S	I Evapo ets Specif TE Bulk o faint Vapor determined Vapor applicable pH uble	ic Gravity : Not lensity : Not pressure : Not density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Solic : Pelle : WHI : Very : Not a : Insol <b>10. S</b> : S n : W : K	l Evapo ets Specif TE Bulk o faint Vapor determined Vapor applicable pH luble STABILITY AND REACTIV table.	ic Gravity : Not lensity : Not pressure : Not density : Not : Not /ITY	determined established applicable applicable applicable	



## MATERIAL SAFETY DATA SHEET

sion Date 03/13/2003			Print Date 11/10/2		
Hazardous decompositic products			oxide (CO), oxides of nitrogen nd smoke are all possible.		
	11. TOXICOLOG	GICAL INFORMATIO	DN		
health data for the indivi <u>Toxicity Overview</u>	idual components which co	omprise the mixture.	are effects listed are based on ex have the following characteristi		
CAS-No.	Chemical Name	Effect	Target Organ		
	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGIO	CAL INFORMATION	I		
Persistence and degradal					
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Bioaccumulation Potent		<ul> <li>Chemicals are not readily available as they are bound within the matrix of the polymer.</li> <li>No data available.</li> </ul>			
Additional advice	: No data avail				
	13. DISPOSAL	CONSIDERATIONS			
Product	possible, recy generator of classification	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	has the respon	nsibility for proper was in accordance with app	e. The generator of waste materi- te classification, transportation licable federal, state/provincial		
	14. TRANSPO	<b>RT INFORMATION</b>			
U.S. DOT Classification	Refer to spec	ific regulation.			
ICAO/IATA	: Refer to spec	ific regulation.			
IMO / IMDG	: Refer to spec	ific regulation.			
		ORY INFORMATION	T		



## MATERIAL SAFETY DATA SHEET

ersion Number 1.0 evision Date 03/13/2003		Page 5 of 6 Print Date 11/10/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Ext	trem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 To:	xic (	Chemicals:
	N	ot applicable
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION
		5/6



#### MATERIAL SAFETY DATA SHEET

## WHITE

Version Number 1.0 Revision Date 03/13/2003 Page 6 of 6 Print Date 11/10/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.