

### MATERIAL SAFETY DATA SHEET

### PURPLE

Version Number 1.0 Revision Date 03/05/2003 Page 1 of 6 Print Date 11/10/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	Emergency telephone : CHEMTREC 1-800-424-9300 (24hrs f	
Product name	:	PURPLE
Product code	:	CC10032332
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure Medical Conditions Aggravated by Exposure:	<ul><li>Refer to Section 11 for Toxicological Information.</li><li>None known.</li></ul>		
88			



### MATERIAL SAFETY DATA SHEET

# PURPLE

ion Number 1.0 sion Date 03/05/2003	Page 2 Print Date 11/10/2		
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits			
Upper explosion limit	: Not applicable		
Lower explosion limit	: Not applicable		
Autoignition temperature	: Not relevant		
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.		
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive		
Procedures	pressure mode should be worn to prevent inhalation of airborne		
Unusual Fire/Explosion Hazards	contaminants. : None		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		



### MATERIAL SAFETY DATA SHEET

# PURPLE

sion Date 03/05/2003			Print	Page 3 Date 11/10/2		
	a	nd contamination. Keep in	a dry, cool place.			
8. I	EXPOSURE	CONTROLS / PERSONA	L PROTECTION			
Respiratory protection	: N	o personal respiratory prote	ective equipment normally	y required.		
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		landle in accordance with go Vash hands before breaks an		l safety practice		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
	<b>X 7 1</b>					
Components	Value	Exposure time	Exposure type	List:		
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH		
		Time Weighted Average		ACGIH		
Titanium dioxide	10 mg/m3 15 mg/m3	Time Weighted Average (TWA):	Dust. Total dust.	ACGIH		
Titanium dioxide Titanium dioxide	10 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P	Dust.     Total dust.   ROPERTIES	ACGIH OSHA Z1		
Titanium dioxide	10 mg/m3 15 mg/m3	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P	Dust.     Total dust. <b>ROPERTIES</b> poration rate : N	ACGIH		
Titanium dioxide Titanium dioxide Form	10 mg/m3 15 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P I Eva ts Spe	Dust.       Total dust.       ROPERTIES       poration rate     : No       cific Gravity     : No	ACGIH OSHA Z1 ot applicable.		
Titanium dioxide Titanium dioxide Form Appearance	10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : PUR : Very	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P the Eva the Eva the Spe PLE Bul faint Vap	Dust.       Total dust.       ROPERTIES       poration rate     : N       cific Gravity     : N       k density     : N       por pressure     : N	ACGIH OSHA Z1 ot applicable. ot determined ot established ot applicable		
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not of	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P I Eva ets Spe PLE Bul faint Vap determined Vap	Dust.         Total dust.         ROPERTIES         poration rate       : N         cific Gravity       : N         k density       : N         por pressure       : N         por density       : N	ACGIH OSHA Z1 ot applicable. ot determined ot established ot applicable ot applicable		
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not a : Not a	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P I Eva ets Spe PLE Bul faint Vap determined Vap applicable pH	Dust.         Total dust.         ROPERTIES         poration rate       : N         cific Gravity       : N         k density       : N         por pressure       : N         por density       : N	ACGIH OSHA Z1 ot applicable. ot determined ot established ot applicable		
Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not of	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P I Eva ets Spe PLE Bul faint Vap determined Vap applicable pH	Dust.         Total dust.         ROPERTIES         poration rate       : N         cific Gravity       : N         k density       : N         por pressure       : N         por density       : N	ACGIH OSHA Z1 ot applicable. ot determined ot established ot applicable ot applicable		
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : PUR : Very : Not : : Insol	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P I Eva ets Spe PLE Bul faint Vap determined Vap applicable pH	Dust.       Total dust.       ROPERTIES       poration rate     : N       cific Gravity     : N       k density     : N       por pressure     : N       por density     : N	ACGIH OSHA Z1 ot applicable. ot determined ot established ot applicable ot applicable		
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not e : Insol 10. §	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P t Eva ts Spe PLE Bul faint Vap determined Vap applicable pH uble	Dust.       Total dust.       ROPERTIES       poration rate     : N       cific Gravity     : N       k density     : N       por pressure     : N       por density     : N	ACGIH OSHA Z1 ot applicable. ot determined ot established ot applicable ot applicable		
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not e : Not i : Insol 10. S : S	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P I Eva the	Dust.       Total dust.       ROPERTIES       poration rate     : N       cific Gravity     : N       k density     : N       por pressure     : N       por density     : N	ACGIH OSHA Z1 ot applicable. ot determined ot established ot applicable ot applicable		
Titanium dioxide Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	10 mg/m3 15 mg/m3 9. PHYSIC : Solic : Pelle : PUR : Very : Not : : Insol 10. S n : V : K	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL P I Eva ts Spe PLE Bul faint Vap determined Vap applicable pH uble STABILITY AND REACT table.	Dust.         Total dust.         ROPERTIES         poration rate       : N         cific Gravity       : N         cor pressure       : N         por density       : N         cific TVITY       : N	ACGIH OSHA Z1 ot applicable. ot determined ot established ot applicable ot applicable		



### MATERIAL SAFETY DATA SHEET

### PURPLE

Version Number 1.0 Revision Date 03/05/2003 Page 4 of 6 Print Date *11/10/2011* 

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGIO	CAL INFORMATION	1		
Persistence and degrad	ability : Not readily b	iodegradable.			
Environmental Toxicit	Chemicals are of the polyme		is they are bound within the matri		
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data avail	able.			
	13. DISPOSAL	CONSIDERATIONS	9		
Product Contaminated packagir	possible, recy generator of v classification applicable fee ng : Recycling is p has the respon and disposal	<ul> <li>Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>			
	14. TRANSPO	RT INFORMATION			
U.S. DOT Classificatio	n : Refer to spec	ific regulation.			
ICAO/IATA	: Refer to spec	ific regulation.			
IMO / IMDG	: Refer to spec	ific regulation.			
	15. REGULATO	ORY INFORMATIO	N		

4/6

### MATERIAL SAFETY DATA SHEET



PURPLE				
Version Number 1.0 Revision Date 03/05/2003			Print Date	Page 5 of 6 11/10/2011
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or of Inventory.	exempt from (	the TSCA
US. EPA CERCLA Hazardous S	ubs	stances (40 CFR 302)		
Not applicable				
California Proposition 65	:	This product does not contain a substance listed	l by California	a Prop 65.
SARA Title III Section 302 Extre	eme	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Toxic	ic C	Shemicals:		
	No	ot applicable		
Canadian Regulations:				
WHMIS Classification	:	D2B		
DSL	:	All components of this product are on the Cana Substances List (DSL) or are exempt.	adian Domest	ic
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Listed.		
Korea KECI	:	Listed.		
Philippines PICCS	:	Listed.		
	_	16. OTHER INFORMATION		

MATERIAL SAFETY DATA SHEET



## PURPLE

Version Number 1.0 Revision Date 03/05/2003 Page 6 of 6 Print Date 11/10/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.