

MATERIAL SAFETY DATA SHEET

10032349V0PS-RED ALERT

Version Number 1.0 Revision Date 03/10/2003 Page 1 of 7 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	10032349V0PS-RED ALERT
Product code	:	CC10032349
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Decabromodiphenyl oxide	1163-19-5	5 - 10
Antimony trioxide	1309-64-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	



MATERIAL SAFETY DATA SHEET

10032349V0PS-RED ALERT

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET

10032349V0PS-RED ALERT

Version Number 1.0 Revision Date 03/10/2003 Page 3 of 7 Print Date 11/10/2011

Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8. I	EXPOSURE	CONTROLS / PERSONA	L PROTECTION		
Respiratory protection	: No	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: Sa	fety glasses with side-shiel	ds.		
Hand protection	: Pr	otective gloves.			
Skin and body protection	: Lo	ong sleeved clothing.			
Additional Protective Measures	: Sa	afety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Components Antimony trioxide	Value 0.5 mg/m3	Exposure time PEL:	Exposure type as Sb	List: OSHA Z1	
	0.5 mg/m3	PEL:	as Sb		
	0.5 mg/m3		as Sb		
	0.5 mg/m3 9. PHYSIC : Solid : Pellet : RED : Very : Not d	PEL: EAL AND CHEMICAL PI Eva Eva Es Spec Bull faint Vap letermined Vap pplicable pH	as Sb ROPERTIES poration rate : No cific Gravity : No c density : No or pressure : No or density : No		
Antimony trioxide Form Appearance Color Odor Melting point/range Boiling Point:	0.5 mg/m3 9. PHYSIC : Solid : Pellet : RED : Very : Not d : Not a : Insolu	PEL: EAL AND CHEMICAL PI Eva Eva Es Spec Bull faint Vap letermined Vap pplicable pH	as Sb ROPERTIES poration rate : No cific Gravity : No c density : No or pressure : No or density : No : No	OSHA Z1 ot applicable. ot determined ot established ot applicable ot applicable	
Antimony trioxide Form Appearance Color Odor Melting point/range Boiling Point:	0.5 mg/m3 9. PHYSIC : Solid : Pellet : RED : Very : Not d : Insolu 10. S	PEL: EVal EVal Eval Eval Eval Eval Eval Eval Bull faint Vap etermined Vap pplicable pH uble	as Sb ROPERTIES poration rate : No cific Gravity : No c density : No or pressure : No or density : No : No	OSHA Z1 ot applicable. ot determined ot established ot applicable ot applicable	
Antimony trioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	0.5 mg/m3 9. PHYSIC : Solid : Pellet : RED : Very : Not d : Insolu 10. S : St	PEL: EAL AND CHEMICAL PI Eva Eva Ss Spec Bull faint Vap letermined Vap pplicable pH uble TABILITY AND REACT	as Sb ROPERTIES poration rate : No cific Gravity : No c density : No or pressure : No or density : No : No	OSHA Z1 ot applicable. ot determined ot established ot applicable ot applicable	
Antimony trioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	0.5 mg/m3 9. PHYSIC : Solid : Pellet : RED : Very : Not d : Not a : Insolu 10. S : St n : W : Ko	PEL: EAL AND CHEMICAL PI Eva Eva Eva Spec Bull faint Vap letermined Vap pplicable pH uble TABILITY AND REACT able.	as Sb ROPERTIES poration rate : No cific Gravity : No c density : No or pressure : No or density : No IVITY gents and open flame. To	OSHA Z1 ot applicable. ot determined ot established ot applicable ot applicable	



MATERIAL SAFETY DATA SHEET

10032349V0PS-RED ALERT

Version Number 1.0 Revision Date 03/10/2003 Page 4 of 7 Print Date 11/10/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1163-19-5	Decabromodiphenyl oxide	Systemic effects	Liver, Kidney.
1309-64-4	Antimony trioxide	Systemic effects	Eyes, Respiratory system.
		sensitizer	Skin.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1163-19-5	Decabromodiphenyl oxide	Oral LD50	> 5 gm/kg	rat
1309-64-4	Antimony trioxide	Oral LD50	> 34,600 mg/kg	rat

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1309-64-4	Antimony trioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

Decabromodiphenyl oxide 1163-19-5 A halogenated aromatic with some potential for hazardous exposure via inhalation or ingestion. Acute toxicity is low - oral LD50 in rats >50 mg/L. Animal studies at high feeding levels indicate some potential for liver effects form chronic overexposure.

Additional Health Hazard Information:

Antimony trioxide 1309-64-4 Can cause eye irritation. Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Additional symptoms of skin contact may include: antimony measles (a red, pimply rash).

12. ECOLOGICAL INFORMATION



MATERIAL SAFETY DATA SHEET

10032349V0PS-RED ALERT

ion Number 1.0 sion Date 03/10/2003				Pri	Page : nt Date <u>11/10/</u>
Persistence and degradability	:	Not readily biode	egradable.		
Environmental Toxicity	:	Chemicals are no of the polymer.	t readily available	as they are bound	d within the matr
Bioaccumulation Potential	:	: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	:	No data available	2.		
	1	3. DISPOSAL CO	ONSIDERATION	S	
Product	:	possible, recyclin generator of was classification, tra	oplastics the product option of the preferred to d the material has the the material has the comportation and di and the provincial of the provincial of the the provincial of the provincial of the provincial of the the product of the provincial of the provinci of the provincial of the provincial of	isposal or incine responsibility fo sposal in accorda	ration. The r proper waste ance with
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	1	4. TRANSPORT	INFORMATION	1	
U.S. DOT Classification	:	Refer to specific	regulation.		
ICAO/IATA	:	Refer to specific	regulation.		
IMO / IMDG	:	Refer to specific	regulation.		
	15	5. REGULATOR	Y INFORMATIO	N	
US Regulations:					
OSHA Status	:	Classified as haz	ardous based on co	omponents.	
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 3	02)		
		CAS-No.	% in Product	RQ for component	RQ for Mixture/Proc
Chemical Name					uct



MATERIAL SAFETY DATA SHEET

10032349V0PS-RED ALERT

Version Number 1.0 Revision Date 03/10/2003

Page 6 of 7 Print Date 11/10/2011

California Proposition 65

: WARNING! This product contains a chemical known to the State of California to cause cancer.

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
ANTIMONY COMPOUNDS	1309-64-4	02.36
DECABROMODIPHENYL OXIDE	1163-19-5	09.83

Canadian Regulations:

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1309-64-4	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.

Japan ENCS : Not determined.

:

Korea KECI : Listed.

Philippines PICCS : Listed.

16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET

10032349V0PS-RED ALERT

Version Number 1.0 Revision Date 03/10/2003 Page 7 of 7 Print Date *11/10/2011*

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.