

MATERIAL SAFETY DATA SHEET

TRANSPARENT BLUE

Version Number 1.0 Revision Date 02/28/2003 Page 1 of 6 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANSPARENT BLUE
Product code	:	CC10032444
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions	Refer to Section 11 for Toxicological Information.None known.
Aggravated by Exposure:	



MATERIAL SAFETY DATA SHEET

TRANSPARENT BLUE

Version Number 1.0 Revision Date 02/28/2003 Page 2 of 6 Print Date 11/10/2011

		4. FIRST AID MEASURES	
Inhalation		Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.	
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.	
		5. FIRE-FIGHTING MEASURES	
Flash point	:	Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: : :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.	
Special Fire Fighting Procedures	:		
Unusual Fire/Explosion Hazards	:	None	
	6. A(CCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	:	Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
		7. HANDLING AND STORAGE	
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption	



MATERIAL SAFETY DATA SHEET

TRANSPARENT BLUE

Version Number 1.0 Revision Date 02/28/2003 Page 3 of 6 Print Date 11/10/2011

S FXP	OSURE CONTROLS / E	PERSONAL PROTECTION			
0. EAI	USURE CONTROLS/1	ERSONALTROTECTION			
Respiratory protection	: No personal respire	No personal respiratory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with	Safety glasses with side-shields.			
Hand protection	: Protective gloves.	Protective gloves.			
Skin and body protection	: Long sleeved cloth	Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.	Safety shoes.			
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
9.	PHYSICAL AND CHEM				
9. Form Appearance Color Odor Melting point/range	 PHYSICAL AND CHEM Solid Pellets BLUE Very faint Not determined 	MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable			
9. Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEN Solid Pellets BLUE Very faint 	MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable			
9. Form Appearance Color Odor Melting point/range Boiling Point:	 PHYSICAL AND CHEN Solid Pellets BLUE Very faint Not determined Not applicable 	MICAL PROPERTIESEvaporation rate Specific Gravity: Not applicable. : Not determined Bulk density Vapor pressure Vapor density pH: Not applicable : Not applicable : Not applicable			
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	 PHYSICAL AND CHEN Solid Pellets BLUE Very faint Not determined Not applicable Insoluble 	MICAL PROPERTIESEvaporation rate Specific Gravity: Not applicable. : Not determined Bulk density : Not established Vapor pressure Vapor density pHVapor density pH: Not applicable : Not applicable			
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 PHYSICAL AND CHEN Solid Pellets BLUE Very faint Not determined Not applicable Insoluble 10. STABILITY ANSISTED Sector 10. STABILITY AND Sector 10. Stable 1	MICAL PROPERTIESEvaporation rate Specific Gravity: Not applicable. : Not determined Bulk density : Not established Vapor pressure Vapor density pHVapor density pH: Not applicable : Not applicable			
9. Form Appearance Color Odor	 PHYSICAL AND CHEN Solid Pellets BLUE Very faint Not determined Not applicable Insoluble 10. STABILITY ANI Stable. Will not occur. 	MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable D REACTIVITY Solution xidizing agents and open flame. To avoid thermal			
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 PHYSICAL AND CHEN Solid Pellets BLUE Very faint Not determined Not applicable Insoluble 10. STABILITY AND Stable. Will not occur. Keep away from o decomposition, do 	MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable D REACTIVITY Solution xidizing agents and open flame. To avoid thermal			



MATERIAL SAFETY DATA SHEET

TRANSPARENT BLUE

Version Number 1.0 Revision Date 02/28/2003 Page 4 of 6 Print Date 11/10/2011

There are no known hazardous components above regulatory thresholds in this product.

12. ECOLOGICAL INFORMATION					
Persistence and degradability	: Not readily biodegradable.				
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data available.				
	13. DISPOSAL CONSIDERATIONS				
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	14. TRANSPORT INFORMATION				
U.S. DOT Classification	: Refer to specific regulation.				
ICAO/IATA	: Refer to specific regulation.				
IMO / IMDG	: Refer to specific regulation.				
	15. REGULATORY INFORMATION				
US Regulations:					
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.				
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardous	Substances (40 CFR 302)				
Not applicable					



MATERIAL SAFETY DATA SHEET

TRANSPARENT BLUE

Version Number 1.0 Revision Date 02/28/2003			Print Date	Page 5 of 11/10/201
California Proposition 65	:	This product does not contain a substance lister	d by California	a Prop 65.
SARA Title III Section 302 Ext	rem	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Tox	ic C	Chemicals:		
	N	ot applicable		
Canadian Regulations:				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Car Substances List (DSL) or are exempt.	adian Domest	ic
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Not determined.		
Korea KECI	:	Listed.		
Philippines PICCS	:	Listed.		
		16. OTHER INFORMATION		<u> </u>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

TRANSPARENT BLUE

Version Number 1.0 Revision Date 02/28/2003 Page 6 of 6 Print Date 11/10/2011