

MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 03/04/2003 Page 1 of 6 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WHITE
Product code	:	CC10032563
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	60 - 100

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	



MATERIAL SAFETY DATA SHEET

WHITE

sion Date 03/04/2003	Print Date 11/10/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
Hazards	
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

WHITE

sion Date 03/04/2003				Print D	Page 3 ate 11/10/2
	a	nd contamination. Keep i	n a dry, cool place		
8. E	XPOSURE	CONTROLS / PERSON	NAL PROTECTI	ON	
Respiratory protection	: N	lo personal respiratory pro	otective equipment	normally 1	required.
Eye/Face Protection	: S	afety glasses with side-sh	ields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	Long sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance with Vash hands before breaks			afety practice
Engineering measures		leat only in areas with app ppropriate exhaust ventila			Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposur	e type	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	ge Dus	st.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total	dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form	: Solic	i F	vaporation rate	· Not	applicable.
Appearance	: Pelle		pecific Gravity		determined
Color	: WHI		ulk density	: Not	established
Odor	: Very	r faint V	apor pressure	: Not	applicable
Melting point/range	: Not o	determined V	apor density		applicable
Boiling Point:		applicable pl	H	: Not	applicable
Water solubility	: Insol	uble			
	10. 8	STABILITY AND REA	CTIVITY		
		table.			
Stability	: S	table.			
Stability Hazardous Polymerization		Vill not occur.			
-	1 : W : K			lame. To a	void thermal



MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 03/04/2003 Page 4 of 6 Print Date *11/10/2011*

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGIO	CAL INFORMATION	1		
Persistence and degrad	ability : Not readily b	iodegradable.			
Environmental Toxicit	y : Chemicals are of the polyme		as they are bound within the matrix		
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data avail	: No data available.			
	13. DISPOSAL	CONSIDERATIONS	9		
Product Contaminated packagir	possible, recy generator of v classification applicable fee ng : Recycling is p has the respo	cling is preferred to di waste material has the r , transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	ct can be recycled. Where sposal or incineration. The responsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia ste classification, transportation licable federal, state/provincial		
	14. TRANSPO	RT INFORMATION			
U.S. DOT Classificatio	n : Refer to spec	ific regulation.			
ICAO/IATA	: Refer to spec	Refer to specific regulation.			
IMO / IMDG	: Refer to spec	ific regulation.			
	15. REGULATO	ORY INFORMATION	N		

4/6

MATERIAL SAFETY DATA SHEET



Page 5 of 6 Print Date 11/10/2011 zardous based on components. s of this product are listed on or exempt from the TSCA 302)
s of this product are listed on or exempt from the TSCA
s of this product are listed on or exempt from the TSCA
302)
es not contain a substance listed by California Prop 65.
bstance
s of this product are on the Canadian Domestic (DSL) or are exempt.



MATERIAL SAFETY DATA SHEET

WHITE

Version Number 1.0 Revision Date 03/04/2003 Page 6 of 6 Print Date 11/10/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.