

MATERIAL SAFETY DATA SHEET

PG 32721 OR PE

Version Number 1.0 Revision Date 03/06/2003 Page 1 of 6 Print Date *11/10/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 32721 OR PE
Product code	:	CC10032721
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	



MATERIAL SAFETY DATA SHEET

PG 32721 OR PE

Version Number 1.0 Page 2 of 6 Revision Date 03/06/2003 Print Date 11/10/2011 **4. FIRST AID MEASURES** Inhalation Move to fresh air in case of accidental inhalation of fumes from ÷ overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. Ingestion Do not induce vomiting without medical advice. When symptoms : persist or in all cases of doubt seek medical advice. Eyes Rinse immediately with plenty of water, also under the eyelids, for at : least 15 minutes. If eye irritation persists, seek medical attention. Skin Wash off with soap and plenty of water. If skin irritation persists seek : medical attention. **5. FIRE-FIGHTING MEASURES** Flash point Not applicable : Flammable Limits Upper explosion limit Not applicable : Lower explosion limit Not applicable : Autoignition temperature Not relevant : Carbon dioxide blanket, Water spray, dry powder, foam. Suitable extinguishing media : Special Fire Fighting Fullface self-contained breathing apparatus (SCBA) used in positive : Procedures pressure mode should be worn to prevent inhalation of airborne contaminants. Unusual Fire/Explosion None · Hazards 6. ACCIDENTAL RELEASE MEASURES Personal precautions : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. Environmental precautions Should not be released into the environment. The product should not : be allowed to enter drains, water courses or the soil. Clean up promptly by sweeping or vacuum. Package all material in Methods for cleaning up : plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. 7. HANDLING AND STORAGE Handling Take measures to prevent the build up of electrostatic charge. Heat : only in areas with appropriate exhaust ventilation. Storage Keep containers dry and tightly closed to avoid moisture absorption •



MATERIAL SAFETY DATA SHEET

PG 32721 OR PE

sion Number 1.0 vision Date 03/06/2003			Print	Page 3 of 6 Date 11/10/2011
	a	nd contamination. Keep in	a dry, cool place.	
8. 8	XPOSURE	CONTROLS / PERSON	AL PROTECTION	
Respiratory protection	: N	o personal respiratory prot	ective equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shie	elds.	
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations	Wash hands before breaks and at the end of workday.			
Engineering measures				
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):		ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL I	PROPERTIES	
Odor: VeryMelting point/range: NotBoiling Point:: NotWater solubility: Inso		ts Sp NGE Bu faint Va determined Va applicable pH uble	ecific Gravity : No lk density : No por pressure : No por density : No : No	ot applicable. ot determined ot established ot applicable ot applicable ot applicable
	10. 5	STABILITY AND REAC	Πνηγ	
Stability	: S	table.		
Hazardous Polymerization:Will not occur.Conditions to avoid:Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.				
				Incompatible Materials



MATERIAL SAFETY DATA SHEET

PG 32721 OR PE

Version Number 1.0 Revision Date 03/06/2003 Page 4 of 6 Print Date *11/10/2011*

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	12. ECOLOGIO	CAL INFORMATION	<u> </u>		
Persistence and degrada	bility : Not readily b	iodegradable.			
Environmental Toxicity	: Chemicals are of the polyme		as they are bound within the matrix		
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data avail	able.			
	13. DISPOSAL	CONSIDERATIONS	9		
Product Contaminated packaging	generator of v classification applicable fee g : Recycling is p has the respon and disposal	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 			
	14. TRANSPO	RT INFORMATION			
U.S. DOT Classification	Refer to spec	ific regulation.			
ICAO/IATA	: Refer to spec	ific regulation.			
IMO / IMDG	: Refer to spec	ific regulation.			
	15. REGULATO	DRY INFORMATION	N		

MATERIAL SAFETY DATA SHEET





FG JZIZI OK FE					
Version Number 1.0 Revision Date 03/06/2003	Page 5 of 6 Print Date 11/10/2011				
US Regulations:					
OSHA Status :	Classified as hazardous based on components.				
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.				
US. EPA CERCLA Hazardous Subs	stances (40 CFR 302)				
Not applicable					
California Proposition : 65	This product does not contain a substance listed by California Prop 65.				
SARA Title III Section 302 Extreme	ely Hazardous Substance				
Not applicable					
SARA Title III Section 313 Toxic Chemicals:					
Ne	ot applicable				
Canadian Regulations:					
WHMIS Classification :	D2B				
WHMIS Ingredient Disclosure List					
CAS-No. 150-13-0					
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:					
Australia AICS :	Listed.				
China IECS :	Listed.				
Europe EINECS :	Not determined.				
Japan ENCS :	Listed.				
Korea KECI :	Listed.				

MATERIAL SAFETY DATA SHEET

PG 32721 OR PE

Version Number 1.0 Revision Date 03/06/2003

Philippines PICCS : Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Page 6 of 6 Print Date 11/10/2011