

MATERIAL SAFETY DATA SHEET

PURPLE 265C

Version Number 1.0 Revision Date 03/12/2003 Page 1 of 6 Print Date 11/10/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PURPLE 265C
Product code	:	CC10032911
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PURPLE 265C

sion Date 03/12/2003	Page 2 Print Date 11/10/		
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. 		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

PURPLE 265C

Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures <u>Exposure limit(s)</u>	POSURE : N : S : P : L : S : H W : H	afety glasses with side rotective gloves. ong sleeved clothing. afety shoes. Iandle in accordance w Vash hands before brea	SONAL 3 7 protective e-shields. vith good aks and a appropri	PROTECTION ve equipment normally re industrial hygiene and sa t the end of workday. ate exhaust ventilation.	afety practic	
Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures <u>Exposure limit(s)</u>	: N : S : P : L : S : H W : H	Io personal respiratory afety glasses with side rotective gloves. ong sleeved clothing. afety shoes. Iandle in accordance w Vash hands before brea	v protective-shields. vith good aks and a	ve equipment normally r industrial hygiene and sa t the end of workday. ate exhaust ventilation.	afety practic	
Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s)	: S : P : L : S : H W : H	afety glasses with side rotective gloves. ong sleeved clothing. afety shoes. Iandle in accordance w Vash hands before brea	e-shields. with good aks and a appropri	industrial hygiene and sa t the end of workday. ate exhaust ventilation.	afety practic	
Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures <u>Exposure limit(s)</u>	: P : L : S : H W : H	Protective gloves. Long sleeved clothing. afety shoes. Handle in accordance w Vash hands before brea Heat only in areas with	vith good aks and a appropri	industrial hygiene and sa t the end of workday. ate exhaust ventilation.		
Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s)	: L : S : H W : H	ong sleeved clothing. afety shoes. Iandle in accordance w Vash hands before brea Ieat only in areas with	aks and a appropri	t the end of workday. ate exhaust ventilation.		
Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s)	: S : H W : H	afety shoes. Iandle in accordance w Vash hands before brea Ieat only in areas with	aks and a appropri	t the end of workday. ate exhaust ventilation.		
Measures General Hygiene Considerations Engineering measures Exposure limit(s)	: H W : H	landle in accordance w Vash hands before brea leat only in areas with	aks and a appropri	t the end of workday. ate exhaust ventilation.		
Considerations Engineering measures Exposure limit(s)	W : H	Vash hands before brea leat only in areas with	aks and a appropri	t the end of workday. ate exhaust ventilation.		
Exposure limit(s)					Provide	
-						
Components						
	Value	Exposure time	e	Exposure type	List:	
Titanium dioxide		Note:			ACGIH	
10) mg/m3	Time Weighted Av (TWA):	verage	Dust.	ACGIH	
Titanium dioxide 15	5 mg/m3	PEL:		Total dust.	OSHA Z	
9.	. PHYSIC	CAL AND CHEMIC	AL PRO	PERTIES		
Form	: Solid	1	Evanor	ration rate : Not	applicable.	
Appearance	: Pelle				determined	
Color	: PUR				established	
Odor	: Very faint			•	applicable	
Melting point/range	: Not determined		Vapor	density : Not	applicable	
Boiling Point:	: Not applicable			: Not applicable		
Water solubility	: Insol	luble				
	10. 5	STABILITY AND RI	EACTIV	ITY		
Stability	: S	table.				
Hazardous Polymerization	: W	Vill not occur.				
Conditions to avoid		Keep away from oxidiz ecomposition, do not o		ts and open flame. To av	void therma	
Incompatible Materials	: Ir	ncompatible with stror	ng acids a	and oxidizing agents.		



MATERIAL SAFETY DATA SHEET

PURPLE 265C

Version Number 1.0 Revision Date 03/12/2003 Page 4 of 6 Print Date *11/10/2011*

Hazardous decomposition : products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION	
Persistence and degradability	: Not readily biodegradable.	
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.	
Bioaccumulation Potential : Chemicals are not readily available as they are bound work of the polymer.		
Additional advice	: No data available.	
	13. DISPOSAL CONSIDERATIONS	
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.	
	14. TRANSPORT INFORMATION	
U.S. DOT Classification	: Refer to specific regulation.	
ICAO/IATA	: Refer to specific regulation.	
IMO / IMDG	: Refer to specific regulation.	
	15. REGULATORY INFORMATION	

MATERIAL SAFETY DATA SHEET



PURPLE 265C Version Number 1.0 Page 5 of 6 Revision Date 03/12/2003 Print Date 11/10/2011 US Regulations: **OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : This product does not contain a substance listed by California Prop 65. 65 SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: WHMIS Classification : D2B DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed. China IECS : Listed. **Europe EINECS** : Not determined. Japan ENCS : Listed. Korea KECI : Listed. **Philippines PICCS** : Listed. **16. OTHER INFORMATION**

MATERIAL SAFETY DATA SHEET



PURPLE 265C

Version Number 1.0 Revision Date 03/12/2003 Page 6 of 6 Print Date 11/10/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.