

MATERIAL SAFETY DATA SHEET

WOOD GRAIN- BROWN BASE

Version Number 1.0 Revision Date 03/12/2003 Page 1 of 6 Print Date *11/10/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WOOD GRAIN- BROWN BASE
Product code	:	CC10032978
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eves.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.



MATERIAL SAFETY DATA SHEET

WOOD GRAIN- BROWN BASE

Version Number 1.0 Revision Date 03/12/2003 Page 2 of 6 Print Date 11/10/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	•	Not relevant
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

WOOD GRAIN- BROWN BASE

Version Number 1.0 Revision Date 03/12/2003 Page 3 of 6 Print Date 11/10/2011

Q L		nd contamination. Keep in		
Respiratory protection	: N	lo personal respiratory prot	ective equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with g Vash hands before breaks a	ood industrial hygiene and and at the end of workday.	safety practice
Engineering measures		leat only in areas with appr ppropriate exhaust ventilati	opriate exhaust ventilation. on at machinery.	Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Titanium dioxide		Note:		ACGIH
	10 mg/m3	Time Weighted Average (TWA):	e Dust.	ACGIH
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL P	PROPERTIES	
Form Appearance	: Solic : Pelle			t applicable. t determined
Color	: BRO			t established
Odor				t applicable
Melting point/range	•			t applicable
Boiling Point:		applicable pH		t applicable
Water solubility	: Insol			11
	10. 8	STABILITY AND REAC	ΓΙVITY	
Stability	: S	table.		
Hazardous Polymerization	n : W	Vill not occur.		
Conditions to avoid		eep away from oxidizing a ecomposition, do not overh	gents and open flame. To a leat.	avoid thermal
Incompatible Materials	: Iı	ncompatible with strong act	ids and oxidizing agents.	

3/6



MATERIAL SAFETY DATA SHEET

WOOD GRAIN- BROWN BASE

Version Number 1.0 Revision Date 03/12/2003 Page 4 of 6 Print Date *11/10/2011*

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION



MATERIAL SAFETY DATA SHEET

WOOD GRAIN- BROWN BASE

TSCA Status : All	sified as hazardous based on components. components of this product are listed on or exempt from the TSCA ntory. es (40 CFR 302)
OSHA Status : Clas TSCA Status : All	components of this product are listed on or exempt from the TSCA ntory.
TSCA Status : All	components of this product are listed on or exempt from the TSCA ntory.
	ntory.
	es (40 CFR 302)
US. EPA CERCLA Hazardous Substance	
Not applicable	
California Proposition : This 65	product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extremely H	azardous Substance
Not applicable	
SARA Title III Section 313 Toxic Chemi	cals:
Not app	blicable
Canadian Regulations:	
WHMIS Classification : D2E	6
	components of this product are on the Canadian Domestic stances List (DSL) or are exempt.
National Inventories:	
Australia AICS : List	ed.
China IECS : List	ed.
Europe EINECS : Not	determined.
Japan ENCS : Not	determined.
Korea KECI : List	ed.
Philippines PICCS : Liste	ed.
16.	OTHER INFORMATION
	5/6



MATERIAL SAFETY DATA SHEET

WOOD GRAIN- BROWN BASE

Version Number 1.0 Revision Date 03/12/2003 Page 6 of 6 Print Date 11/10/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.