

MATERIAL SAFETY DATA SHEET

YELL.TRANS.PMS 108C

Version Number 1.0 Revision Date 03/14/2003 Page 1 of 6 Print Date *11/10/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELL.TRANS.PMS 108C
Product code	:	CC10033083
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions	Refer to Section 11 for Toxicological Information.None known.
Aggravated by Exposure:	



MATERIAL SAFETY DATA SHEET

YELL.TRANS.PMS 108C

Version Number 1.0 Revision Date 03/14/2003 Page 2 of 6 Print Date 11/10/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not relevant
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, dry powder, foam.
Suitable extinguishing media	•	Carbon dioxide blanket, water spray, dry powder, toani.
Special Fire Fighting	:	Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures		pressure mode should be worn to prevent inhalation of airborne
		contaminants.
Unusual Fire/Explosion	:	None
Hazards		
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

YELL.TRANS.PMS 108C

Version Number 1.0 Revision Date 03/14/2003 Page 3 of 6 Print Date 11/10/2011

		. Keep in a dry, cool place.				
8. EXPOSURE CONTROLS / PERSONAL PROTECTION						
Respiratory protection	: No personal respire	atory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with	side-shields.				
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved cloth	ing.				
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations		nce with good industrial hygiene and safety practice breaks and at the end of workday.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
	s components above regul	atory thresholds in this product.				
9. Form Appearance	PHYSICAL AND CHEN : Solid : Pellets	MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined				
9. Form Appearance Color Odor Melting point/range	PHYSICAL AND CHEM : Solid : Pellets : YELLOW : Very faint : Not determined	MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable				
9. Form Appearance Color Odor Melting point/range Boiling Point:	PHYSICAL AND CHEN : Solid : Pellets : YELLOW : Very faint	MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable				
9. Form Appearance Color Odor Melting point/range Boiling Point:	PHYSICAL AND CHEN : Solid : Pellets : YELLOW : Very faint : Not determined : Not applicable	MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable				
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	PHYSICAL AND CHEN : Solid : Pellets : YELLOW : Very faint : Not determined : Not applicable : Insoluble	MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable				
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	PHYSICAL AND CHEN : Solid : Pellets : YELLOW : Very faint : Not determined : Not applicable : Insoluble 10. STABILITY AN	MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable				
9. Form Appearance Color Odor	PHYSICAL AND CHEN : Solid : Pellets : YELLOW : Very faint : Not determined : Not applicable : Insoluble 10. STABILITY AND : Stable. : Will not occur.	MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable D REACTIVITY Statement xidizing agents and open flame. To avoid thermal				
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	PHYSICAL AND CHEN : Solid : Pellets : YELLOW : Very faint : Not determined : Not applicable : Insoluble 10. STABILITY AND : Stable. : Will not occur. : Keep away from o decomposition, do	MICAL PROPERTIES Evaporation rate : Not applicable. Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable D REACTIVITY Statement xidizing agents and open flame. To avoid thermal				



MATERIAL SAFETY DATA SHEET

YELL.TRANS.PMS 108C

Version Number 1.0 Revision Date 03/14/2003 Page 4 of 6 Print Date 11/10/2011

There are no known hazardous components above regulatory thresholds in this product.

	12	2. ECOLOGICAL INFORMATION		
Persistence and degradability	:	Not readily biodegradable.		
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the matrix of the polymer.		
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the matrix of the polymer.		
Additional advice	:	No data available.		
	13	3. DISPOSAL CONSIDERATIONS		
Product	:	Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	1	4. TRANSPORT INFORMATION		
U.S. DOT Classification	:	Refer to specific regulation.		
ICAO/IATA	:	Refer to specific regulation.		
IMO / IMDG	:	Refer to specific regulation.		
	15	. REGULATORY INFORMATION		
US Regulations:				
OSHA Status	:	There are no known hazardous components above regulatory thresholds in this product.		
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.		
US. EPA CERCLA Hazardous Substances (40 CFR 302)				
Not applicable				
		A/G		



MATERIAL SAFETY DATA SHEET

YELL.TRANS.PMS 108C

Version Number 1.0 Page 5 of 6 Print Date 11/10/2011 Revision Date 03/14/2003 California Proposition : This product does not contain a substance listed by California Prop 65. 65 SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: WHMIS Classification : Not controlled. DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed. China IECS Listed. • Europe EINECS Not determined. : Japan ENCS Listed. Korea KECI Listed. : **Philippines PICCS** : Listed. **16. OTHER INFORMATION** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief

at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



MATERIAL SAFETY DATA SHEET

YELL.TRANS.PMS 108C

Version Number 1.0 Revision Date 03/14/2003 Page 6 of 6 Print Date 11/10/2011