

MATERIAL SAFETY DATA SHEET

PINK 214C

Version Number 1.0 Revision Date 03/28/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PINK 214C
Product code	:	CC10033904
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to 		
Skin	eyes.Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		





sion Number 1.0 ision Date 03/28/2003	Page 2 Print Date 11/11/
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

MATERIAL SAFETY DATA SHEET





INK 214C					
rsion Number 1.0 vision Date 03/28/2003			Print [Page 3 of Date 11/11/201	
Storage	: Keep containers dry and tightly closed to avoid moisture absorptio and contamination. Keep in a dry, cool place.				
8.1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: S	afety glasses with side-shield	S.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures <u>Exposure limit(s)</u>		leat only in areas with approp ppropriate exhaust ventilation		Provide	
Components	Value	Exposure time	Exposure type	List:	
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA	
Silica, amorphous	20 mppcf	PEL:	Total dust.		
Titanium dioxide				Z3	
		Note:		Z3	
	10 mg/m3	Note: Time Weighted Average (TWA):	Dust.		
Titanium dioxide	10 mg/m3 15 mg/m3	Time Weighted Average		Z3 ACGIH	
Titanium dioxide	15 mg/m3	Time Weighted Average (TWA):	Dust. Total dust.	Z3 ACGIH ACGIH	
	15 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Dust. Total dust. OPERTIES	Z3 ACGIH ACGIH OSHA Z1	
Form	15 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO	Dust. Total dust. OPERTIES pration rate : No	Z3 ACGIH ACGIH OSHA Z1 t applicable.	
Form Appearance	15 mg/m3 9. PHYSIC : Solic : Pelle	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo tts Speci	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No	Z3 ACGIH ACGIH OSHA Z1	
Form Appearance Color	15 mg/m3 9. PHYSIC : Solic : Pelle : PINE	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO I Evapo Its Speci K Bulk	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No	Z3 ACGIH ACGIH OSHA Z1	
Form Appearance Color Odor	15 mg/m3 9. PHYSIC : Solic : Pelle : PINH : Very	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO ELSE Species CAL Species CAL AND CHEMICAL PRO ELSE SP	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No r pressure : No	Z3 ACGIH ACGIH OSHA Z1 t applicable. t determined t established t applicable	
Form Appearance Color Odor Melting point/range	15 mg/m3 9. PHYSIC : Solid : Pelle : PINF : Very : Not o	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO E Evapo the	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No r pressure : No r density : No	Z3 ACGIH ACGIH OSHA Z1 t applicable. t determined t established t applicable t applicable t applicable	
Form Appearance Color Odor	15 mg/m3 9. PHYSIC : Solid : Pelle : PINF : Very : Not o	Time Weighted Average (TWA): PEL: CAL AND CHEMICAL PRO EXAMPLE SPECIAL SPECIAL SPECIAL SPECIAL SPECIAL SPECIAL SPECIAL SPECIAL SPECIAL SPECIAL SPECIAL SPECIAL SPECIAL SPECIAL SPECIAL SPECIAL SPECIAL SPECIAL	Dust. Total dust. OPERTIES oration rate : No fic Gravity : No density : No r pressure : No r density : No	Z3 ACGIH ACGIH OSHA Z1 t applicable. t determined t established t applicable	

Stability

: Stable.

Hazardous Polymerization : Will not occur.



MATERIAL SAFETY DATA SHEET

PINK 214C

Version Number 1.0 Revision Date 03/28/2003		Page 4 of 6 Print Date 11/11/2011
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Persistence and degradability	: Not readily biodegradable.
reisistence and degradability	. Not readily blodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.



MATERIAL SAFETY DATA SHEET

sion Number 1.0 rision Date 03/28/2003		Page 5 Print Date 11/11/2
ICAO/IATA	: Refer to specific regulation.	
IMO / IMDG	: Refer to specific regulation.	
	15. REGULATORY INFORMATION	
US Regulations:		
OSHA Status	: Classified as hazardous based on compone	ents.
TSCA Status	: All components of this product are listed of Inventory.	on or exempt from the TSCA
US. EPA CERCLA Hazardous	Substances (40 CFR 302)	
Not applicable		
California Proposition 65	: This product does not contain a substance	listed by California Prop 65
SARA Title III Section 302 Ex	tremely Hazardous Substance	
Not applicable		
SARA Title III Section 313 To	xic Chemicals:	
	Not applicable	
Canadian Regulations:		
WHMIS Classification	: D2B	
WHMIS Ingredient Dis	closure List	
CAS-No. 7631-86-9		
DSL	: All components of this product are on the Substances List (DSL) or are exempt.	Canadian Domestic
National Inventories:		
Australia AICS	: Listed.	
China IECS	: Listed.	



MATERIAL SAFETY DATA SHEET

PINK 214C

Version Number 1.0 Revision Date 03/28/2003

Page 6 of 6 Print Date 11/11/2011

Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.