

MATERIAL SAFETY DATA SHEET

PMS BLUE 300C

Version Number 1.0 Revision Date 04/08/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PMS BLUE 300C
Product code	:	CC10034596
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PMS BLUE 300C

ision Date 04/08/2003	Page 2 Print Date 11/11/2		
	4. FIRST AID MEASURES		
Inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all ca doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. 		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	 Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. 		
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

PMS BLUE 300C

JRE CO : No p : Safe : Prot : Long : Safe : Han Was : Heat appr e (m3	personal respiratety glasses with eective gloves. g sleeved cloth ety shoes. dle in accordants h hands before t only in areas ropriate exhaus <u>Exposure</u> Time Weighted	PERSONAL atory protection in side-shields ning. nee with good breaks and a with appropri- st ventilation a	PROTECTION ve equipment normally l industrial hygiene and a at the end of workday. iate exhaust ventilation.	safety practice
: No p : Safe : Prot : Long : Safe : Han Was : Heat appr e /m3	personal respiratety glasses with eective gloves. g sleeved cloth ety shoes. dle in accordants h hands before t only in areas ropriate exhaus <u>Exposure</u> Time Weighted	atory protecti n side-shields. hing. hing with good breaks and a with appropri- st ventilation a	ve equipment normally at industrial hygiene and a at the end of workday. iate exhaust ventilation. at machinery.	safety practice Provide
: Safe : Prot : Lon; : Safe : Han, Was : Hea appr e /m3	ety glasses with eective gloves. g sleeved cloth ety shoes. dle in accordan sh hands before t only in areas ropriate exhaus Exposure Time Weighted	n side-shields, ning. nce with good breaks and a with appropri- st ventilation a	industrial hygiene and a the end of workday. iate exhaust ventilation. at machinery.	safety practice Provide
: Prot : Long : Safe : Han Was : Heat appr	ective gloves. g sleeved cloth ety shoes. dle in accordan sh hands before t only in areas ropriate exhaus Exposure Time Weighted	ning. the with good breaks and a with appropri- t ventilation a t time	industrial hygiene and at the end of workday. iate exhaust ventilation. at machinery.	Provide
: Long : Safe : Hang Was : Heat appr e	g sleeved cloth ety shoes. dle in accordan sh hands before t only in areas ropriate exhaus Exposure Time Weighter	nce with good breaks and a with appropri- at ventilation a to time	at the end of workday. iate exhaust ventilation. at machinery.	Provide
: Safe : Han Was : Heat appr e /m3	ety shoes. dle in accordan sh hands before t only in areas ropriate exhaus <u>Exposure</u> Time Weighted	nce with good breaks and a with appropri- at ventilation a to time	at the end of workday. iate exhaust ventilation. at machinery.	Provide
: Han Was : Heat appr e /m3	dle in accordan sh hands before t only in areas ropriate exhaus Exposure Time Weighted	e breaks and a with appropri- st ventilation a e time	at the end of workday. iate exhaust ventilation. at machinery.	Provide
Was : Heat appr e (m3	sh hands before t only in areas ropriate exhaus Exposure Time Weighter	e breaks and a with appropri- st ventilation a e time	at the end of workday. iate exhaust ventilation. at machinery.	Provide
appr e (m3	ropriate exhaus Exposure Time Weighter	t ventilation a	at machinery.	
′m3	Time Weighte		Exposure type	List:
′m3	Time Weighte		Exposure type	List:
	-			
	(TWA	-	Dust.	ACGIH
15 mg/m3		:	Total dust.	OSHA Z1
YSICA	L AND CHEN	MICAL PRO	PERTIES	
Not det Not app	lletsSpecifiJUEBulk dry faintVaport determinedVaport applicablepH		pressure : Not applicable	
10. ST A	ABILITY AN	D REACTIV	ITY	
: Stab	ole.			
: Will	l not occur.			
				avoid thermal
: Inco	ompatible with	strong acids a	and oxidizing agents.	
	Not det Not app Insolub 10. STA : Stat : Wil : Kee deco	 Stable. Will not occur. Keep away from o decomposition, do 	Not determined Vapor Not applicable pH Insoluble 10. STABILITY AND REACTIV : Stable. : Will not occur. : Keep away from oxidizing agen decomposition, do not overheat	Not determined Vapor density : No Not applicable pH : No Insoluble : . 10. STABILITY AND REACTIVITY : . : Stable. .



MATERIAL SAFETY DATA SHEET

PMS BLUE 300C

Version Number 1.0 Revision Date 04/08/2003 Page 4 of 6 Print Date *11/11/2011*

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

13463-67-7		Im dioxide Systemic effects Respiratory system.				
	12. ECOLOGI	CAL INFORMATION	N			
Persistence and degrada	bility : Not readily b	viodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avai	lable.				
	13. DISPOSAL	CONSIDERATIONS	5			
Product Contaminated packagin	g : Recycling is has the respondent	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 				
	14. TRANSPO	ORT INFORMATION				
U.S. DOT Classification	n : Refer to spec	: Refer to specific regulation.				
ICAO/IATA	: Refer to spec	: Refer to specific regulation.				
IMO / IMDG	: Refer to spec	: Refer to specific regulation.				
	15. REGULAT	ORY INFORMATIO	N			

MATERIAL SAFETY DATA SHEET



PMS BLUE 300C Version Number 1.0 Page 5 of 6 Revision Date 04/08/2003 Print Date 11/11/2011 US Regulations: **OSHA Status** : Classified as hazardous based on components. All components of this product are listed on or exempt from the TSCA **TSCA Status** : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : This product does not contain a substance listed by California Prop 65. 65 SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: WHMIS Classification : D2B DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed. China IECS : Listed. **Europe EINECS** : Not determined. Japan ENCS : Listed. Korea KECI : Listed. **Philippines PICCS** : Listed. **16. OTHER INFORMATION**



MATERIAL SAFETY DATA SHEET

PMS BLUE 300C

Version Number 1.0 Revision Date 04/08/2003 Page 6 of 6 Print Date *11/11/2011*

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.