PolvOne

# MATERIAL SAFETY DATA SHEET **DANT CLAYTON GREEN PP-2**

Version Number 1.1 Revision Date 09/17/2007 Page 1 of 6 Print Date 12/1/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DANT CLAYTON GREEN PP-2
Product code	:	CC10034680
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine,	70624-18-9	1 - 5
N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-,		
polymer with 2,4,6-trichloro-1,3,5-triazine,		
reaction products		

### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eves.</li> </ul>			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			

PolyOne

# MATERIAL SAFETY DATA SHEET **DANT CLAYTON GREEN PP-2**

Version Number 1.1 Revision Date 09/17/2007 Page 2 of 6 Print Date 12/1/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive</li> </ul>
Procedures Unusual Fire/Explosion Hazards	<ul> <li>pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

**POLYONE CORPORATION** 

PolyOne.

# MATERIAL SAFETY DATA SHEET **DANT CLAYTON GREEN PP-2**

Version Number 1.1 Revision Date 09/17/2007

	:		y and tightly closed to avo Keep in a dry, cool place	
8. EXP	OSUR	RE CONTROLS / P	ERSONAL PROTECTI	ON
Respiratory protection	:	No personal respira	tory protective equipment	t normally required.
Eye/Face Protection	:	Safety glasses with	side-shields	
Hand protection	:	Protective gloves		
Skin and body protection	:	Long sleeved cloth	ing	
Additional Protective Measures	:	Safety shoes		
General Hygiene Considerations	:		ce with good industrial hy breaks and at the end of v	
Engineering measures	:		with appropriate exhaust v t ventilation at machinery.	
Exposure limit(s)				
9.			TICAL PROPERTIES	· Not applicable
<b>9.</b> Form	: So	olid	Evaporation rate	: Not applicable : Not determined
9.	: So : pe : Gl	olid illets REEN	Evaporation rate Specific Gravity Bulk density	
9. Form Appearance Color Odour	: So : pe : Gl : Ve	olid ellets REEN ery faint	Evaporation rate Specific Gravity Bulk density Vapour pressure	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li></ul>
9. Form Appearance Color Odour Melting point/range	: So : pe : Gl : Vo : No	olid ellets REEN ery faint ot determined	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>
9. Form Appearance Color Odour	: So : pe : Gl : Vo : No : No	olid ellets REEN ery faint	Evaporation rate Specific Gravity Bulk density Vapour pressure	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li></ul>
9. Form Appearance Color Odour Melting point/range Boiling Point:	: So : pe : Gl : Vo : No : No : In	olid ellets REEN ery faint ot determined ot applicable	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	: So : pe : Gl : Vo : No : No : In	olid ellets REEN ery faint ot determined ot applicable soluble	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>
9. Form Appearance Color Odour Melting point/range Boiling Point:	: So : pe : Gl : Vo : No : No : In	olid ellets REEN ery faint ot determined ot applicable soluble <b>D. STABILITY ANI</b>	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li><li>Not applicable</li></ul>
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	: So : pe : Gl : Vo : No : No : In	blid ellets REEN ery faint ot determined ot applicable soluble <b>D. STABILITY ANI</b> Stable. Will not occur.	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH <b>D REACTIVITY</b>	<ul> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: So : pe : Gl : Vo : No : No : In	olid ellets REEN ery faint ot determined ot applicable soluble <b>D. STABILITY ANI</b> Stable. Will not occur. Keep away from ox decomposition, do	Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH <b>D REACTIVITY</b>	<ul> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>

# MATERIAL SAFETY DATA SHEET **DANT CLAYTON GREEN PP-2**

#### Version Number 1.1 Revision Date 09/17/2007

Page 4 of 6 Print Date 12/1/2011

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products	Irritant	Eyes, Skin, Respiratory system.

### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer	Oral LD50 Dermal LD50	> 2,000 mg/kg > 3,000 mg/kg	rat rat
	with 2,4,6-trichloro-1,3,5-triazi ne, reaction products			

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability		Not readily biodegradable.
Tersistence and degradability	•	Not readily blodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	No data available
	1	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation

PolvOne

# MATERIAL SAFETY DATA SHEET **DANT CLAYTON GREEN PP-2**

Version Number 1.1 Revision Date 09/17/2007 Page 5 of 6 Print Date 12/1/2011

and disposal in accordance with applicable federal, state/provincial and local regulations.

#### **14. TRANSPORT INFORMATION**

- U.S. DOT Classification : Not regulated for transportation.
- ICAO/IATA (air) : Refer to specific regulation.
- IMO / IMDG (maritime) : Refer to specific regulation.

### **15. REGULATORY INFORMATION**

**US Regulations:** 

OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)			
Chemical Name	CAS-No.	Weight %	NPRI ID#
Phthalocyanine green	1328-53-6	1.00 - 5.00	71

PolyOne

# MATERIAL SAFETY DATA SHEET **DANT CLAYTON GREEN PP-2**

Version Number 1.1 Revision Date 09/17/2007 Page 6 of 6 Print Date 12/1/2011

WHMIS Classification	:	D2B	
WHMIS Ingredient Disc	losu	re List	
CAS-No. 1328-53-6			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Listed	
China IECS	:	Listed	
Europe EINECS	:	Listed	
Japan ENCS	:	Not determined	
Korea KECI	:	Not determined	
Philippines PICCS	:	Not determined	
		16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.