

MATERIAL SAFETY DATA SHEET

KIDS TRANSL. PURPLE V4

Version Number 1.0 Revision Date 04/30/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	KIDS TRANSL. PURPLE V4
Product code	:	CC10035099
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.			



MATERIAL SAFETY DATA SHEET

KIDS TRANSL. PURPLE V4

Version Number 1.0 Revision Date 04/30/2003 Page 2 of 6 Print Date 11/11/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Y		
Flammable Limits Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not relevant
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, dry powder, foam.
Suitable extinguishing media	•	Carbon dioxide blanket, water spray, dry powder, toani.
Special Fire Fighting	:	Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures		pressure mode should be worn to prevent inhalation of airborne
		contaminants.
Unusual Fire/Explosion	:	None
Hazards		
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as
		impervious gloves, boots and coveralls.
Environmental processions		Should not be released into the environment. The product should not
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
		be anowed to enter drams, water courses of the son.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in
		plastic, cardboard or metal containers for disposal. Refer to Section 13
		of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling		Take measures to prevent the build up of electrostatic charge. Heat
mananing	•	only in areas with appropriate exhaust ventilation.
		only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

KIDS TRANSL. PURPLE V4

Version Number 1.0 Revision Date 04/30/2003

Page 3 of 6 Print Date 11/11/2011

		nd contamination. Keep in a c			
8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory protect	ive equipment normally r	equired.	
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.				
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and		afety practice.	
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
			5		
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	-	List: ACGIH	
Components		Time Weighted Average	Exposure type		
Components	10 mg/m3	Time Weighted Average (TWA): Time Weighted Average	Exposure type Dust.	ACGIH	
Components Aluminum	10 mg/m3 5 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA):	Exposure type Dust. Welding fume. as Al	ACGIH ACGIH	
Components Aluminum	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL:	Exposure type Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al	ACGIH ACGIH OSHA Z1	
Components Aluminum Aluminum	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO	Exposure type Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al	ACGIH ACGIH OSHA Z1 OSHA Z1	
Components Aluminum Aluminum	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC : Solic	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PR(Exposure type Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al DPERTIES	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable.	
Components Aluminum Aluminum Form Appearance	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC : Solic : Pelle	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PR(Evapo ts Specifi	Exposure type Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al DPERTIES ration rate : Not fic Gravity : Not	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable. determined	
Components Aluminum Aluminum Form Appearance Color	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC : Solic : Pelle : PUR	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO Metric Specifi PLE Bulk of Specifi	Exposure type Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al OPERTIES ration rate : Not fic Gravity : Not lensity : Not	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable. determined established	
Components Aluminum Aluminum Form Appearance Color Odor	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC : Solic : Pelle : PUR : Very	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO the Evapor sts Specifi PLE Bulk of faint Vapor	Exposure type Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al OPERTIES oration rate : Not fic Gravity : Not ensity : Not opensure : Not	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable. determined established applicable	
Components Aluminum Aluminum Form Appearance Color	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIO : Solid : Pelle : PUR : Very : Not of	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO the Evapor sts Specifi PLE Bulk of faint Vapor	Exposure type Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al OPERTIES Oration rate : Not fic Gravity : Not lensity : Not oration rate : Not ic Gravity : Not ic pressure : Not oration ic y : Not	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable. determined established	

Form	: Solid
Appearance	: Pellets
Color	: PURPLE
Odor	: Very faint
Melting point/range	: Not determined
Boiling Point:	: Not applicable
Water solubility	: Insoluble

10. STABILITY AND REACTIVITY

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.



MATERIAL SAFETY DATA SHEET

KIDS TRANSL. PURPLE V4

Version Number 1.0 Revision Date 04/30/2003 Page 4 of 6 Print Date 11/11/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system.

: Not readily biodegradable.
: Chemicals are not readily available as they are bound within the matrix of the polymer.
: Chemicals are not readily available as they are bound within the matrix of the polymer.
: No data available.
13. DISPOSAL CONSIDERATIONS
 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation
and disposal in accordance with applicable federal, state/provincial and local regulations.
14. TRANSPORT INFORMATION
: Refer to specific regulation.



MATERIAL SAFETY DATA SHEET

KIDS TRANSL. PURPLE V4

Version Number 1 Revision Date 04/					Print Date	Page 5 of 6 11/11/2011
IMO / IMDG		: Refer to spe	ecific regulation	1.		
		15. REGULAT	FORY INFOR	MATION		
US Regulations	5:					
OSHA	Status	: Classified a	ıs hazardous ba	sed on compon	ents.	
TSCA S	Status	: All composition Inventory.	nents of this pro	oduct are listed	on or exempt from	the TSCA
US. EPA CER	CLA Hazardous Su	ubstances (40 C	CFR 302)			
No	t applicable					
Califor 65	nia Proposition	: This produc	ct does not cont	ain a substance	listed by Californi	ia Prop 65.
Not applica			is Substance			
	Section 313 Toxic	c Chemicals:			1	1
	cal Name INUM (FUME OF	R DUST)		CAS-No. 7429-90-5	Weight % 5.51	
	lations: S Classification S Ingredient Disclo CAS-No. 7429-90-5]	nents of this pro	oduct are on th	e Canadian Domes	tic
			List (DSL) or a			
National Invent	tories:					
Austral	ia AICS	: Listed.				
China I	ECS	: Listed.				
			5/6			
· · · · · · · · · · · · · · · · · · ·						



MATERIAL SAFETY DATA SHEET

KIDS TRANSL. PURPLE V4

Version Number 1.0 Revision Date 04/30/2003 Page 6 of 6 Print Date 11/11/2011

Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Listed.
Philippines PICCS	: Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.