

MATERIAL SAFETY DATA SHEET

KIDS TRANSL. AQUA V4

Version Number 1.0 Revision Date 04/30/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	KIDS TRANSL. AQUA V4
Product code	:	CC10035115
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact	
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.



MATERIAL SAFETY DATA SHEET

KIDS TRANSL. AQUA V4

Version Number 1.0 Revision Date 04/30/2003 Page 2 of 6 Print Date 11/11/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	: :	Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

KIDS TRANSL. AQUA V4

Version Number 1.0 Revision Date 04/30/2003 Page 3 of 6 Print Date 11/11/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	o personal respiratory protect	respiratory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: Protective gloves.					
Skin and body protection	: Long sleeved clothing.					
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures		eat only in areas with appropropropriate exhaust ventilation		Provide		
Exposure limit(s)						
G	V /.1		E (
Components	Value	Exposure time	Exposure type	List:		
Aluminum	10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Dust.	List: ACGIH		
		Time Weighted Average				
	10 mg/m3	Time Weighted Average (TWA): Time Weighted Average	Dust.	ACGIH		
Aluminum	10 mg/m3 5 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA):	Dust. Welding fume. as Al	ACGIH ACGIH		
Aluminum	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL:	Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al	ACGIH ACGIH OSHA Z1		
Aluminum	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO	Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al	ACGIH ACGIH OSHA Z1 OSHA Z1		
Aluminum Aluminum Form	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PR(Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al DPERTIES	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable.		
Aluminum Aluminum Form Appearance	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PR(Evapo ts Specifi	Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al DPERTIES ration rate : Not al ic Gravity : Not al	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable. determined		
Aluminum Aluminum Form Appearance Color	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC : Solid : Pelle : BLU	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO E Evapo ts Specifi E Bulk of	Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al OPERTIES ration rate : Not al ic Gravity : Not al lensity : Not al	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable. determined established		
Aluminum Aluminum Form Appearance Color Odor	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO Evapo ts Specif E Bulk of faint Vapor	Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al DPERTIES ration rate : Not al ic Gravity : Not al lensity : Not al pressure : Not al	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable. determined established applicable		
Aluminum Aluminum Form Appearance Color Odor Melting point/range	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO E E Bulk of faint Vapor letermined Vapor	Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al PERTIES ration rate : Not al ic Gravity : Not al pressure : Not al density : Not al density : Not al	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable. determined established applicable applicable		
Aluminum Aluminum Aluminum Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO E Bulk of faint Vapor letermined Vapor pplicable pH	Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al PERTIES ration rate : Not al ic Gravity : Not al pressure : Not al density : Not al density : Not al	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable. determined established applicable		
Aluminum Aluminum Form Appearance Color Odor Melting point/range	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not c : Not c	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PR(E Bulk of faint Vapor letermined Vapor upplicable pH uble	Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al OPERTIES ration rate : Not a ic Gravity : Not a density : Not a ic Not a : Not a	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable. determined established applicable applicable		
Aluminum Aluminum Aluminum Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 5 mg/m3 15 mg/m3 5 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not c : Not c	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PRO E Bulk of faint Vapor letermined Vapor pplicable pH	Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al OPERTIES ration rate : Not a ic Gravity : Not a density : Not a ic Not a : Not a	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable. determined established applicable applicable		
Aluminum Aluminum Aluminum Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 5 mg/m3 5 mg/m3 5 mg/m3 9. PHYSIC : Solid : Pelle : BLU : Very : Not c : Not a : Insol	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: PEL: CAL AND CHEMICAL PR(E Bulk of faint Vapor letermined Vapor upplicable pH uble	Dust. Welding fume. as Al Total dust. as Al Respirable dust. as Al OPERTIES ration rate : Not a ic Gravity : Not a density : Not a ic Not a : Not a	ACGIH ACGIH OSHA Z1 OSHA Z1 applicable. determined established applicable applicable		



MATERIAL SAFETY DATA SHEET

KIDS TRANSL. AQUA V4

 Version Number 1.0
 Page 4 of 6

 Revision Date 04/30/2003
 Print Date 11/11/2011

 Incompatible Materials
 : Incompatible with strong acids and oxidizing agents.

 Hazardous decomposition products
 : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7429-90-5	Aluminum	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.



MATERIAL SAFETY DATA SHEET

KIDS TRANSL. AQUA V4

Version Number 1.0 Revision Date 04/30/2003			Page 5 of Print Date 11/11/20		
IMO / IMDG	: Refer to specific regulati	on.			
	15. REGULATORY INFORMATION				
US Regulations:					
OSHA Status	: Classified as hazardous b	based on compor	ients.		
TSCA Status	: All components of this p Inventory.	roduct are listed	on or exempt from the TSCA		
US. EPA CERCLA Hazardous S	Substances (40 CFR 302)				
Not applicable					
California Proposition 65	: This product does not con	ntain a substance	listed by California Prop 65.		
SARA Title III Section 302 Extr	emely Hazardous Substance				
Not applicable					
SARA Title III Section 313 Tox	ic Chemicals:				
Chemical Name		CAS-No.	Weight %		
ALUMINUM (FUME C	OR DUST)	7429-90-5	5.51		
Canadian Regulations: WHMIS Classification WHMIS Ingredient Discl CAS-No. 7429-90-5 DSL National Inventories: Australia AICS China IECS	 : D2B losure List : All components of this p Substances List (DSL) of : Listed. : Listed. 		e Canadian Domestic		
	5/6				



MATERIAL SAFETY DATA SHEET

KIDS TRANSL. AQUA V4

Version Number 1.0 Revision Date 04/30/2003 Page 6 of 6 Print Date 11/11/2011

Europe EINECS	: Not determined.
Japan ENCS	: Not determined.
Korea KECI	: Listed.
Philippines PICCS	: Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.