## MATERIAL SAFETY DATA SHEET PG 35303 RD PE AS

Version Number 1.1 Revision Date 10/26/2006

Page 1 of 6 Print Date 11/25/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number		Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 35303 RD PE AS
Product code	:	CC10035303
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous, precipitated and gel	112926-00-8	1 - 5
Titanium dioxide	13463-67-7	1 - 5

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to</li> </ul>
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 35303 RD PE AS**

Version Number 1.1 Revision Date 10/26/2006 Page 2 of 6 Print Date 11/25/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5	. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit	:	Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. AC	CIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	,	7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 35303 RD PE AS**

Version Number 1.1 Revision Date 10/26/2006 Page 3 of 6 Print Date 11/25/2011

XPOSURE	CONTROLS / PERSONAL	PROTECTION			
: N	o personal respiratory protecti	ve equipment normally i	required.		
: S:	: Safety glasses with side-shields.				
: <b>P</b>	: Protective gloves.				
: L	ong sleeved clothing.				
: Sa	afety shoes.				
			afety practice		
: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Value	Exposure time	Exposure type	List:		
5 mg/m3	PEL:	Respirable fraction.	OSHA Z1		
15 mg/m3	PEL:	Total dust.	OSHA Z1		
0.8 mg/m3	Time Weighted Average (TWA):		Z3		
	(== -/-		20		
10 mg/m3	Time Weighted Average (TWA):		MX OEL		
10 mg/m3 10 mg/m3	Time Weighted Average (TWA): Time Weighted Average				
10 mg/m3	Time Weighted Average (TWA):	Total dust.	MX OEL		
	Time Weighted Average (TWA): Time Weighted Average (TWA):	Total dust. as Ti	MX OEL ACGIH		
10 mg/m3 15 mg/m3 20 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit	as Ti	MX OEL ACGIH OSHA Z1		
10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti PERTIES	MX OEL ACGIH OSHA Z1 MX OEL		
10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti <b>PERTIES</b> ration rate : Not	MX OEL ACGIH OSHA Z1 MX OEL applicable		
10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solid : Pelle	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti <b>DPERTIES</b> ration rate : Not ic Gravity: : Not	MX OEL ACGIH OSHA Z1 MX OEL applicable determined		
10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solid : Pelle : RED	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti <b>DPERTIES</b> ration rate : Not ic Gravity: : Not ensity : Not	MX OEL ACGIH OSHA Z1 MX OEL applicable determined established		
10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti <b>PERTIES</b> ration rate : Not ic Gravity: : Not ensity : Not pressure : Not	ACGII ACGII OSHA MX OE applicable determine established applicable		
10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solid : Pelle : RED : Very : Not c	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti <b>PERTIES</b> ration rate : Not ic Gravity: : Not ensity : Not pressure : Not r density : Not	MX OEL ACGIH OSHA Z MX OEL applicable determined		
	: Si : P : L : Si : H W : H ap Value 5 mg/m3	<ul> <li>Safety glasses with side-shields</li> <li>Protective gloves.</li> <li>Long sleeved clothing.</li> <li>Safety shoes.</li> <li>Handle in accordance with good Wash hands before breaks and a</li> <li>Heat only in areas with appropriate exhaust ventilation a</li></ul>	<ul> <li>Safety glasses with side-shields.</li> <li>Protective gloves.</li> <li>Long sleeved clothing.</li> <li>Safety shoes.</li> <li>Handle in accordance with good industrial hygiene and s Wash hands before breaks and at the end of workday.</li> <li>Heat only in areas with appropriate exhaust ventilation. appropriate exhaust ventilation at machinery.</li> </ul>		

## **10. STABILITY AND REACTIVITY**

# MATERIAL SAFETY DATA SHEET **PG 35303 RD PE AS**

Version Number 1.1 Revision Date 10/26/2006 Page 4 of 6 Print Date 11/25/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
112926-00-8	Silica, amorphous,	Irritant	Respiratory system, Eyes.
	precipitated and gel		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

### Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.

PolyOne.

# MATERIAL SAFETY DATA SHEET **PG 35303 RD PE AS**

Version Number 1.1 Revision Date 10/26/2006 Page 5 of 6 Print Date 11/25/2011

Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	is Substances (40 CFR 302)
Not applicable	
California Propositior 65	n : Not applicable
	Extremely Hazardous Substance
SARA THE III Section 502 E	-

PolyOne

# MATERIAL SAFETY DATA SHEET **PG 35303 RD PE AS**

Version Number	er 1.1
<b>Revision Date</b>	10/26/2006

Page 6 of 6 Print Date 11/25/2011

SARA Title III Section 313 Toxic Chemicals:					
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation					
Canadian Regulations:	Canadian Regulations:				
National Pollutant Relea	National Pollutant Release Inventory (NPRI)				
Not applicable					
WHMIS Classification	:	D2B			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			

## **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.