

MATERIAL SAFETY DATA SHEET

TRANS GREEN

Version Number 1.0 Revision Date 04/30/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRANS GREEN
Product code	:	CC10035419
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Zinc stearate	557-05-1	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

TRANS GREEN

sion Date 04/30/2003	Print Date 11/11/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. none
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



Page 3 of 6

MATERIAL SAFETY DATA SHEET

TRANS GREEN

Version Number 1.0 Revision Date 04/30/2003

Print Date 11/11/2011 and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. If : dusty conditions occur wear appropriate respiratory protection. : Safety glasses with side-shields. **Eye/Face Protection** Hand protection Protective gloves. : Skin and body protection : Long sleeved clothing. Additional Protective : Safety shoes. Measures General Hygiene : Handle in accordance with good industrial hygiene and safety practice. Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s) Components Value Exposure time Exposure type List: Silica, amorphous 20 mppcf PEL: Total dust. OSHA Total dust. Silica, amorphous 20 mppcf PEL: Z3 Zinc stearate 5 mg/m3 PEL: Respirable fraction. OSHA Z1 15 mg/m3 PEL: Total dust. OSHA Z1 Zinc stearate 10 mg/m3 Time Weighted Average ACGIH as stearates (TWA): 9. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate Not applicable. Form : powder, granular Specific Gravity Not applicable. Appearance : : Color GREEN Bulk density Not determined : : : Very faint Vapor pressure Not applicable Odor : Melting point/range : Not determined Vapor density Not applicable : **Boiling Point:** : Not applicable : Not applicable pН Water solubility : Insoluble **10. STABILITY AND REACTIVITY** Stability : Stable. Hazardous Polymerization Will not occur. : To avoid thermal decomposition, do not overheat. Keep away from Conditions to avoid :



MATERIAL SAFETY DATA SHEET

TRANS GREEN

			Prin	t Date 11/11/201
	oxidizing agent	ts and open flame.		
Incompatible Materials	: Incompatible w	vith strong acids and	oxidizing agents.	
Hazardous decompositio		e (CO2), carbon mor		
products	(NOx), other ha	azardous materials,	and smoke are all	possible.
	11. TOXICOLOGI	CAL INFORMAT	ION	
	en evaluated as a whole for h idual components which con		sure effects listed	are based on existi
<u>Toxicity Overview</u> This product contains the	e following components whi	ich in their pure form	m have the follow	ing characteristics:
CAS-No.	Chemical Name	Effect	Targ	et Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respira	
557-05-1	Zinc stearate	Systemic effects		espiratory system.
CAS-No. 557-05-1	Chemical Name Zinc stearate	RouteOral LD50	Value > 10 gm/kg	Species rat
557-05-1	Zinc stearate	Oral LD50	> 10 gm/kg	rat
	12. ECOLOGICA	AL INFORMATIO	N	
Persistence and degradal	bility : Not readily bio	degradable.		
Environmental Toxicity	: Adverse ecolog	gical impact is not kr	nown or expected u	under normal use.
Bioaccumulation Potenti	ial : Not inherently	biodegradable.		
Additional advice	: No data availab	ble.		
	13. DISPOSAL C	CONSIDERATION	IS	
Product	generator of wa classification, t	e, recycling is prefer aste material has the ransportation and di ral, state/provincial	responsibility for sposal in accorda	proper waste nce with
Contaminated packaging	has the respons	eferred when possib ibility for proper wa accordance with ap ations.	aste classification,	transportation
	14. TRANSPOR	T INFORMATION	N	
		4/6		



MATERIAL SAFETY DATA SHEET

sion Number 1.0 <i>r</i> ision Date 04/30/2003				Print Date	Page 5
				T THE Date	5 11/11/2
U.S. DOT Classification	:	Not regulated for transport	tation.		
ICAO/IATA	:	Not regulated for transport	tation.		
IMO / IMDG	:	Not regulated for transport	tation.		
	15	. REGULATORY INFOR	RMATION		
US Regulations:					
OSHA Status	:	Classified as hazardous ba	used on compo	nents.	
TSCA Status	:	All components of this pro Inventory.	oduct are listed	on or exempt from	n the TSCA
US. EPA CERCLA Hazardou	s Sub	stances (40 CFR 302)			
Not applicable					
California Proposition	:	This product does not cont	tain a substance	e listed by Californ	nia Prop 65
California Proposition 65 SARA Title III Section 302 E		-	tain a substance	e listed by Califorr	iia Prop 65
65		-	tain a substance	e listed by Califorr	uia Prop 65
65 SARA Title III Section 302 E Not applicable	xtrem	ely Hazardous Substance	tain a substance	e listed by Californ	uia Prop 65
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T	xtrem	ely Hazardous Substance			uia Prop 65
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name	xtrem oxic (ely Hazardous Substance Chemicals:	tain a substance CAS-No. 557-05-1	Weight %	iia Prop 65
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T	xtrem oxic (ely Hazardous Substance Chemicals:	CAS-No.		iia Prop 65
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name	xtrem oxic (ely Hazardous Substance Chemicals:	CAS-No.	Weight %	iia Prop 65
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name ZINC COMPOUNDS	xtrem	ely Hazardous Substance Chemicals:	CAS-No.	Weight %	ia Prop 65
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name ZINC COMPOUNDS Canadian Regulations:	xtrem	ely Hazardous Substance Chemicals:	CAS-No. 557-05-1 this product ar However, at 1 1 Non-Domesti	Weight % 52.37 re listed on the Can least one compone ic Substances List	adian nt of this
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name ZINC COMPOUNDS Canadian Regulations: WHMIS Classification	xtrem	ely Hazardous Substance Chemicals: Not controlled. All of the components of Inventories or are exempt. product is on the Canadiar	CAS-No. 557-05-1 this product ar However, at 1 1 Non-Domesti	Weight % 52.37 re listed on the Can least one compone ic Substances List	adian nt of this
65 SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Chemical Name ZINC COMPOUNDS Canadian Regulations: WHMIS Classification DSL	xtrem	ely Hazardous Substance Chemicals: Not controlled. All of the components of Inventories or are exempt. product is on the Canadiar	CAS-No. 557-05-1 this product ar However, at 1 1 Non-Domesti	Weight % 52.37 re listed on the Can least one compone ic Substances List	adian nt of this



MATERIAL SAFETY DATA SHEET

TRANS GREEN

 Version Number 1.0
 Page 6 of 6

 Revision Date 04/30/2003
 Print Date
 11/11/2011

 Europe EINECS
 :
 Not determined.

 Japan ENCS
 :
 Listed.

 Korea KECI
 :
 Listed.

 Philippines PICCS
 :
 Not determined.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.