## MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1 Revision Date 10/24/2006

Product Use

Page 1 of 6 Print Date 11/24/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE
Product code	:	CC10036248
Chemical Name	:	Mixture
CAS-No.	:	Mixture

## : Industrial Applications

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
1,6-Hexanediamine,	70624-18-9	1 - 5
N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-,		
polymer with 2,4,6-trichloro-1,3,5-triazine,		
reaction products		

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	<ul> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



# MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1 Revision Date 10/24/2006 Page 2 of 6 Print Date 11/24/2011

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



# MATERIAL SAFETY DATA SHEET **BLUE**

			Page Print Date 11/24
Storage	· Keen containers dry	and tightly closed to avo	id moisture absorption
Storage		Keep in a dry, cool place	
8. EXI	POSURE CONTROLS / PE	RSONAL PROTECTIO	ON
Respiratory protection	: No personal respirato	ory protective equipment	normally required.
Eye/Face Protection	: Safety glasses with s	ide-shields.	
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved clothin	g.	
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations		e with good industrial hy- reaks and at the end of w	
Engineering measures		ith appropriate exhaust v ventilation at machinery.	entilation. Provide
Exposure limit(s)			
-	. PHYSICAL AND CHEMI	ICAL PROPERTIES	
-	<u>. PHYSICAL AND CHEMI</u> : Solid		: Not applicable
9		<b>ICAL PROPERTIES</b> Evaporation rate Specific Gravity:	: Not applicable : Not determined
9 Form	: Solid	Evaporation rate	: Not determined
9 Form Appearance Color Odor	: Solid : Pellets	Evaporation rate Specific Gravity: Bulk density Vapor pressure	: Not determined
9 Form Appearance Color Odor Melting point/range	<ul> <li>Solid</li> <li>Pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determined</li> </ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density	<ul> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9 Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>Pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure	<ul><li>Not determined</li><li>Not established</li><li>Not applicable</li></ul>
9 Form Appearance Color Odor Melting point/range	<ul> <li>Solid</li> <li>Pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determined</li> </ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density	<ul> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9 Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>Pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9 Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>Solid</li> <li>Pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>Solid</li> <li>Pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AND	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li>Solid</li> <li>Pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH REACTIVITY	: Not determined : Not established : Not applicable : Not applicable : Not applicable
9 Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>Solid</li> <li>Pellets</li> <li>BLUE</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxid decomposition, do not</li> </ul>	Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH REACTIVITY	<ul> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>

PolvOne

## MATERIAL SAFETY DATA SHEET **BLUE**

## Version Number 1.1

Revision Date 10/24/2006

Page 4 of 6 Print Date *11/24/2011* 

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
70624-18-9	1,6-Hexanediamine, N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products	Irritant	Eyes, Skin, Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
70624-18-9	1,6-Hexanediamine,	Oral LD50	> 2,000 mg/kg	rat
	N,N'-bis(2,2,6,6-tetrameth yl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazi ne, reaction products	Dermal LD50	> 3,000 mg/kg	rat

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability		Not readily biodegradable.
Tersistence and degradability	•	Not readily blodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	No data available
	1	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation



# MATERIAL SAFETY DATA SHEET **BLUE**

sion Number 1.1 ision Date 10/24/2006			Pr	Page 5 o int Date 11/24/20
		sal in accordance with a regulations.	applicable federal,	state/provincial
	14. TRANS	SPORT INFORMATIO	ON	
U.S. DOT Classification	: Not regul	ated for transportation.		
ICAO/IATA (air)	: Refer to s	pecific regulation.		
IMO / IMDG (maritime)	: Refer to s	pecific regulation.		
	15. REGULA	ATORY INFORMAT	ION	
US Regulations:				
OSHA Status	: Classified	l as hazardous based on	components.	
TSCA Status	: All comp Inventory	ponents of this product a	re listed on or exer	npt from the TSCA
US. EPA CERCLA Hazardo	us Substances (40	CFR 302)		
Not applicable				
California Proposition 65	n : Not applie	cable		
05				
SARA Title III Section 302 I Unless specific chemicals are SARA Title III Section 313 T	identified under		t is Not Applicabl	e under this regulati
Unless specific chemicals are		this section this produc	et is Not Applicabl	e under this regulati
Chemical Name		CAS-I	No. Weigl	ht %
ZINC COMPOUNDS		1314-9	1.00	- 5.00
Canadian Regulations:				
National Pollutant Rel	ease Inventory (N	NPRI)		
Chemical Name	<i>v</i> \	CAS-No.	Weight %	NPRI ID#
		147-14-8	0.10 - 1.00	71
Phthalocyanine blue Zinc sulfide		1314-98-3	1.00 - 5.00	231

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1 Revision Date 10/24/2006		Page 6 of 6 Print Date 11/24/201
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.