

MATERIAL SAFETY DATA SHEET

GREEN 367C

Version Number 1.0 Revision Date 05/13/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN 367C
Product code	:	CC10036322
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
C.I. Pigment Green 50	68186-85-6	5 - 10
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes.Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





sion Number 1.0 ision Date 05/13/2003	Page 2 Print Date 11/11/2
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat

MATERIAL SAFETY DATA SHEET





Version Number 1.0 Revision Date 05/13/2003		Page 3 of 6 Print Date 11/11/2011
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.
8. EXP	OSUR	RE CONTROLS / PERSONAL PROTECTION
Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.
Exposure limit(s)		

Components	Value	Exposure time	Exposure type	List:
C.I. Pigment Green 50	0.02	Time Weighted Average	as Co	ACGIH
	mg/m3	(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: GREEN	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapor density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	10 STADILITY AN	DDEACTIVITY	
	10. STABILITY AN	DREACTIVITY	
Stability	10. STABILITY AN : Stable.	D REACTIVITY	
Stability		D REACTIVITY	
Stability Hazardous Polymerization		D REACTIVITY	
·	: Stable. : Will not occur.	D REACTIVITY	



MATERIAL SAFETY DATA SHEET

GREEN 367C

ision Date 05/13/2003/	3		Print D	Page 4 o Pate 11/11/20
	decompositio	on, do not overheat.		
T	-		· • · ·	
Incompatible Materials	: Incompatible	with strong acids and o	oxidizing agents.	
Hazardous decomposition products		de (CO2), carbon mono hazardous materials, an		
	11. TOXICOLOG	GICAL INFORMATI	ON	
health data for the indiv	en evaluated as a whole fo vidual components which c ne following components w	omprise the mixture.		
-		-	-	
CAS-No. 68186-85-6	Chemical Name C.I. Pigment Green 50	Effect Irritant	Target C Eyes, Skin.	Drgan
13463-67-7	Titanium dioxide	Systemic effects	Respiratory syste	
CAS-No.	Chemical Name	OSHA	IARC	NTP
68186-85-6	C.I. Pigment Green 50	OSHA no	IARC 2B	NTP no
68186-85-6 IARC Carcinogen Class 1 - The component is ca 2A - The component is p 2B - The component is p NTP Carcinogen Classin 1 - The component is kr	C.I. Pigment Green 50 sifications: arcinogenic to humans. probably carcinogenic to h possibly carcinogenic to h fications: nown to be a human carcin easonably anticipated to be	umans. umans. ogen.	2B	
68186-85-6 IARC Carcinogen Class 1 - The component is ca 2A - The component is p 2B - The component is p NTP Carcinogen Classin 1 - The component is kr	C.I. Pigment Green 50 sifications: arcinogenic to humans. probably carcinogenic to h possibly carcinogenic to h fications: nown to be a human carcin easonably anticipated to be 12. ECOLOGIC	no umans. umans. ogen. a human carcinogen.	2B	
68186-85-6 IARC Carcinogen Class 1 - The component is ca 2A - The component is 2B - The component is NTP Carcinogen Classi 1 - The component is kr 2 - The component is re	C.I. Pigment Green 50 sifications: arcinogenic to humans. probably carcinogenic to h possibly carcinogenic to h fications: nown to be a human carcin casonably anticipated to be 12. ECOLOGIO	no umans. umans. a human carcinogen. CAL INFORMATION iodegradable. e not readily available a	2B	no
68186-85-6 IARC Carcinogen Class 1 - The component is ca 2A - The component is p 2B - The component is p NTP Carcinogen Classif 1 - The component is kr 2 - The component is re Persistence and degrada	C.I. Pigment Green 50 sifications: arcinogenic to humans. probably carcinogenic to h possibly carcinogenic to h fications: nown to be a human carcin easonably anticipated to be 12. ECOLOGIC ability : Not readily b to the polymo	umans. umans. ogen. a human carcinogen. CAL INFORMATION iodegradable. e not readily available a er. e not readily available a	2B N as they are bound wit	no thin the matrix
68186-85-6 IARC Carcinogen Class 1 - The component is ca 2A - The component is 2B - The component is Participation NTP Carcinogen Classif 1 - The component is kr 2 - The component is re Persistence and degrada Environmental Toxicity	C.I. Pigment Green 50 sifications: arcinogenic to humans. probably carcinogenic to he possibly carcinogenic to he fications: nown to be a human carcin easonably anticipated to be 12. ECOLOGIC ability : Not readily be tial : Chemicals ar	umans. umans. ogen. a human carcinogen. CAL INFORMATION iodegradable. e not readily available a er. e not readily available a er.	2B N as they are bound wit	no thin the matrix
68186-85-6 IARC Carcinogen Class 1 - The component is ca 2A - The component is j 2B - The component is j NTP Carcinogen Classif 1 - The component is kr 2 - The component is re Persistence and degrada Environmental Toxicity Bioaccumulation Potent	C.I. Pigment Green 50 sifications: arcinogenic to humans. probably carcinogenic to h possibly carcinogenic to h fications: nown to be a human carcin assonably anticipated to be 12. ECOLOGIO ability : Not readily b y : Chemicals ar of the polymo : No data avail	umans. umans. ogen. a human carcinogen. CAL INFORMATION iodegradable. e not readily available a er. e not readily available a er.	2B N as they are bound wit as they are bound wit	no thin the matrix





GREEN 367C	
/ersion Number 1.0 Revision Date 05/13/2003	Page 5 of 6 Print Date 11/11/201
	possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)
Not applicable	
California Proposition 65	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 I	Extremely Hazardous Substance
Not applicable	
SARA Title III Section 313	`oxic Chemicals:
Chemical Name COBALT COMPOU	CAS-No. Weight % NDS 68186-85-6 5.78
Canadian Regulations:	



MATERIAL SAFETY DATA SHEET

GREEN 367C

Version Number 1.0 Revision Date 05/13/2003		Print Date	Page 6 of 6 11/11/2011
WHMIS Classification	:	D2A	
DSL	:	All components of this product are on the Canadian Domes Substances List (DSL) or are exempt.	tic
National Inventories:			
Australia AICS	:	Listed.	
China IECS	:	Listed.	
Europe EINECS	:	Not determined.	
Japan ENCS	:	Not determined.	
Korea KECI	:	Listed.	
Philippines PICCS	:	Listed.	
		16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.