

MATERIAL SAFETY DATA SHEET

IRWIN #64 PLUM

Version Number 1.0 Revision Date 05/12/2003 Page 1 of 6 Print Date *11/11/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	IRWIN #64 PLUM
Product code	:	CC10036455
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

IRWIN #64 PLUM

sion Date 05/12/2003	Page 2 Print Date 11/11/2	
	4. FIRST AID MEASURES	
Inhalation	 Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice. 	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.	
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. 	
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 	
	CACCIDENTAL DELEACE MEACUDEC	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	



MATERIAL SAFETY DATA SHEET

IRWIN #64 PLUM

sion Number 1.0 ision Date 05/12/2003			Print [Page 3 Date 11/11/2
	a	nd contamination. Keep in a	dry, cool place.	
8. E2	XPOSURE	CONTROLS / PERSONA	L PROTECTION	
Respiratory protection	: N	o personal respiratory protect	tive equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields.			
Hand protection	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.			
Additional Protective Measures	: Safety shoes.			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	Dust and fume. as Fe	ACGIH
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Not a : Insol	tts Spec Bulk faint Vapo determined Vapo applicable pH uble	ific Gravity : No density : No or pressure : No or density : No : No	t applicable. t determined t established t applicable t applicable t applicable
	10. 8	STABILITY AND REACT	IVITY	
Stability	: S	table.		
Hazardous Polymerization	: Will not occur.			
Conditions to avoid		eep away from oxidizing ag ecomposition, do not overhe		avoid thermal
Incompatible Materials	: Iı	acompatible with strong acid	s and oxidizing agents.	
Hazardous decomposition	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen			



MATERIAL SAFETY DATA SHEET

IRWIN #64 PLUM

Version Number 1.0

Revision Date 05/12/2003

Page 4 of 6 Print Date 11/11/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

<u>Toxicity Overview</u> This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name		Target Organ			
1309-37-1	Iron oxide	Systemic effects	Respiratory system.			
	12. ECOLO	OGICAL INFORMATIO	N			
Persistence and degr		ily biodegradable.				
Environmental Toxic		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Po		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data	No data available.				
	13. DISPOS	SAL CONSIDERATION	S			
Product Contaminated packa	possible, generato classifica applicab ging : Recyclin has the re	r recycling is preferred to d r of waste material has the ation, transportation and di le federal, state/provincial ag is preferred when possible esponsibility for proper wa				
		l regulations.	pheable rederal, state/provincial			
	14. TRAN	SPORT INFORMATION	1			
U.S. DOT Classifica	tion : Refer to	specific regulation.				
ICAO/IATA	: Refer to	Refer to specific regulation.				
IMO / IMDG	: Refer to	specific regulation.				
	15. REGUL	ATORY INFORMATIO	N			
US Regulations:						



MATERIAL SAFETY DATA SHEET

IRWIN #64 PLUM

sion Number 1.0 ision Date 05/12/2003		Page 5 Print Date 11/11/2	
OSHA Status	: Classified as hazardo	bus based on components.	
TSCA Status	 Classified as hazardous based on components. All components of this product are listed on or exempt from the TSCA Inventory. 		
US. EPA CERCLA Hazardous	ubstances (40 CFR 302)		
Not applicable			
California Proposition 65	: This product does no	ot contain a substance listed by California Prop 65.	
SARA Title III Section 302 Ext	emely Hazardous Substa	nce	
Not applicable			
SARA Title III Section 313 Tox	c Chemicals:		
Not applicable			
Canadian Regulations:			
WHMIS Classification	: Not controlled.		
DSL	: All components of t Substances List (DS	his product are on the Canadian Domestic L) or are exempt.	
National Inventories:			
Australia AICS	: Listed.		
China IECS	: Listed.		
Europe EINECS	: Not determined.		
Japan ENCS	: Not determined.		
Korea KECI	: Not determined.		
Philippines PICCS	: Not determined.		
	16. OTHER INFO	RMATION	



MATERIAL SAFETY DATA SHEET

IRWIN #64 PLUM

Version Number 1.0 Revision Date 05/12/2003 Page 6 of 6 Print Date *11/11/2011*

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.