

MATERIAL SAFETY DATA SHEET

ORANGE 151C

Version Number 1.0 Revision Date 05/13/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ORANGE 151C
Product code	:	CC10036506
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact				
Acute exposure					
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. Experience shows no unusual dermatitis hazard from routine handling. 				
Chronic exposure Medical Conditions	 Refer to Section 11 for Toxicological Information. None known. 				
Aggravated by Exposure:					



MATERIAL SAFETY DATA SHEET

ORANGE 151C

ion Number 1.0 sion Date 05/13/2003	Page 2 Print Date 11/11/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
-	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

ORANGE 151C

Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components V Titanium dioxide 10 n	OSURE : N : S : P : L : S : H W : H	afety glasses with rotective gloves. ong sleeved cloth afety shoes. Iandle in accordan Vash hands before leat only in areas ppropriate exhaust Exposure Time Weighted	ERSONAL F atory protective side-shields. ing. ce with good f breaks and at with appropria t ventilation a	PROTECTION ve equipment normally industrial hygiene and t the end of workday. ate exhaust ventilation.	safety practic . Provide
Respiratory protection Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components V Titanium dioxide 10 n	: N : S : P : L : S : H W : H aj	lo personal respira afety glasses with rotective gloves. ong sleeved cloth afety shoes. Iandle in accordan Vash hands before leat only in areas ppropriate exhaust Exposure Time Weighted	ttory protectiv side-shields. ing. ce with good i breaks and at with appropria t ventilation a	ve equipment normally industrial hygiene and t the end of workday. ate exhaust ventilation. t machinery.	safety practic . Provide
Eye/Face Protection Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components V Titanium dioxide 10 n	: S : P : L : S : H W : H aj	afety glasses with rotective gloves. ong sleeved cloth afety shoes. Iandle in accordan Vash hands before leat only in areas ppropriate exhaust Exposure Time Weighted	side-shields. ing. ce with good i breaks and at with appropria t ventilation a	industrial hygiene and t the end of workday. ate exhaust ventilation. t machinery.	safety practic . Provide
Hand protection Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components V Titanium dioxide 10 n	: P : L : S : H W : H aj	rotective gloves. ong sleeved cloth afety shoes. Iandle in accordan Vash hands before leat only in areas y ppropriate exhaust	ing. ce with good is breaks and at with appropria t ventilation a	t the end of workday. ate exhaust ventilation. t machinery.	. Provide
Skin and body protection Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components V Titanium dioxide 10 n	: L : S : H W : H aj	afety shoes. Iandle in accordan Vash hands before Leat only in areas ppropriate exhaust	ce with good i breaks and at with appropria t ventilation a time	t the end of workday. ate exhaust ventilation. t machinery.	. Provide
Additional Protective Measures General Hygiene Considerations Engineering measures Exposure limit(s) Components V Titanium dioxide 10 n	: S : H W : H aj	afety shoes. Iandle in accordan Vash hands before Ieat only in areas ppropriate exhaust Exposure Time Weighted	ce with good i breaks and at with appropria t ventilation a time	t the end of workday. ate exhaust ventilation. t machinery.	. Provide
Measures General Hygiene Considerations Engineering measures <u>Exposure limit(s)</u> <u>Components V</u> Titanium dioxide 10 n	: H W : H aj	Iandle in accordan Vash hands before Ieat only in areas ppropriate exhaust Exposure Time Weighted	breaks and at with appropria t ventilation a time	t the end of workday. ate exhaust ventilation. t machinery.	. Provide
Considerations Engineering measures Exposure limit(s) Components V Titanium dioxide 10 n	W : H aj /alue	Vash hands before leat only in areas y ppropriate exhaust Exposure Time Weighted	breaks and at with appropria t ventilation a time	t the end of workday. ate exhaust ventilation. t machinery.	. Provide
Exposure limit(s) Components V Titanium dioxide 10 n	aj Value	ppropriate exhause Exposure Time Weighted	t ventilation a	t machinery.	List:
ComponentsVTitanium dioxide10 r		Time Weighted		Exposure type	
ComponentsVTitanium dioxide10 r		Time Weighted		Exposure type	
Titanium dioxide 10 1		Time Weighted		Exposure type	
	mg/m3	-			
Titanium dioxide 15 1		(TWA	-		ACGIH
	mg/m3	PEL:		Total dust.	OSHA Z
9.1	PHYSIC	CAL AND CHEN	IICAL PRO	PERTIES	
Form	: Solid				t applicable.
Appearance	: Pelle				t determined
Color	: ORANGE		Bulk de		t established
Odor	: Very faint				t applicable
Melting point/range		determined	Vapor c		t applicable
Boiling Point:	: Not applicable pH : Not applicable				t applicable
Water solubility	: Insol	luble			
	10. 5	STABILITY ANI	O REACTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	: W	Vill not occur.			
Conditions to avoid		Keep away from ox ecomposition, do		s and open flame. To	avoid therma
Incompatible Materials	: Ir	ncompatible with s	strong acids a	nd oxidizing agents.	



MATERIAL SAFETY DATA SHEET

ORANGE 151C

Version Number 1.0 Revision Date 05/13/2003

Page 4 of 6 Print Date 11/11/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION	I			
Persistence and degrad	ability : Not readily bi	iodegradable.				
Environmental Toxicit		Chemicals are not readily available as they are bound within the matrix of the polymer.Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Poten						
Additional advice	: No data availa	able.				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagir	possible, recy generator of v classification, applicable fed ng : Recycling is p has the respor and disposal i	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 				
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classificatio	n : Refer to speci	ific regulation.				
ICAO/IATA	: Refer to speci	ific regulation.				
IMO / IMDG	: Refer to speci	fic regulation.				
	15. REGULATO	DRY INFORMATION	N			

MATERIAL SAFETY DATA SHEET



ORANGE 151C		
Version Number 1.0 Revision Date 05/13/2003		Page 5 of 6 Print Date 11/11/2011
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extra	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	ic C	Chemicals:
Not applicable		
Canadian Regulations:		
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.
Japan ENCS	:	Listed.
Korea KECI	:	Listed.
Philippines PICCS	:	Listed.
		16. OTHER INFORMATION

PolyOne.

MATERIAL SAFETY DATA SHEET

ORANGE 151C

Version Number 1.0 Revision Date 05/13/2003 Page 6 of 6 Print Date 11/11/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.