

MATERIAL SAFETY DATA SHEET

PINK #391

Version Number 1.1 Revision Date 05/19/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name Product code Chemical Name CAS-No. Product Use	::	PINK #391 CC10036509 Mixture Mixture Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact	
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

PINK #391

sion Date 05/19/2003	Print Date 11/11/2
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption





PINK #391

			Print	Date 11/11/2
	a	nd contamination. Keep in	a dry, cool place.	
8. EX	XPOSURE	CONTROLS / PERSONA	L PROTECTION	
Respiratory protection	: N	lo personal respiratory prote	ective equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-shiel	ds.	
Hand protection	: P	protective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		Iandle in accordance with go Vash hands before breaks an		safety practice
Engineering measures		leat only in areas with appropriate exhaust ventilation		. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	3 mg/m3	Time Weighted Average (TWA):		ACGIH
Mica	20 mppcf	PEL:	Total dust.	OSHA
	9. PHYSI	CAL AND CHEMICAL P	ROPERTIES	
Form Appearance	: Solic : Pelle	ets Spe	cific Gravity : No	ot applicable.
Color Odor	: PINI : Very		2	ot established ot applicable
Melting point/range	: Not determined Vapor density : Not applicable			ot applicable
Boiling Point: Water solubility	: Not applicable pH : Not applicable : Insoluble			
	10. 5	STABILITY AND REACT	TIVITY	
Stability	: S	table.		
Hazardous Polymerization	: V	Vill not occur.		
Conditions to avoid		Ceep away from oxidizing ag ecomposition, do not overhe		avoid thermal
			ds and oxidizing agents.	



MATERIAL SAFETY DATA SHEET

PINK #391

Version Number 1.1 Revision Date 05/19/2003 Page 4 of 6 Print Date *11/11/2011*

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ				
12001-26-2	Mica	Systemic effects	Respiratory system.				
		CAL INFORMATION	T				
	12. ECOLOGIC	AL INFORMATION	N				
Persistence and degrada	bility : Not readily bi	iodegradable.					
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.					
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.					
Additional advice	: No data availa	: No data available.					
	13. DISPOSAL	CONSIDERATIONS					
Product Contaminated packagin	g : Recycling is p has the respon- and disposal i	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal. 					
	14. TRANSPO	RT INFORMATION					
U.S. DOT Classification	n : Refer to speci	ific regulation.					
ICAO/IATA	: Refer to speci	Refer to specific regulation.					
IMO / IMDG	: Refer to speci	ific regulation.					
	15. REGULATO	DRY INFORMATION	N				

MATERIAL SAFETY DATA SHEET



PINK #391				
Version Number 1.1 Revision Date 05/19/2003		Print D	ate	Page 5 of 6 11/11/2011
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status :	:	All components of this product are listed on or exempt fractional inventory.	rom	the TSCA
US. EPA CERCLA Hazardous Su	ıbs	stances (40 CFR 302)		
Not applicable				
California Proposition : 65	:	This product does not contain a substance listed by Calif	orni	a Prop 65.
SARA Title III Section 302 Extrem	me	ely Hazardous Substance		
Not applicable				
	6	<i></i>		
SARA Title III Section 313 Toxic	: C	hemicals:		
Not applicable				
Canadian Regulations:				
WHMIS Classification :	:	Not controlled.		
DSL :	:	All components of this product are on the Canadian Do Substances List (DSL) or are exempt.	mes	tic
National Inventories:				
Australia AICS :	:	Listed.		
China IECS :	:	Listed.		
Europe EINECS :	:	Not determined.		
Japan ENCS :	:	Not determined.		
Korea KECI :	:	Listed.		
Philippines PICCS :	:	Listed.		
		16. OTHER INFORMATION		

MATERIAL SAFETY DATA SHEET



PINK #391

Version Number 1.1 Revision Date 05/19/2003 Page 6 of 6 Print Date *11/11/2011*

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.