

### MATERIAL SAFETY DATA SHEET

# YELLOW 108C

Version Number 1.0 Revision Date 05/27/2003 Page 1 of 6 Print Date 11/11/2011

# 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	YELLOW 108C
Product code	:	CC10036513
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

## **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>		
Eyes	<ul> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		





LLOW 108C	
ion Number 1.0 sion Date 05/27/2003	Page 2 Print Date 11/11/
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> </ul>
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

### MATERIAL SAFETY DATA SHEET

# YELLOW 108C



ELLOW 108C					
sion Number 1.0 vision Date 05/27/2003			Print Da	Page 3 of ate 11/11/201	
Storage		Leep containers dry and tightly nd contamination. Keep in a d		absorption	
8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally re	equired.	
Eye/Face Protection	: S	Safety glasses with side-shields.			
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	: Long sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA	
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3	
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

(TWA):

PEL:

Form
Appearance
Color
Odor
Melting point/range
Boiling Point:
Water solubility
-

Titanium dioxide

Solid
Pellets
YELLOW
Very faint
Not determined
Not applicable
Insoluble

15 mg/m3

Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH

: Keep away from oxidizing agents and open flame. To avoid thermal

Total dust.

: Not applicable.

OSHA Z1

- : Not determined
- Not establishedNot applicable
- : Not applicable
- : Not applicable

# **10. STABILITY AND REACTIVITY**

- Stability : Stable.
- Hazardous Polymerization : Will not occur.
- Conditions to avoid

3/6



# MATERIAL SAFETY DATA SHEET

ision Date 05/27/2003	3	Page 4 Print Date 11/11/2			
	decompositi	on, do not overheat.			
Incompatible Materials	: Incompatibl	Incompatible with strong acids and oxidizing agents.			
Hazardous decompositi products			pnoxide (CO), oxides of nitrogen , and smoke are all possible.		
	11. TOXICOLO	GICAL INFORMAT	ΓION		
	een evaluated as a whole for vidual components which o		osure effects listed are based on exi		
<u>Toxicity Overview</u> This product contains th	he following components	which in their pure fo	rm have the following characteristic		
CAS-No.	Chemical Name	Effect	Target Organ		
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
Environmental Toxicity	of the polyn	ner.			
Environmental Toxicity Bioaccumulation Poten Additional advice	y : Chemicals a of the polyn tial : Chemicals a of the polyn : No data ava	re not readily availabl her. re not readily availabl her. ilable.	e as they are bound within the matrix		
Bioaccumulation Poten Additional advice Product	y : Chemicals a of the polyn tial : Chemicals a of the polyn : No data ava 13. DISPOSAI : Like most th possible, rec generator of classificatio applicable fo	re not readily available ner. re not readily available ner. ilable. <b>L CONSIDERATIO</b> nermoplastics the pro cycling is preferred to waste material has the n, transportation and c ederal, state/provincia	duct can be recycled. Where disposal or incineration. The e responsibility for proper waste disposal in accordance with l and local regulations.		
Bioaccumulation Poten Additional advice	y : Chemicals a of the polyn tial : Chemicals a of the polyn : No data ava 13. DISPOSAI : Like most th possible, rec generator of classificatio applicable fe has the response	re not readily available ner. re not readily available ner. ilable. <b>L CONSIDERATIO</b> nermoplastics the pro cycling is preferred to waste material has the n, transportation and cederal, state/provincia preferred when possionsibility for proper v in accordance with a	e as they are bound within the matrix <b>NS</b> duct can be recycled. Where disposal or incineration. The e responsibility for proper waste disposal in accordance with l and local regulations.		
Bioaccumulation Poten Additional advice Product	y : Chemicals a of the polyn atial : Chemicals a of the polyn : No data ava 13. DISPOSAI : Like most th possible, rec generator of classificatio applicable for has the respondent and local respondent	re not readily available ner. re not readily available ner. ilable. <b>L CONSIDERATIO</b> nermoplastics the pro cycling is preferred to waste material has the n, transportation and cederal, state/provincia preferred when possionsibility for proper v in accordance with a	e as they are bound within the matrix <b>NS</b> duct can be recycled. Where disposal or incineration. The e responsibility for proper waste disposal in accordance with l and local regulations. ble. The generator of waste materia vaste classification, transportation pplicable federal, state/provincial		
Bioaccumulation Poten Additional advice Product	y : Chemicals a of the polyn tial : Chemicals a of the polyn : No data ava 13. DISPOSAI : Like most th possible, rec generator of classificatio applicable fe has the resp and disposal and local resp 14. TRANSPO	re not readily available re not readily available re not readily available re. ilable. <b>L CONSIDERATIO</b> thermoplastics the pro- cycling is preferred to waste material has the n, transportation and construction dederal, state/provincia preferred when possi- ponsibility for proper v in accordance with a gulations.	e as they are bound within the matrix <b>NS</b> duct can be recycled. Where disposal or incineration. The e responsibility for proper waste disposal in accordance with l and local regulations. ble. The generator of waste materia vaste classification, transportation pplicable federal, state/provincial		



# MATERIAL SAFETY DATA SHEET

# Y

YELLOW 108C		
Version Number 1.0 Revision Date 05/27/2003		Page 5 of 6 Print Date 11/11/2011
IMO / IMDG	:	Refer to specific regulation.
	15	S. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extr	rem	ely Hazardous Substance
Not applicable		
SARA Title III Section 313 Tox	cic C	Chemicals:
Not applicable		
Canadian Regulations:		
WHMIS Classification	:	D2B
WHMIS Ingredient Discl	losu	ire List
CAS-No. 7631-86-9		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed.
China IECS	:	Listed.
Europe EINECS	:	Not determined.



### MATERIAL SAFETY DATA SHEET

# YELLOW 108C

Version Number 1.0 Revision Date 05/27/2003 Page 6 of 6 Print Date 11/11/2011

Japan ENCS	:	Not determined.

Korea KECI : Not determined.

Philippines PICCS : Listed.

# **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.