

### MATERIAL SAFETY DATA SHEET

# PG 36934 PU PE

Version Number 1.0 Revision Date 05/22/2003 Page 1 of 6 Print Date 11/11/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 36934 PU PE
Product code	:	CC10036934
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Misc00005- Misc Zinc Cpd's	Not Available	10 - 30
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	5 - 10

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact	
Acute exposure		
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.	
Ingestion	: May be harmful if swallowed.	
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.	
Skin	: Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	





ion Number 1.0 sion Date 05/22/2003	Page Print Date 11/11
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

### MATERIAL SAFETY DATA SHEET

# PG 36934 PU PE



sion Number 1.0 rision Date 05/22/2003			Print D	Page 3 of ate 11/11/201		
Storage		: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally r	equired.		
Eye/Face Protection	: S	Safety glasses with side-shields.				
Hand protection	: P	Protective gloves.				
Skin and body protection	: L	Long sleeved clothing.				
Additional Protective Measures	: S	Safety shoes.				
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA		

vulue	Exposure time	Exposure type	List.
20 mppcf	PEL:	Total dust.	OSHA
20 mppcf	PEL:	Total dust.	Z3
10 mg/m3	Time Weighted Average		ACGIH
	(TWA):		
15 mg/m3	PEL:	Total dust.	OSHA Z1
	20 mppcf 20 mppcf 10 mg/m3	20 mppcfPEL:20 mppcfPEL:10 mg/m3Time Weighted Average (TWA):	20 mppcf     PEL:     Total dust.       20 mppcf     PEL:     Total dust.       10 mg/m3     Time Weighted Average (TWA):     Total dust.

9. PHYSICAL AND	<b>CHEMICAL PROPERTIES</b>
-----------------	----------------------------

Form
Appearance
Color
Odor
Melting point/range
Boiling Point:
Water solubility

#### : Solid : Pellets : PURPLE : Very faint : Not determined : Not applicable : Insoluble

Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pН

: Keep away from oxidizing agents and open flame. To avoid thermal

- : Not applicable.
- : Not determined
- : Not established
- : Not applicable
- : Not applicable : Not applicable

### **10. STABILITY AND REACTIVITY**

- Stability : Stable.
- Hazardous Polymerization : Will not occur.
- Conditions to avoid

3/6



### MATERIAL SAFETY DATA SHEET

# PG 36934 PU PE

<ul> <li>Incompatible w</li> <li>Carbon dioxide (NOx), other ha</li> <li>TOXICOLOGIC</li> <li>ted as a whole for haponents which con</li> <li>ng components which con</li> </ul>	azardous materials, ar         CAL INFORMATIO         health effects. Exposumprise the mixture.         ich in their pure form         Effect         Irritant         Systemic effects         AL INFORMATION         >degradable.         not readily available a	oxide (CO), oxides of nitrogen         ad smoke are all possible.         DN         ure effects listed are based on exist         have the following characteristics         Target Organ         Eyes, Respiratory system.         Respiratory system.
<ul> <li>Carbon dioxide (NOx), other ha</li> <li>TOXICOLOGIC</li> <li>ted as a whole for haponents which consider a subject of the ponents which considered a subject of the ponents which</li></ul>	e (CO2), carbon mono azardous materials, an CAL INFORMATIC health effects. Exposu mprise the mixture. ich in their pure form Effect Irritant Systemic effects AL INFORMATION degradable. not readily available a	oxide (CO), oxides of nitrogen         ad smoke are all possible.         DN         ure effects listed are based on exist         have the following characteristics         Target Organ         Eyes, Respiratory system.         Respiratory system.
(NOx), other ha	azardous materials, ar         CAL INFORMATIO         health effects. Exposumprise the mixture.         ich in their pure form         Effect         Irritant         Systemic effects         AL INFORMATION         >degradable.         not readily available a	nd smoke are all possible. DN Ire effects listed are based on exis have the following characteristics Target Organ Eyes, Respiratory system. Respiratory system.
ted as a whole for h aponents which con ng components whi emical Name norphous dioxide <b>12. ECOLOGICA</b> : Not readily bio : Chemicals are r	health effects. Exposun mprise the mixture. ich in their pure form Effect Irritant Systemic effects AL INFORMATION degradable.	are effects listed are based on exis have the following characteristics Target Organ Eyes, Respiratory system. Respiratory system.
ted as a whole for h aponents which con ng components whi emical Name norphous dioxide <b>12. ECOLOGICA</b> : Not readily bio : Chemicals are r	health effects. Exposun mprise the mixture. ich in their pure form Effect Irritant Systemic effects AL INFORMATION degradable.	are effects listed are based on exis have the following characteristics Target Organ Eyes, Respiratory system. Respiratory system.
emical Name norphous dioxide <b>12. ECOLOGICA</b> : Not readily bio : Chemicals are r	Effect Irritant Systemic effects AL INFORMATION degradable. not readily available a	Target Organ         Eyes, Respiratory system.         Respiratory system.
norphous dioxide <b>12. ECOLOGICA</b> : Not readily bio : Chemicals are r	Irritant Systemic effects AL INFORMATION degradable. not readily available a	Eyes, Respiratory system. Respiratory system.
dioxide         12. ECOLOGICA         : Not readily bio         : Chemicals are r	Systemic effects AL INFORMATION degradable. not readily available a	Respiratory system.
<ul> <li><b>12. ECOLOGICA</b></li> <li>Not readily biod</li> <li>Chemicals are r</li> </ul>	AL INFORMATION degradable. not readily available a	1
: Not readily bio	degradable. not readily available a	
: Not readily bio	degradable. not readily available a	
<ul> <li>Chemicals are not readily available as they are bound within the matrix of the polymer.</li> <li>Chemicals are not readily available as they are bound within the matrix of the polymer.</li> <li>No data available.</li> </ul>		
13. DISPOSAL C	CONSIDERATIONS	
: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
14. TRANSPOR	T INFORMATION	
: Refer to specifi	ic regulation.	
_	-	
: Keter to specifi	ic regulation.	
	<ul> <li>13. DISPOSAL ( possible, recyc generator of wa classification, t applicable fede</li> <li>Recycling is pr has the respons and disposal in and local regul</li> <li>14. TRANSPOR</li> <li>Refer to specification</li> </ul>	<ul> <li>13. DISPOSAL CONSIDERATIONS</li> <li>Like most thermoplastics the product possible, recycling is preferred to dist generator of waste material has the r classification, transportation and dist applicable federal, state/provincial a</li> <li>Recycling is preferred when possible has the responsibility for proper was and disposal in accordance with applicable</li> </ul>



MATERIAL SAFETY DATA SHEET

# PC

sion Date 05/22/2003				Print Date	Page 5
				T finit Date	11/11/2
IMO / IMDG	:	Refer to specific reg	ulation.		
	15.	. REGULATORY II	NFORMATION		
US Regulations:					
OSHA Status	:	Classified as hazard	ous based on compone	nts.	
TSCA Status	:	All components of t Inventory.	his product are listed of	n or exempt from	the TSCA
US. EPA CERCLA Hazar	dous Subs	tances (40 CFR 302)			
Not applicable	3				
California Proposit 65	tion :	This product does no	ot contain a substance l	isted by California	a Prop 65
SARA Title III Section 30	2 Extreme	ely Hazardous Substa	nce		
Not applicable					
1 tot upplicable					
SARA Title III Section 31	3 Toxic C	hemicals:			
	3 Toxic C	hemicals:	C + C + Y		
SARA Title III Section 31 Chemical Name ZINC COMPOUN		hemicals:	CAS-No. Not Available	Weight %	

Australia AICS : Not determined.



### MATERIAL SAFETY DATA SHEET

# PG 36934 PU PE

Version Number 1.0 Revision Date 05/22/2003		Page 6 of 6 Print Date 11/11/2011
China IECS	: Not determined.	
Europe EINECS	: Not determined.	
Japan ENCS	: Not determined.	
Korea KECI	: Not determined.	
Philippines PICCS	: Not determined.	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.