

MATERIAL SAFETY DATA SHEET

PURPLE PEARL CAP

Version Number 1.0 Revision Date 05/20/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902	
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	
Product name	:	PURPLE PEARL CAP	
Product code	:	CC10036950	
Chemical Name	:	Mixture	
CAS-No.	:	Mixture	
Product Use	:	Industrial Applications	

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

PURPLE PEARL CAP

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature	 Not applicable Not applicable Not relevant
Suitable extinguishing media Special Fire Fighting Procedures	 Carbon dioxide blanket, Water spray, dry powder, foam. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



MATERIAL SAFETY DATA SHEET

PURPLE PEARL CAP

sion Date 05/20/2003				Print Da	Page 3 ate 11/11/
Storage		eep containers dry and tind contamination. Keep		1 moisture	absorption
8. E	XPOSURE	CONTROLS / PERSO	NAL PROTECTIO	N	
Respiratory protection	: No personal respiratory protective equipment normally required				equired.
Eye/Face Protection	: S	afety glasses with side-sh	nields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: Safety shoes.				
General Hygiene Considerations		andle in accordance with ash hands before breaks			ifety practic
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
\mathbf{F} and \mathbf{I} \mathbf{I} \mathbf{I}					
Exposure limit(s)					
Components	Value	Exposure time	Exposure		List:
Components Mica	3 mg/m3	Time Weighted Avera (TWA):	ge Total du	ust.	ACGIH
Components Mica Mica		Time Weighted Avera		ust.	
Components Mica	3 mg/m3	Time Weighted Avera (TWA):	ge Total du Total du	ust.	ACGIH OSHA
Components Mica Mica	3 mg/m3 20 mppcf	Time Weighted Avera (TWA): PEL: Time Weighted Avera	ge Total du Total du	ust. ust.	ACGIH OSHA ACGIH
Components Mica Mica Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3	Time Weighted Avera (TWA): PEL: Time Weighted Avera (TWA):	ge Total du Total du ge Total du	ust. ust.	ACGIH OSHA ACGIH
Components Mica Mica Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3	Time Weighted Avera (TWA): PEL: Time Weighted Avera (TWA): PEL: CAL AND CHEMICAL	ge Total du Total du ge Total du	ust.	ACGIH OSHA ACGIH
Components Mica Mica Titanium dioxide Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC	Time Weighted Avera (TWA): PEL: Time Weighted Avera (TWA): PEL: CAL AND CHEMICAL	ge Total du Total du ge Total du PROPERTIES	ust. ust. : Not :	ACGIH OSHA ACGIH OSHA Z
Components Mica Mica Titanium dioxide Titanium dioxide	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid	Time Weighted Avera (TWA): PEL: Time Weighted Avera (TWA): PEL: CAL AND CHEMICAL	ge Total du Total du ge Total du PROPERTIES	ust. ust. : Not a : Not a	ACGIH OSHA ACGIH OSHA Z
Components Mica Mica Titanium dioxide Titanium dioxide Form Appearance	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR	Time Weighted Avera (TWA): PEL: Time Weighted Avera (TWA): PEL: CAL AND CHEMICAL	ge Total du Total du ge Total du ge Total du PROPERTIES	1st. 1st. 1st. : Not : : Not : : Not :	ACGIH OSHA ACGIH OSHA Z applicable. determined
Components Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very	Time Weighted Avera (TWA): PEL: Time Weighted Avera (TWA): PEL: CAL AND CHEMICAL	ge Total du Total du ge Total du ge Total du PROPERTIES	1st. 1st. 1st. : Not : : Not : : Not : : Not :	ACGIH OSHA ACGIH OSHA Z applicable. determined established
Components Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c	Time Weighted Avera (TWA): PEL: Time Weighted Avera (TWA): PEL: CAL AND CHEMICAL L E ts S PLE B faint V letermined V	ge Total du Total du ge Total du Total du Total du PROPERTIES	1st. 1st.	ACGIH OSHA ACGIH OSHA Z applicable. determined established applicable
Components Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c	Time Weighted Avera (TWA): PEL: Time Weighted Avera (TWA): PEL: CAL AND CHEMICAL I E ts S PLE B faint V letermined V applicable p	ge Total du Total du ge Total du ge Total du PROPERTIES	1st. 1st.	ACGIH OSHA ACGIH OSHA Z applicable. determined established applicable applicable
Components Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not c : Not c : Insol	Time Weighted Avera (TWA): PEL: Time Weighted Avera (TWA): PEL: CAL AND CHEMICAL I E ts S PLE B faint V letermined V applicable p	ge Total du Total du ge Total du ge Total du PROPERTIES	1st. 1st.	ACGIH OSHA ACGIH OSHA Z applicable. determined established applicable applicable
Components Mica Mica Titanium dioxide Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	3 mg/m3 20 mppcf 10 mg/m3 15 mg/m3 9. PHYSIC : Solid : Pelle : PUR : Very : Not a : Insol 10. S	Time Weighted Avera (TWA): PEL: Time Weighted Avera (TWA): PEL: CAL AND CHEMICAL I E ts S PLE B faint V letermined V applicable p uble	ge Total du Total du ge Total du ge Total du PROPERTIES	1st. 1st.	ACGIH OSHA ACGIH OSHA Z oSHA Z determined established applicable applicable



MATERIAL SAFETY DATA SHEET

PURPLE PEARL CAP

Version Number 1.0 Revision Date 05/20/2003		Page 4 of 6 Print Date <i>11/11/2011</i>
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.



MATERIAL SAFETY DATA SHEET

PURPLE PEARL CAP Page 5 of 6 Version Number 1.0 Revision Date 05/20/2003 Print Date 11/11/2011 ICAO/IATA : Refer to specific regulation. IMO / IMDG Refer to specific regulation. : **15. REGULATORY INFORMATION US Regulations: OSHA Status** : Classified as hazardous based on components. **TSCA Status** All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable : This product does not contain a substance listed by California Prop 65. California Proposition 65 SARA Title III Section 302 Extremely Hazardous Substance Not applicable SARA Title III Section 313 Toxic Chemicals: Not applicable Canadian Regulations: WHMIS Classification : D2B WHMIS Ingredient Disclosure List CAS-No. 12001-26-2 DSL All components of this product are on the Canadian Domestic : Substances List (DSL) or are exempt. National Inventories: Australia AICS : Listed. China IECS : Listed.



MATERIAL SAFETY DATA SHEET

PURPLE PEARL CAP

 Version Number 1.0
 Page 6 of 6

 Revision Date 05/20/2003
 Print Date 11/11/2011

 Europe EINECS
 :
 Not determined.

 Japan ENCS
 :
 Not determined.

 Korea KECI
 :
 Listed.

 Philippines PICCS
 :
 Listed.

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.