

# MATERIAL SAFETY DATA SHEET

# GREEN

Version Number 1.0 Revision Date 05/29/2003 Page 1 of 7 Print Date *11/11/2011* 

# 1. PRODUCT AND COMPANY IDENTIFICATION

## POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN
Product code	:	CC10037024
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5
C.I. Pigment Yellow 163	68186-92-5	10 - 30

# **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

# POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> </ul>
Eyes	<ul> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.





ion Number 1.0 sion Date 05/29/2003	Print I	Page 2 Date 11/11/2
Medical Conditions Aggravated by Exposure:	: None known.	
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fur overheating or combustion. When symptoms persist or doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When persist or in all cases of doubt seek medical advice.	ı symptoms
Eyes	: Rinse immediately with plenty of water, also under the least 15 minutes. If eye irritation persists, seek medica	
Skin	: Wash off with soap and plenty of water. If skin irritation medical attention.	n persists see
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, Water spray, dry powder, foan</li> <li>Fullface self-contained breathing apparatus (SCBA) us pressure mode should be worn to prevent inhalation of contaminants.</li> <li>None</li> </ul>	ed in positive
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, s impervious gloves, boots and coveralls.	uch as
Environmental precautions	: Should not be released into the environment. The prod be allowed to enter drains, water courses or the soil.	uct should no
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package a plastic, cardboard or metal containers for disposal. Refe of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic conly in areas with appropriate exhaust ventilation.	harge. Heat

# MATERIAL SAFETY DATA SHEET



# GREEN

ion Number 1.0 sion Date 05/29/2003			Print D	Page 3 ate 11/11/2
Storage		eep containers dry and tight d contamination. Keep in a		absorption
8. 1	EXPOSURE	CONTROLS / PERSONAI	<b>PROTECTION</b>	
Respiratory protection	: N	o personal respiratory protec	tive equipment normally r	equired.
Eye/Face Protection	: Sa	fety glasses with side-shield	s.	
Hand protection	: Pı	rotective gloves.		
Skin and body protection	: Lo	ong sleeved clothing.		
Additional Protective Measures	: Sa	afety shoes.		
General Hygiene Considerations		andle in accordance with goo ash hands before breaks and		afety practic
Engineering measures		eat only in areas with approp propriate exhaust ventilatior		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
C.I. Pigment Yellow 163	0.5 mg/m3	Time Weighted Average (TWA):	as Cr	ACGIH
C.I. Pigment Yellow 163	0.5 mg/m3	PEL:	as Cr	OSHA ZI
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH
Carbon black	3.5 mg/m3	PEL:	Total dust. as carbon black	OSHA ZI
	9. PHYSIC	AL AND CHEMICAL PR	OPERTIES	
Form	: Solid	Evan	oration rate : Not	applicable.
Form Appearance	: Solid : Pellet	1		applicable. determined
Form Appearance Color		s Speci	ific Gravity : Not	
Appearance	: Pellet	es Speci EN Bulk	fic Gravity : Not density : Not	determined
Appearance Color	: Pellet : GREI : Very	s Speci EN Bulk faint Vapo	ific Gravity: Notdensity: Notr pressure: Not	determined established
Appearance Color Odor Melting point/range Boiling Point:	: Pellet : GREJ : Very : Not d : Not a	is Speci EN Bulk faint Vapo letermined Vapo pplicable pH	ific Gravity:Notdensity:Notr pressure:Notr density:Not	determined established applicable
Appearance Color Odor Melting point/range	: Pellet : GREJ : Very : Not d	is Speci EN Bulk faint Vapo letermined Vapo pplicable pH	ific Gravity:Notdensity:Notr pressure:Notr density:Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pellet : GREI : Very : Not d : Not a : Insolu	is Speci EN Bulk faint Vapo letermined Vapo pplicable pH	ific Gravity : Not density : Not r pressure : Not r density : Not : Not	determined established applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pellet : GREJ : Very : Not d : Not a : Insolu	ss Speci EN Bulk faint Vapo letermined Vapo pplicable pH uble	ific Gravity : Not density : Not r pressure : Not r density : Not : Not	determined established applicable applicable

3/7



## MATERIAL SAFETY DATA SHEET

# GREEN

Version Number 1.0 Revision Date 05/29/2003		Page 4 of 7 Print Date 11/11/2011
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
68186-92-5	C.I. Pigment Yellow 163	Irritant	Eyes, Skin.

LC50 / LD50

This product contains the following components which in their pure form have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity:

This product contains the following components which in their pure form have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### Additional Health Hazard Information:



### MATERIAL SAFETY DATA SHEET

# GREEN

Version Number 1.0	Page 5 of 7
Revision Date 05/29/2003	Print Date 11/11/2011

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.

5/7



# MATERIAL SAFETY DATA SHEET

# GREEN

Version Number 1.0 Revision Date 05/29/2003 Page 6 of 7 Print Date 11/11/2011

TSCA Status : All components of this product are listed on or exempt from the TSCA Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : This product does not contain a substance listed by California Prop 65. 65

SARA Title III Section 302 Extremely Hazardous Substance

Not applicable

SARA Title III Section 313 Toxic Chemicals:

Chemical Name	CAS-No.	Weight %
CHROMIUM III COMPOUNDS	68186-92-5	12.45

Canadian Regulations:

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
68186-92-5	
1333-86-4	

DSL

All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.

National Inventories:

Australia AICS	:	Listed.
China IECS	:	Not determined.
Europe EINECS	:	Not determined.
Japan ENCS	:	Not determined.

:



# MATERIAL SAFETY DATA SHEET

# GREEN

Version Number 1.0 Revision Date 05/29/2003 Page 7 of 7 Print Date 11/11/2011

Korea KECI : Not determined.

Philippines PICCS : Listed.

# **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.