

MATERIAL SAFETY DATA SHEET

EXTRA YELLOW

Version Number 1.0 Revision Date 05/30/2003 Page 1 of 6 Print Date *11/11/2011*

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	EXTRA YELLOW
Product code	:	CC10037038
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

EXTRA YELLOW

sion Number 1.0 ision Date 05/30/2003	Page 2 Print Date 11/11/2
	A EIDST AID MEASUDES
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
T 1 11 T ' '	
Flammable Limits	. Not applicable
Upper explosion limit Lower explosion limit	: Not applicable : Not applicable
Autoignition temperature	: Not relevant
Suitable extinguishing media	: Carbon dioxide blanket, Water spray, dry powder, foam.
Special Fire Fighting	: Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures	pressure mode should be worn to prevent inhalation of airborne
	contaminants.
Unusual Fire/Explosion Hazards	: None
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

EXTRA YELLOW

ision Date 05/30/2003				F	Print D	Page 3 ate 11/11/2
	a	nd contamination. K	eep in a d	ry, cool place.		
8. E	XPOSURE	CONTROLS / PER	RSONAL	PROTECTION		
Respiratory protection	: N	No personal respirator	ry protecti	ve equipment nor	mally r	equired.
Eye/Face Protection	: S	Safety glasses with sid	le-shields			
Hand protection	: F	: Protective gloves.				
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
	X7 1			E (T • • •
Components	Value	Exposure tin		Exposure typ	pe	List:
Titanium dioxide	10 mg/m3	Time Weighted A (TWA):	verage			ACGIH
Titanium dioxide	15 mg/m3	PEL:		Total dust.		OSHA Z1
	9. PHYSI	CAL AND CHEMI	CAL PRO	PERTIES		
Form	: Solie	d	Evapor	ration rate	: Not	applicable.
Appearance	: Pelle			ic Gravity	: Not determined	
Color	: YEL	LOW	Bulk d	ensity	: Not	established
Odor	: Very	y faint	Vapor pressure : Not applicable			
Melting point/range	: Not determined		Vapor density : Not applicable			
Boiling Point:	: Not	applicable	pН	:	: Not	applicable
Water solubility	: Inso	luble				
	10. 9	STABILITY AND F	REACTIV	ITY		
Stability	: S	Stable.				
Hazardous Polymerization	1 : V	Will not occur.				
Conditions to avoid : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.						
	-	1				



MATERIAL SAFETY DATA SHEET

EXTRA YELLOW

Version Number 1.0 Revision Date 05/30/2003 Page 4 of 6 Print Date *11/11/2011*

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

	12. ECOLOGI	CAL INFORMATION	1			
Persistence and degrada	bility : Not readily b	biodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice	: No data avai	: No data available.				
	13. DISPOSAL	CONSIDERATIONS	9			
Product Contaminated packaging	g g g g g g g g g g g g g g g g g g g	 Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 				
	14. TRANSPO	ORT INFORMATION				
U.S. DOT Classification	Refer to spec	ific regulation.				
ICAO/IATA	: Refer to spec	cific regulation.				
IMO / IMDG	: Refer to spec	ific regulation.				
	15. REGULAT	ORY INFORMATION	N			

4/6

MATERIAL SAFETY DATA SHEET





	Page 5 of 6 Print Date 11/11/2011
:	Classified as hazardous based on components.
:	All components of this product are listed on or exempt from the TSCA Inventory.
Sub	ostances (40 CFR 302)
:	This product does not contain a substance listed by California Prop 65.
rem	nely Hazardous Substance
1C C	Chemicals:
•	D2B
:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
:	Listed.
:	Listed.
:	Not determined.
:	Listed.
:	Listed.
:	Listed.
	16. OTHER INFORMATION
	: Sub : : : : : : : : : : : :

5/6



MATERIAL SAFETY DATA SHEET

EXTRA YELLOW

Version Number 1.0 Revision Date 05/30/2003 Page 6 of 6 Print Date 11/11/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.