

MATERIAL SAFETY DATA SHEET

CHARIOT GREY

Version Number 1.0 Revision Date 05/28/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
		CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CHARIOT GREY
Product code	:	CC10037245
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact			
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure Medical Conditions Aggravated by Exposure:	Refer to Section 11 for Toxicological Information.None known.		
88			



MATERIAL SAFETY DATA SHEET

CHARIOT GREY

sion Number 1.0 ision Date 05/28/2003	Page 2 Print Date 11/11/2		
	4. FIRST AID MEASURES		
Inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all doubt seek medical advice.			
Ingestion	: Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.		
Eyes : Rinse immediately with plenty of water, also under the ey least 15 minutes. If eye irritation persists, seek medical at			
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, Water spray, dry powder, foam. 		
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		
Storage	: Keep containers dry and tightly closed to avoid moisture absorption		



MATERIAL SAFETY DATA SHEET

CHARIOT GREY

sion Number 1.0 ision Date 05/28/2003			Print D	Page 3 o ate 11/11/20	
	a	nd contamination. Keep in a	dry, cool place.		
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory protec	tive equipment normally r	equired.	
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.			
Skin and body protection	: Long sleeved clothing.				
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations		Iandle in accordance with goo Vash hands before breaks and		afety practice.	
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA	
Silica, amorphous	20 mppcf	PEL:	Total dust.	Z3	
	9. PHYSIC	CAL AND CHEMICAL PR	OPERTIES		
	: Solic	I Euro	oration rate : Not		
Eamo					
Form				applicable.	
Appearance	: Pelle	ets Speci	fic Gravity : Not	determined	
Appearance Color	: Pelle : GRE	ets Speci CY Bulk	fic Gravity : Not density : Not	determined established	
Appearance Color Odor	: Pelle : GRE : Very	ets Speci EY Bulk y faint Vapo	fic Gravity: Notdensity: Notr pressure: Not	determined established applicable	
Appearance Color Odor Melting point/range	: Pelle : GRE : Very : Not o	ets Speci EY Bulk v faint Vapo determined Vapo	fic Gravity: Notdensity: Notr pressure: Notr density: Not	determined established applicable applicable	
Appearance Color Odor	: Pelle : GRE : Very : Not o	ets Speci EY Bulk 7 faint Vapo determined Vapo applicable pH	fic Gravity: Notdensity: Notr pressure: Notr density: Not	determined established applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : GRE : Very : Not o : Not a : Insol	ets Speci EY Bulk 7 faint Vapo determined Vapo applicable pH	fic Gravity : Not density : Not r pressure : Not r density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : GRE : Very : Not o : Not a : Insol	ets Speci EY Bulk v faint Vapo determined Vapo applicable pH luble	fic Gravity : Not density : Not r pressure : Not r density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : GRE : Very : Not c : Not c : Insol 10. S : S	ets Speci EY Bulk 7 faint Vapo determined Vapo applicable pH luble	fic Gravity : Not density : Not r pressure : Not r density : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Pelle : GRE : Very : Not o : Not a : Insol 	ets Speci EY Bulk 7 faint Vapo determined Vapo applicable pH luble STABILITY AND REACTI table.	fic Gravity : Not density : Not r pressure : Not r density : Not : Not VITY	determined established applicable applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Pelle : GRE : Very : Not o : Not a : Insol 10. S : S n : W : K d	ets Speci EY Bulk 7 faint Vapo determined Vapo applicable pH luble STABILITY AND REACTI table. Vill not occur. Keep away from oxidizing age	fic Gravity : Not density : Not r pressure : Not r density : Not : Not VITY nts and open flame. To a t.	determined established applicable applicable applicable	



MATERIAL SAFETY DATA SHEET

CHARIOT GREY

Version Number 1.0

Revision Date 05/28/2003

Page 4 of 6 Print Date 11/11/2011

products

(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

CAS-No. 7631-86-9 \$	Chemical Name Silica, amorphous	Effect Irritant	Target OrganEyes, Respiratory system.		
	12. ECOLOG	ICAL INFORMATIO	ON		
Persistence and degradab	ility : Not readily	biodegradable.			
Environmental Toxicity		Chemicals are not readily available as they are bound within the matrix of the polymer.			
Bioaccumulation Potentia		Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice : No data available.					
	13. DISPOSA	L CONSIDERATION	NS		
Product Contaminated packaging	possible, red generator of classificatio applicable f : Recycling is	cycling is preferred to f waste material has the on, transportation and d ederal, state/provincial s preferred when possil	duct can be recycled. Where disposal or incineration. The e responsibility for proper waste lisposal in accordance with l and local regulations. ble. The generator of waste material		
	and disposa	has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSP	ORT INFORMATIO	N		
		· ~ 1 .•			
U.S. DOT Classification	-	Refer to specific regulation.			
ICAO/IATA : Ref		Refer to specific regulation.			
IMO / IMDG	: Refer to spe	to specific regulation.			
	15. REGULAT				

US Regulations:



MATERIAL SAFETY DATA SHEET

CHARIOT GREY

Version Number 1.0 Revision Date 05/28/2003				Print Date	Page 5 of 6 11/11/2011
OSHA Status	:	Classified as hazardous based on components.			
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous S	Sub	stances (40 CFR 302)			
Not applicable					
California Proposition 65	:	This product does not cor	ntain a substance lis	sted by California	Prop 65.
SARA Title III Section 302 Extr	rem	ely Hazardous Substance			
Not applicable					
SARA Title III Section 313 Tox	ic C	Chemicals:			
Chemical Name			CAS-No.	Weight %	
ZINC COMPOUNDS			1314-98-3	24.61	
Canadian Regulations:					
WHMIS Classification	:	Not controlled.			
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:					
Australia AICS	:	Listed.			
China IECS	:	Listed.			
Europe EINECS	:	Not determined.			
Japan ENCS	:	: Not determined.			
Korea KECI	:	Not determined.			
Philippines PICCS	:	Not determined.			
		16. OTHER INFORM	ATION		
		5/6			



MATERIAL SAFETY DATA SHEET

CHARIOT GREY

Version Number 1.0 Revision Date 05/28/2003 Page 6 of 6 Print Date *11/11/2011*

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.