

MATERIAL SAFETY DATA SHEET

PALE BLUE

Version Number 1.0 Revision Date 06/20/2003 Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PALE BLUE
Product code	:	CC10038536
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

PALE BLUE

Version Number 1.0 Revision Date 06/20/2003 Page 2 of 6 Print Date 11/11/2011

Aggravated by Exposure:		
	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.	
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.	
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.	
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam. 	
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.	
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	



MATERIAL SAFETY DATA SHEET **PALE BLUE**

Version Number 1.0 Revision Date 06/20/2003

Storage

Page 3 of 6 Print Date 11/11/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
	_	(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

Form	: Solid	Evaporation rate	: Not applicable.	
Appearance	: Pellets Specific Gravity : Not de		: Not determined	
Color	: BLUE Bulk density : Not estab		: Not established	
Odor	: Very faint Vapor pressure : Not applica			
Melting point/range	: Not determined Vapor density : Not applical			
Boiling Point:	: Not applicable pH : Not applic			
Water solubility	: Insoluble			
	10. STABILITY AN	DREACTIVITY		
Stability	: Stable.			
Hazardous Polymerization	: Will not occur.			
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.			



MATERIAL SAFETY DATA SHEET

PALE BLUE

Version Number 1.0 Revision Date 06/20/2003	3			Page 4 of 6 Print Date 11/11/2011
Incompatible Materials	:	Incompatible w	ith strong acids and o	xidizing agents.
Hazardous decompositi products	on :			xide (CO), oxides of nitrogen d smoke are all possible.
-	44 0			-
	11.]	OXICOLOGIC	CAL INFORMATIO	N
This mixture has not be health data for the indiv				re effects listed are based on existing
<u>Toxicity Overview</u> This product contains th	ne following	components whi	ch in their pure form	have the following characteristics:
CAS-No.	Chem	ical Name	Effect	Target Organ
13463-67-7	Titanium di		Systemic effects	Respiratory system.
	12	FCOLOGICA	L INFORMATION	
		. ECOLOGICA		
Persistence and degrada	ability :	Not readily biod	legradable.	
Environmental Toxicity	:	Chemicals are n of the polymer.	ot readily available as	they are bound within the matrix
Bioaccumulation Poten	tial :	Chemicals are n of the polymer.	ot readily available as	they are bound within the matrix
Additional advice	:	No data availab	le.	
	13	3. DISPOSAL C	ONSIDERATIONS	
Product	:	possible, recyclingenerator of wa classification, tr	ing is preferred to dis ste material has the re	t can be recycled. Where posal or incineration. The sponsibility for proper waste osal in accordance with d local regulations.
Contaminated packagin	ıg :	has the responsi	bility for proper wast accordance with appl	The generator of waste material e classification, transportation icable federal, state/provincial
	1	4. TRANSPORT	Γ INFORMATION	
U.S. DOT Classificatio	n :	Refer to specific	c regulation.	
ICAO/IATA	:	Refer to specific	c regulation.	
IMO / IMDG	:	Refer to specific	c regulation.	



MATERIAL SAFETY DATA SHEET **PALE BLUE**

Version Number 1.0 Revision Date 06/20/2003 Page 5 of 6 Print Date 11/11/2011

	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: This product does not contain a substance listed by California Prop 65
SARA Title III Section 302 Ext	remely Hazardous Substance
Not applicable	
SARA Title III Section 313 To?	xic Chemicals:
Not applicable Canadian Regulations:	
WHMIS Classification	: D2B
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed.
China IECS	: Listed.
Europe EINECS	: Not determined.
Japan ENCS	: Listed.
	: Listed.
Korea KECI	: Listed.
Korea KECI Philippines PICCS	. Listed.



MATERIAL SAFETY DATA SHEET **PALE BLUE**

Version Number 1.0 Revision Date 06/20/2003

Page 6 of 6 Print Date 11/11/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.