

MATERIAL SAFETY DATA SHEET

### RED

Version Number 1.0 Revision Date 07/08/2003 Page 1 of 5 Print Date 11/11/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED
Product code	:	CC10039210
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



## MATERIAL SAFETY DATA SHEET

## RED

Version Number 1.0 Revision Date 07/08/2003

Page 2 of 5 Print Date 11/11/2011

	4. FIRST AID MEASURES			
Inhalation : Move to fresh air in case of accidental inhalation of fur overheating or combustion. When symptoms persist or doubt seek medical advice.				
Ingestion	: Do not induce vomiting without medical advice. When symptor persist or in all cases of doubt seek medical advice.			
Eyes	Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention			
Skin	: Wash off with soap and plenty of water. If skin irritation pers medical attention.	ists seek		
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Flammable Limits				
Upper explosion limit	: Not applicable			
Lower explosion limit	: Not applicable			
Autoignition temperature	: Not relevant			
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foam.			
Special Fire Fighting Procedures	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.			
Unusual Fire/Explosion Hazards	: None			
	ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product sho be allowed to enter drains, water courses or the soil.	ould not		
Methods for cleaning up	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. only in areas with appropriate exhaust ventilation.	Heat		
Storage	: Keep containers dry and tightly closed to avoid moisture abso	rption		

2/5



## MATERIAL SAFETY DATA SHEET

## RED

Version Number 1.0 Revision Date 07/08/2003 Page 3 of 5 Print Date 11/11/2011

ð. EAP	POSURE CONTROLS / P	ERSONAL PROTECTION	1			
Respiratory protection	: No personal respira	No personal respiratory protective equipment normally required.				
Eye/Face Protection	: Safety glasses with	Safety glasses with side-shields.				
Hand protection	: Protective gloves.	Protective gloves.				
Skin and body protection	: Long sleeved clothi	Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.	Safety shoes.				
General Hygiene Considerations		Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.				
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
There are no known hazardou	us components above regula	atory thresholds in this produ	ct.			
	us components above regula		ct.			
			: Not applicable.			
9. Form Appearance	. PHYSICAL AND CHEM : Solid : Pellets	IICAL PROPERTIES Evaporation rate Specific Gravity	: Not applicable. : Not determined			
9. Form Appearance Color	. PHYSICAL AND CHEM : Solid : Pellets : RED	IICAL PROPERTIES Evaporation rate Specific Gravity Bulk density	<ul><li>Not applicable.</li><li>Not determined</li><li>Not established</li></ul>			
<b>9.</b> Form Appearance Color Odor	<ul> <li><b>PHYSICAL AND CHEM</b></li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> </ul>	IICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> </ul>			
<b>9.</b> Form Appearance Color Odor Melting point/range	<ul> <li><b>PHYSICAL AND CHEM</b></li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> </ul>	<b>IICAL PROPERTIES</b> Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>			
9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	IICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> </ul>			
<b>9.</b> Form Appearance Color Odor Melting point/range	<ul> <li><b>PHYSICAL AND CHEM</b></li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> </ul>	IICAL PROPERTIES Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>			
9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	<b>MCAL PROPERTIES</b> Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>			
9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	<b>MCAL PROPERTIES</b> Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>			
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY ANI	<b>MCAL PROPERTIES</b> Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>			
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY ANI <ul> <li>Stable.</li> <li>Will not occur.</li> </ul>	<b>IICAL PROPERTIES</b> Evaporation rate         Specific Gravity         Bulk density         Vapor pressure         Vapor density         pH	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>			
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>RED</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY ANI <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from ox decomposition, do not apply the stable.</li> </ul>	<b>IICAL PROPERTIES</b> Evaporation rate         Specific Gravity         Bulk density         Vapor pressure         Vapor density         pH	<ul> <li>Not applicable.</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>			



MATERIAL SAFETY DATA SHEET

### RED

Version Number 1.0 Revision Date 07/08/2003 Page 4 of 5 Print Date 11/11/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION			
Persistence and degradability	: Not readily biodegradable.			
Environmental Toxicity	: Chemicals are not readily available as they are bound within the n of the polymer.			
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.			
Additional advice	: No data available.			
13. DISPOSAL CONSIDERATIONS				
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPORT INFORMATION			
U.S. DOT Classification	: Refer to specific regulation.			
ICAO/IATA	: Refer to specific regulation.			
IMO / IMDG	: Refer to specific regulation.			
	15. REGULATORY INFORMATION			
US Regulations:				
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.			
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.			
US. EPA CERCLA Hazardous	Substances (40 CFR 302)			
Not applicable				



### MATERIAL SAFETY DATA SHEET

### RED

Version Number 1.0 Revision Date 07/08/2003			Print Date	Page 5 of 5 11/11/2011
California Proposition 65	:	This product does not contain a substance listed	l by Californi	a Prop 65.
SARA Title III Section 302 Extra	rem	ely Hazardous Substance		
Not applicable				
SARA Title III Section 313 Tox	ic (	Chemicals:		
Not applicable Canadian Regulations:				
National Pollutant Release	se Iı	nventory (NPRI)		
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Cana Substances List (DSL) or are exempt.	adian Domes	tic
National Inventories:				
Australia AICS	:	Listed.		
China IECS	:	Listed.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Listed.		
Korea KECI	:	Listed.		
Philippines PICCS	:	Listed.		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.