MATERIAL SAFETY DATA SHEET SOFT BLUE 653C M2230-P

Version Number 1.0 Revision Date 06/30/2003

Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	SOFT BLUE 653C M2230-P
Product code	:	CC10039252
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %	
Iron oxide	1309-37-1	10 - 30	
Titanium dioxide	13463-67-7	10 - 30	

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

MATERIAL SAFETY DATA SHEET SOFT BLUE 653C M2230-P

Version Number 1.0 Revision Date 06/30/2003 Page 2 of 6 Print Date 11/11/2011

Aggravated by Exposure:				
	4. FIRST AID MEASURES			
Inhalation : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.				
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.			
	5. FIRE-FIGHTING MEASURES			
Flash point	: Not applicable			
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foam. 			
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. None 			
	6. ACCIDENTAL RELEASE MEASURES			
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.			
	7. HANDLING AND STORAGE			
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			



MATERIAL SAFETY DATA SHEET SOFT BLUE 653C M2230-P

Version Number 1.0 Revision Date 06/30/2003 Page 3 of 6 Print Date 11/11/2011

Storage Keep containers dry and tightly closed to avoid moisture absorption : and contamination. Keep in a dry, cool place. 8. EXPOSURE CONTROLS / PERSONAL PROTECTION Respiratory protection No personal respiratory protective equipment normally required. : Eye/Face Protection Safety glasses with side-shields. : Hand protection Protective gloves. : Skin and body protection Long sleeved clothing. : Additional Protective Safety shoes. : Measures General Hygiene Handle in accordance with good industrial hygiene and safety practice. : Considerations Wash hands before breaks and at the end of workday. Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery. Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Iron oxide	5 mg/m3	Time Weighted Average	Dust and fume. as Fe	ACGIH
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
	_	(TWA):		
Titanium dioxide	15 mg/m3	PEL:	Total dust.	OSHA Z1

9. PHYSICAL AND CHEMICAL PROPERTIES

Form
Appearance
Color
Odor
Melting point/range
Boiling Point:
Water solubility

Solid Pellets BLUE Very faint Not determined Not applicable Insoluble

Evaporation rate Specific Gravity Bulk density Vapor pressure Vapor density pH

Keep away from oxidizing agents and open flame. To avoid thermal

Not applicable.Not determined

Not determinedNot established

: Not applicable

: Not applicable

: Not applicable

10. STABILITY AND REACTIVITY

Stability : Stable.

Hazardous Polymerization : Will not occur.

:

Conditions to avoid

3/6

PolyOne.

MATERIAL SAFETY DATA SHEET SOFT BLUE 653C M2230-P

Version Number 1.0 Revision Date 06/30/2003 Page 4 of 6 Print Date 11/11/2011

		decomposition	a, do not overheat.			
Incompatible Materials :		: Incompatible	Incompatible with strong acids and oxidizing agents.			
Hazardous decomposit products	tion		Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	11	. TOXICOLOG	ICAL INFORMATIO	DN		
This mixture has not b health data for the indi				are effects listed are based on exist		
Toxicity Overview						
This product contains	the following	ng components wł	nich in their pure form	have the following characteristic		
CAS-No.		emical Name	Effect	Target Organ		
1309-37-1	Iron oxic		Systemic effects	Respiratory system.		
13463-67-7	Titanium	dioxide	Systemic effects	Respiratory system.		
		12. ECOLOGIC	AL INFORMATION	I		
Persistence and degrad	lability	: Not readily bio	odegradable.			
Environmental Toxicit	ty	: Chemicals are not readily available as they are bound within the matrix of the polymer.				
Bioaccumulation Potential		Chemicals are not readily available as they are bound within the matrix of the polymer.				
Additional advice		No data available.				
		13. DISPOSAL	CONSIDERATIONS			
Product		: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packaging		Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
		14. TRANSPOR	RT INFORMATION			
U.S. DOT Classification	on	: Refer to specif	fic regulation.			

PolyOne.

MATERIAL SAFETY DATA SHEET SOFT BLUE 653C M2230-P

Version Number 1.0 Revision Date 06/30/2003 Page 5 of 6 Print Date 11/11/2011

IMO / IMDG :	Refer to specific regulation.
1	5. REGULATORY INFORMATION
US Regulations:	
OSHA Status :	Classified as hazardous based on components.
TSCA Status :	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Su	bstances (40 CFR 302)
Not applicable	
California Proposition : 65	This product does not contain a substance listed by California Prop 65.
SARA Title III Section 302 Extrem	nely Hazardous Substance
Not applicable	
SARA Title III Section 313 Toxic	Chemicals:
Not applicable Canadian Regulations:	
WHMIS Classification :	D2B
WHMIS Ingredient Disclos	sure List
CAS-No. 1309-37-1	
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS :	Listed.
China IECS :	Listed.
Europe EINECS :	Not determined.
Japan ENCS :	Not determined.

OLYONE CORPORA	TION		PolyOne
ATERIAL SAFETY DATA SH	IEET		
OFT BLUE 653C M2			
ersion Number 1.0 evision Date 06/30/2003			Page 6 of Print Date 11/11/201
Korea KECI	: Not determined.		
Philippines PICCS	: Listed.		
	16. OTHER INI	FORMATION	
material used in combination v	with any other materials of	or in any process, unless	s specified in the text.