



MATERIAL SAFETY DATA SHEET **PURPLE 267C** 

**POLYONE CORPORATION** 

## Version Number 1.1 Revision Date 09/09/2003

Page 1 of 6 Print Date 11/12/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PURPLE 267C
Product code	:	CC10039742
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	1 - 5
Silica, amorphous	7631-86-9	1 - 5

### **3. HAZARDS IDENTIFICATION**

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

## POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



# MATERIAL SAFETY DATA SHEET **PURPLE 267C**

Version Number 1.1 Revision Date 09/09/2003 Page 2 of 6 Print Date 11/12/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foam.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>None</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.



# MATERIAL SAFETY DATA SHEET **PURPLE 267C**

Version Number 1.1 Revision Date 09/09/2003

Storage

Page 3 of 6 Print Date 11/12/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	: No personal resp	iratory protective equipment normally required.
Eye/Face Protection	: Safety glasses w	ith side-shields.
Hand protection	: Protective gloves	5.
Skin and body protection	: Long sleeved clo	othing.
Additional Protective Measures	: Safety shoes.	
General Hygiene Considerations		ance with good industrial hygiene and safety practice. ore breaks and at the end of workday.
Engineering measures	•	as with appropriate exhaust ventilation. Provide ust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3

Form	: Solid	Evaporation rate	: Not applicable.
Appearance	: Pellets	Specific Gravity	: Not determined
Color	: PURPLE	Bulk density	: Not established
Odor	: Very faint	Vapor pressure	: Not applicable
Melting point/range	: Not determined	Vapor density	: Not applicable
Boiling Point:	: Not applicable	pH	: Not applicable
Water solubility	: Insoluble		
	10. STABILITY AN	D REACTIVITY	
Stability	: Stable.		
Hazardous Polymerization	: Will not occur.		
Conditions to avoid	• Keen away from c	oxidizing agents and open fl	lame To avoid thermal



# MATERIAL SAFETY DATA SHEET **PURPLE 267C**

evision Date 09/09/20	003		Page 4 o Print Date 11/12/20	
	decompos	ition, do not overheat.		
Incompatible Materi	als : Incompati	ble with strong acids and	oxidizing agents.	
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.				
	11. TOXICOL	OGICAL INFORMATI	ON	
health data for the in Toxicity Overview	ndividual components whic	h comprise the mixture.	ure effects listed are based on exist	
CAS-No. 12001-26-2	Chemical Name Mica	Effect Systemic effects	Target Organ	
7631-86-9	Silica, amorphous	Irritant	Respiratory system.Eyes, Respiratory system.	
Bioaccumulation Potential: Chemicals are not readily available as they are bou of the polymer.Additional advice: No data available.		as they are bound within the matrix		
	13 DISPOS			
	15. DISI 05.	AL CONSIDERATIONS	5	
Product	: Like most possible, 1 generator classificat	thermoplastics the produ recycling is preferred to di	act can be recycled. Where sposal or incineration. The responsibility for proper waste sposal in accordance with	
Product Contaminated packa	: Like most possible, r generator classificat applicable has the res and dispos	thermoplastics the produce recycling is preferred to di of waste material has the ion, transportation and dis federal, state/provincial a is preferred when possibl sponsibility for proper was	act can be recycled. Where sposal or incineration. The responsibility for proper waste sposal in accordance with	
	: Like most possible, r generator classificat applicable inging : Recycling has the res and dispos and local r	thermoplastics the produce recycling is preferred to di of waste material has the ion, transportation and dis federal, state/provincial a is preferred when possibl sponsibility for proper was sal in accordance with app	act can be recycled. Where asposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations. e. The generator of waste material ste classification, transportation blicable federal, state/provincial	
	: Like most possible, 1 generator classificat applicable has the res and dispos and local t 14. TRANS	thermoplastics the produce recycling is preferred to di of waste material has the p ion, transportation and dis federal, state/provincial a is preferred when possibl sponsibility for proper was sal in accordance with app regulations.	act can be recycled. Where asposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations. e. The generator of waste material ste classification, transportation blicable federal, state/provincial	



# MATERIAL SAFETY DATA SHEET **PURPLE 267C**

Version Number 1.1 Revision Date 09/09/2003 Page 5 of 6 Print Date 11/12/2011

IMO / IMDG	:	Refer to specific regulation.	
	15	. REGULATORY INFORMATION	
US Regulations:			
OSHA Status	:	Classified as hazardous based on components.	
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous S	Subs	stances (40 CFR 302)	
Not applicable			
California Proposition 65	:	This product does not contain a substance listed by California Prop 65.	
SARA Title III Section 302 Extr	eme	ely Hazardous Substance	
Not applicable			
SARA Title III Section 313 Tox	ic C	hemicals:	
Not applicable Canadian Regulations:			
National Pollutant Releas	e Ir	iventory (NPRI)	
Not applicable			
WHMIS Classification	:	Not controlled.	
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Listed.	
China IECS	:	Listed.	
Europe EINECS	:	Not determined.	
Japan ENCS	:	Not determined.	

POLYONE	<b>CORPORATION</b>



# MATERIAL SAFETY DATA SHEET

## PURPLE 267C

#### Version Number 1.1 Revision Date 09/09/2003

Page 6 of 6 Print Date 11/12/2011

Korea KECI : Listed.

: Listed.

Philippines PICCS

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.