

MATERIAL SAFETY DATA SHEET

TR. RED T505-1-2

Version Number 1.0 Revision Date 07/24/2003

Page 1 of 6 Print Date 11/11/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

NON-EMERGENCY TELEPHONE	:	Product Stewardship (770) 271-5902
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TR. RED T505-1-2
Product code	:	CC10039915
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin Chronic exposure	 Experience shows no unusual dermatitis hazard from routine handling. Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET

TR. RED T505-1-2

Version Number 1.0 Revision Date 07/24/2003 Page 2 of 6 Print Date 11/11/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	÷	Not applicable
Autoignition temperature	:	Not relevant
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	None
	6. A(CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET

TR. RED T505-1-2

Version Number 1.0 Revision Date 07/24/2003 Page 3 of 6 Print Date 11/11/2011

	OSURE CONTROLS	> / PERSONAL PROTECTION
Respiratory protection	: No personal res	piratory protective equipment normally required.
Eye/Face Protection	: Safety glasses	with side-shields.
Hand protection	: Protective glov	es.
Skin and body protection	: Long sleeved c	lothing.
Additional Protective Measures	: Safety shoes.	
General Hygiene Considerations		dance with good industrial hygiene and safety practice. fore breaks and at the end of workday.
Engineering measures		eas with appropriate exhaust ventilation. Provide aust ventilation at machinery.
Exposure limit(s)		
	-	gulatory thresholds in this product. HEMICAL PROPERTIES
Form	: Solid	Evaporation rate : Not applicable.
Form Appearance	: Solid : Pellets	Evaporation rate : Not applicable. Specific Gravity : Not determined
Form Appearance Color	: Pellets	Specific Gravity : Not determined
Appearance	: Pellets : RED	Specific Gravity: Not determinedBulk density: Not established
Appearance Color Odor	: Pellets : RED : Very faint	Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicable
Appearance Color Odor Melting point/range	: Pellets : RED : Very faint : Not determined	Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicable
Appearance Color Odor	: Pellets : RED : Very faint	Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicable
Appearance Color Odor Melting point/range Boiling Point:	 Pellets RED Very faint Not determined Not applicable Insoluble 	Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicable
Appearance Color Odor Melting point/range Boiling Point:	 Pellets RED Very faint Not determined Not applicable Insoluble 	Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	 Pellets RED Very faint Not determined Not applicable Insoluble 10. STABILITY A	Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	 Pellets RED Very faint Not determined Not applicable Insoluble 10. STABILITY Stable. Will not occur. Keep away from 	Specific Gravity: Not determinedBulk density: Not establishedVapor pressure: Not applicableVapor density: Not applicablepH: Not applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 Pellets RED Very faint Not determined Not applicable Insoluble 10. STABILITY Stable. Will not occur. Keep away from decomposition, 	Specific Gravity : Not determined Bulk density : Not established Vapor pressure : Not applicable Vapor density : Not applicable pH : Not applicable AND REACTIVITY n oxidizing agents and open flame. To avoid thermal



MATERIAL SAFETY DATA SHEET

TR. RED T505-1-2

Version Number 1.0 Revision Date 07/24/2003 Page 4 of 6 Print Date 11/11/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the matrix of the polymer.
Additional advice	: No data available.
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastics the product can be recycled. Where possible, recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	. Defer to specific regulation
	: Refer to specific regulation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	



MATERIAL SAFETY DATA SHEET

TR. RED T505-1-2

Revision Date 07/24/2003

Page 5 of 6 Print Date 11/11/2011

California Proposition 65	:	This product does not contain a substance listed by California Prop 65.		
SARA Title III Section 302 Extremely Hazardous Substance				
Not applicable				
SARA Title III Section 313 Toxic Chemicals:				
Not applicable Canadian Regulations:				
National Pollutant Release Inventory (NPRI)				
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All of the components of this product are listed on the Canadian Inventories or are exempt. However, at least one component of this product is on the Canadian Non-Domestic Substances List (NDSL). Quantity use in Canada is restricted by regulations.		
National Inventories:				
Australia AICS	:	Not determined.		
China IECS	:	Not determined.		
Europe EINECS	:	Not determined.		
Japan ENCS	:	Not determined.		
Korea KECI	:	Not determined.		
Philippines PICCS	:	Not determined.		

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.



MATERIAL SAFETY DATA SHEET

TR. RED T505-1-2

Version Number 1.0 Revision Date 07/24/2003 Page 6 of 6 Print Date 11/11/2011